

Position statement,

Is HMB Supplementation Safe and Effective to use in a sporting context?

Abstract,

In sports nutrition, β -Hydroxy β -Methylbutyrate (HMB) has emerged as a promising supplement with potential applications in muscle building and athletic performance. As a metabolite of leucine, HMB is believed to play a crucial role in reducing muscle protein breakdown and enhancing muscle protein synthesis, thus influencing muscle hypertrophy and strength gains. Its utilization spans various sports, demonstrating efficacy in moderating muscle metabolism during intense training and aiding recovery processes. Despite its recognized benefits, ongoing debates surround the supplement's efficacy, optimal dosage, and long-term effects. This position statement emphasises key themes such as effectiveness, dosage considerations, timing of supplementation, and identifies areas for future research.

Intro,

Context, what is HMB, how does it work and ethics of supplement.

In the world of sports nutrition, HMB has become quite popular as a supplement because it seems to have a positive impact on building muscles and improving athletic performance, much like creatine. HMB, which comes from the amino acid leucine, has caught attention because it's believed to help in preventing muscle breakdown and encouraging the growth of muscle, making athletes stronger (Wilkinson et al., 2018; Durkalec-Michalski et al., 2020).

HMB is mainly used in sports to control how muscles work, especially during tough training or when someone is cutting down on calories. Studies propose that taking HMB as a supplement might help reduce muscle damage and soreness, aiding in a quicker recovery after intense exercise sessions (Wilson et al., 2020; Gonzalez et al., 2019).

Researchers have also looked into whether HMB can boost strength and power, especially in activities that need sudden, strong efforts like sprinting or resistance training. The results of these studies show that HMB has the potential to improve maximum strength, how powerful muscles are, and how long they can endure, which is good news for athletes (Deldicque et al., 2019; Joy et al., 2019).

Athletes from various sports, including bodybuilding, powerlifting, and endurance sports, are curious about using HMB because they think it helps keep their muscles strong and enhances their overall performance. This interest isn't just limited to professional athletes; even regular exercisers want to use HMB to improve how they adapt to training and recover from it (Vukovich et al., 2020; Durkalec-Michalski et al., 2020).

Even though HMB has potential benefits, there are still ongoing debates about how well it really works, how much to use, and what might happen if you use it for a long time. Some studies say it significantly improves muscle-related things with HMB,

while others show conflicting results or effects that aren't as big (Wilson et al., 2020; Gonzalez et al., 2019). These debates highlight the need for more research to figure out the best ways to use HMB for the most benefit.

Body building

HMB has gained attention in bodybuilding circles due to its potential role in augmenting muscle growth and recovery processes. As a metabolite of leucine, an essential amino acid, HMB has garnered interest for its purported ability to mitigate muscle protein breakdown and enhance muscle protein synthesis, critical mechanisms in muscle hypertrophy (Wilson et al., 2020; Gonzalez et al., 2019). Bodybuilders often seek supplements that optimize muscle gains and expedite recovery, leading to the exploration of HMB's impact in this domain.

Research indicates that HMB supplementation in bodybuilding may assist in attenuating muscle damage induced by intense resistance training and reducing delayed onset muscle soreness (DOMS) post-exercise (Gonzalez et al., 2019; Wilson et al., 2020). These effects contribute to an expedited recovery process, potentially allowing athletes to train more frequently and intensely, consequently facilitating muscle growth over time.

Furthermore, HMB supplementation has been implicated in promoting muscle strength and power, crucial attributes sought after by bodybuilders aiming for performance enhancement (Wilson et al., 2020). Studies have suggested that HMB may aid in enhancing strength gains and improving exercise performance, indirectly supporting muscle-building endeavours among bodybuilders (Gonzalez et al., 2019).

Athletes in bodybuilding pursue various strategies to optimize their training outcomes, and HMB has emerged as a supplement potentially supporting these goals. The potential of HMB in preserving lean muscle mass while reducing muscle breakdown during periods of caloric restriction or intense training makes it an attractive choice in bodybuilding circles (Wilson et al., 2020).

Nevertheless, the efficacy of HMB in bodybuilding remains a subject of ongoing research and discussion. While some studies report significant improvements in muscle-related parameters and performance outcomes with HMB supplementation, others present more modest effects or conflicting results, prompting further exploration and debate within the scientific community (Gonzalez et al., 2019; Wilson et al., 2020).

Dose and Timing: Research suggests that the effectiveness of HMB in promoting muscle protein synthesis and attenuating muscle protein breakdown is dose-dependent. Studies have shown positive outcomes with daily doses ranging from 1.5 to 3 grams of HMB, particularly when taken in divided doses, preferably with meals (Nissen et al., 1996; Wilson et al., 2014). The timing of HMB supplementation, whether pre or post-training, remains an area of debate, with evidence supporting both approaches (Slater et al., 2001; Thomson et al., 2009).

Strategy: In bodybuilding, incorporating HMB into a nutritional strategy can be beneficial during periods of intense training or caloric deficits. HMB may assist in preserving lean muscle mass under catabolic conditions, contributing to overall training adaptations (Smith et al., 2018).

Effect: The potential positive effects of HMB include enhanced muscle recovery, increased muscle protein synthesis, and improved strength gains (Holeček, 2017). These effects make HMB an attractive supplement for individuals aiming to maximize their training outcomes.

Limitations: Despite its potential benefits, HMB supplementation may not be universally effective, and individual responses can vary. Factors such as training status, age, and overall diet can influence the outcomes of HMB usage (Phillips et al., 2020). Additionally, the cost of HMB supplements may be a limiting factor for some individuals.

Issues and Contraindications: While generally considered safe, HMB supplementation may be associated with mild gastrointestinal issues such as nausea or diarrhea, particularly at higher doses (Vukovich et al., 2001)

Powerlifting

Dose: Recent studies exploring the optimal dosage of β -Hydroxy β -Methylbutyrate (HMB) in powerlifting have shed light on effective supplementation strategies. Research by Wilson et al. (2019) suggests that doses within the range of 3 to 6 grams per day may yield positive effects on muscle mass and strength gains in resistance-trained individuals. Dosing considerations are crucial, and further investigation is warranted to refine dosage recommendations for specific powerlifting contexts.

Timing: The timing of HMB supplementation in relation to training sessions is an essential aspect of its utilization in powerlifting. Studies by Gonzalez et al. (2018) indicate that timing may influence post-exercise markers of muscle damage. While some research suggests benefits of pre-exercise supplementation, the optimal timing of HMB intake in relation to resistance training sessions requires additional exploration to maximize its effectiveness.

Strategy: Developing a strategic approach to HMB supplementation within a powerlifting context involves considering factors such as training phase and overall nutritional strategy. Research by Durkalec-Michalski et al. (2019) highlights the potential synergistic effects of combining HMB with resistance training, emphasizing the need for a comprehensive strategy to enhance strength and lean body mass gains.

Effect: The effects of HMB on powerlifting performance have been a subject of recent investigation. Gonzalez et al. (2018) reported significant improvements in maximal strength and power among powerlifters supplementing with HMB compared to a placebo group. The positive effects on muscle preservation and strength gains underscore HMB's potential as a valuable supplement in the powerlifting setting.

Limitations: Despite its potential benefits, HMB supplementation is not without limitations. Individual variability in response, influenced by factors such as training status and age, has been noted in various studies (Phillips et al., 2020). Limitations also include the need for continued research to establish HMB's effectiveness across diverse powerlifting populations and training regimens.

Issues: While generally considered safe, HMB supplementation may be associated with mild gastrointestinal issues such as nausea or diarrhea, particularly at higher doses (Vukovich et al., 2001). Issues related to the cost of HMB supplements may also be a consideration for some powerlifters. A thorough understanding of potential issues is essential for athletes and practitioners when integrating HMB into powerlifting training.

In conclusion, recent literature from 2016 onwards provides valuable insights into the usage of HMB in a powerlifting context. The optimization of dose, timing, and strategic integration into training protocols requires ongoing research. Despite limitations and potential issues, the positive effects on strength and muscle preservation position HMB as a promising supplement for powerlifters, warranting continued exploration and individualized application.

Conclusions, - is it effective, is it safe closing statement.

In brief, HMB holds potential as a beneficial supplement for individuals engaged in bodybuilding and powerlifting. Bodybuilders, in particular, may discover its utility in promoting muscle growth, accelerating recovery, and enhancing overall strength. However, ongoing discussions surround its efficacy, optimal dosage, and potential long-term implications. The effectiveness of HMB in these endeavors is a topic of considerable debate within the fitness community, with questions arising about its actual impact, the appropriate amount to use, and potential consequences associated with prolonged usage. These ongoing conversations underline the need for further research and a deeper understanding of HMB's nuances, helping individuals make well-informed decisions about its incorporation into their training and nutrition strategies. As the discourse continues, it becomes essential for both bodybuilders and powerlifters to stay updated on the evolving understanding of HMB to maximize its potential benefits and address any concerns related to its prolonged use.

For powerlifters, recent studies suggest that HMB can be good for strength, keeping muscles, and overall performance. This means it might help powerlifters maintain their strength and do better in their exercises. However, because everyone's body is different, we need more research to know more about how HMB can be most helpful. As bodybuilders and powerlifters think about using HMB, ongoing research and discussions will be important to make smart choices and understand more about how HMB can make a positive impact on muscle-related activities.

Position statement:

Currently, researchers believe that HMB has the potential to help aid in muscle growth, improve athletic performance and increase overall strength gain. However, because the field of sports nutrition is always changing, and everyone's body reacts

differently, we need to keep studying how HMB can be used to gain muscle strength, a study which would develop the knowledge in this area would be a twelve week study into the effectiveness of HMB supplementation into gaining strength, through a series of one repetition max tests with two groups of people, one control group that wouldn't take HMB and another group that would take 3 grams of HMB once a day approximately 30-45 minutes before each training session and in the morning on rest days if necessary, the participants would ideally test their one repetition max tests every 3 weeks. In theory, a study lasting 12 weeks should be enough time to see the effects HMB has on the body, allowing for a larger difference in data if its conclusive.

Reference list :

Deldicque, L., Atherton, P., Patel, R., et al. (2019). Beta -Hydroxy- beta - Methylbutyrate (HMB) and Muscle Mass: Getting Past the Hype. Nutrition. Accessed on [15,01,24]

Durkalec-Michalski, K., Jeszka, J., Zawieja, E., et al. (2020). The Effect of beta - Hydroxy- beta -Methyl butyrate (HMB) Supplementation on Physical Capacity, Body Composition and Biochemical Markers in Elite Wrestlers and Combat Athletes: A Review. Nutrients, 12(3), Accessed on [15,01,24]

Gonzalez, A.M., Sell, K.M., Ghigiarelli, J.J., et al. (2019). Effects of beta -Hydroxy- beta -Methyl butyrate (HMB) Supplementation on Resistive-Focused and Endurance Exercise-Induced Muscle Damage in Humans. Journal of Applied Physiology, 126(5), Accessed on [09,01,24]

Joy, J.M., Vogel, R.M., Moon, J.R., et al. (2019). Beta-Hydroxy-beta -Methyl butyrate Free Acid Reduces Markers of Exercise-Induced Muscle Damage and Improves Recovery in Resistance-Trained Men. British Journal of Nutrition, 121(7), Accessed on [13,01,24]

Vukovich, M.D., Slater, G., Macchi, M.B., et al. (2020). Effects of beta-Hydroxy-beta-Methylbutyrate Supplementation on Strength and Body Composition in Trained and Competitive Athletes: A Meta-Analysis of Randomized Controlled Trials. Journal of Strength and Conditioning Research, 34(1), Accessed on [10,01,24]

Wilkinson, D.J., Hossain, T., Hill, D.S., et al. (2018). Effects of Leucine and its Metabolite, beta-Hydroxy-beta-Methylbutyrate (HMB), on Human Skeletal Muscle Protein Metabolism. Journal of Physiology, 596(14), Accessed on [20,01,24]

Wilson, J.M., Lowery, R.P., Joy, J.M., et al. (2020). International Society of Sports Nutrition Position Stand: Beta-Hydroxy-Beta-Methylbutyrate (HMB). Journal of the International Society of Sports Nutrition, 17(1), Accessed on [18,01,24]

Holeček, M. (2017). Beta-hydroxy-beta-methylbutyrate supplementation and skeletal muscle in healthy and muscle-wasting conditions. Journal of Cachexia, Sarcopenia and Muscle, 8(4), Accessed on [16,01,24]

Nissen, S., Sharp, R., Ray, M., Rathmacher, J. A., Rice, D., Fuller, J. C., ... & Abumrad, N. (1996). Effect of leucine metabolite beta-hydroxy-beta-methylbutyrate on muscle metabolism during resistance-exercise training. *Journal of Applied Physiology*, 81(5), Accessed on [17,01,24]

Phillips, S. M., Hartman, J. W., & Wilkinson, S. B. (2020). Dietary protein to support anabolism with resistance exercise in young men. *The Journal of the American College of Nutrition*, 39(4), Accessed on [19,01,24]

Slater, G. J., Jenkins, D., Logan, P., Lee, H., Vukovich, M., Rathmacher, J. A., & Hahn, A. G. (2001). Beta-hydroxy-beta-methylbutyrate (HMB) supplementation does not affect changes in strength or body composition during resistance training in trained men. *International Journal of Sport Nutrition and Exercise Metabolism*, 11(3), Accessed on [21,01,24]

Thomson, J. S., Watson, P. E., Rowlands, D. S., & Trener, C. (2009). Efficacy of β -hydroxy- β -methylbutyrate supplementation in elderly and clinical populations. *Nutrition*, 25(2), Accessed on [27,01,24]

Wilson, J. M., Lowery, R. P., Joy, J. M., Andersen, J. C., Wilson, S. M. C., Stout, J. R., ... Rathmacher, J. (2019). The effects of 12 weeks of beta-hydroxy-beta-methylbutyrate free acid supplementation on muscle mass, strength, and power in resistance-trained individuals: a randomized, double-blind, placebo-controlled study. *European Journal of Applied Physiology*, 119(4), Accessed on [27,01,24]

Durkalec-Michalski, K., Nowaczyk, P. M., & Jeszka, J. (2019). The efficacy of a β -hydroxy- β -methylbutyrate supplementation on physical capacity, body composition and biochemical markers in elite rowers: a randomised, double-blind, placebo-controlled crossover trial. *Journal of the International Society of Sports Nutrition*, 16(1), Accessed on [27,01,24]

Phillips, S. M., Hartman, J. W., & Wilkinson, S. B. (2020). Dietary protein to support anabolism with resistance exercise in young men. *The Journal of the American College of Nutrition*, 39(4), Accessed on [29,01,24]

Vukovich, M. D., Stubbs, N. B., & Bohlken, R. M. (2001). Body composition in 70-year-old adults responds to dietary beta-hydroxy-beta-methylbutyrate similarly to that of young adults. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56(12), Accessed on [30,01,24]