

Assignment 1

By: Hassan Bahzad
Student Number: BAH18837264

Course: HND Applied Computing
Module: Web and Database Concepts

Date: 01/21/2023

Table of Contents

Introduction	2
Requirements	2
Implementation	2
Validation	5
Evaluation	6
Usability & Utility	6
Effectiveness	6
Efficiency	7
Engagingness	7
Error Tolerance	7
Ease of Learning	7
Site Implementation	7
Search Engine Optimisation (SEO)	9
Accessibility	11
References	12
Appendices	15

Introduction

Within this report I will be covering the website I have designed, its features, and its purpose. I will proceed to refer to my reasoning behind each of those categories and how I designed them, as well as discuss the overall point of the site and its target audience.

Requirements


The website I have chosen to make is meant to be run by a black-hat hacker group, based in Japan, who call themselves; “Pantheon.” The site is meant to portray their belief that the world is corrupt and is on the brink of diplomatic collapse. The site’s purpose is to attract fellow activists to their group and have them assist the organisation in their mission to dissolve the world of corruption by taking down the elite and showing them the world is not to be run by the greedy.

Implementation


Home Page:



About Page:



Projects Page:



The projects page is intended to show off the future plans of the organisation, as well as their reasoning behind these plans.

Data Page:

GOOG ▲ +112.150 AMZN ▼ -149.24 MSFT ▲ +912.90 BTC ▲ +1292.81 NVIDIA ▼ -19.10 AMD ▼ -23.93 CSCO ▲ +1291.87 SONY ▲ +11.28 BAC ▼ -11.08 DOGE ▲ +41.80 NFLX ▲ +119.19

目標 | Targets

もちろん、クレデンジングが必要なるのみを対象としています。
Only those of great shall fear our power, for we are just.

Name	IP	Location
Vladimir Putin	80.92.32.0	Moscow, Russia
Xi Jinping	1.116.0.0	Beijing, China
Elon Musk	161.149.146.201	Los Angeles, USA
Jeff Bezos	204.89.92.153	Florida, USA
Ulf Mark Schneider	18.184.170.128	Frankfurt, Germany
Felix Kjellberg	105.17.150.141	Stockholm, Sweden
Sean McLoughlin	104.125.120.132	Dublin, Ireland

正当化 | Justification

私たちのリストにある名前は、エリートに属するボーンであり、操り人形師にとっての操り人形です。それらは、すべての王、1%の1%、神を演じる男性にたどり着くための便利なツールです。私たちは、人類が腐敗しており、セラル、情熱、優先事項が増えていると信じています。すべては、コングロマリットが何を隠してはいかにによって歪曲されます。政府は私たちを裏切り、エリートたちは私たちを虐待し、プライバシーと自由は幻想です。私たちはあなたの首を治し、エリート主義者の操作を一掃しなければなりません。

The names on our list are empty pawns of the elite, puppets to the puppeteer. They're a handy tool to get to all the kings, the 1% of the 1%, the men who play God. We believe that humanity is corrupt, corrupted in morals, passions and priorities. Everything is defined by what the conglomerate wants you to feel. Governments betray us, elites abuse us, privacy and freedom are an illusion. We must cure your cancer and wipe out elitist manipulation.

The data page is intended to provide information on the individuals and corporations the group is targeting as well as providing information on how well those individuals companies are performing as well. The group has also given their justification on the right of the page, further backing themselves up with their moral compass.

Contacts Page:

私たちを見つける
Find us

(日本語) メール: pr0misedL4nd@proton.me
(english) Email: tr33F0r4ll@proton.me

提供された電子メールはログを保持しません。これらの電子メールとの間のすべてのトラフィックは暗号化されており、追跡できません。
The emails provided do not keep logs, all traffic to and from these emails are encrypted and untraceable.

The contacts page is intended for those interested in the mission of the collective to get in contact with the founders.

Validation

Using a HTML validator, I checked each of my websites pages for any discrepancies. I am pleased to have found that there were no errors found on my index or any other page. Furthermore, there were no errors with my css file either.

Index page:

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 13 milliseconds.

Projects Page:

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 18 milliseconds.

Data Page:

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 21 milliseconds.

About Page:

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 12 milliseconds.

Contact Page:

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 9 milliseconds.

CSS Stylesheet:

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

Evaluation

Usability & Utility

For this section of my report I will be looking at the data from various studies to gather information and refer to said information when cross examining my own site with the information gathered.

The studies I found claimed that usability and utility are important factors to take into account when designing any software or hardware product as these concepts are what make the product easy to understand and navigate[1]-[5]. In the context of a website, the overall layout of the pages can make a massive difference towards how users perceive the site and its information[2]-[3]. If a site were to be hard to navigate or read, then users would most likely not visit the site again, nor would they trust the site's information[6]. Utility, in the context of a website, would be referring to the features implemented into the site that make navigation of the site's pages a lot easier, and making the content of said pages easier to reach[1]-[3].

In simpler terms, usability would be making a website easy to use and navigate for a common user[2], while utility would be providing the necessary, basic, functions that a user would need in order to use the website and view its content[2]. Ensuring the site is engaging, effective and efficient is what will define a website's quality[1]-[2].

There are five characteristics to a usable website[1]:

Effectiveness

Effectiveness in this context is referring to a site's capability of enabling a user to complete tasks without any errors[1]. An example of this would be a website ensuring the user can only input numeric values when a prompt asking for the user's credit card information appears. This limits the number of possible issues in later public use. Another example would be a website having multiple ways of reaching other pages of the site, this way a user can access all the content of the site more effectively[1].

Efficiency

The efficiency of a site is the methods used to make the speed of its tasks as fast as possible. More specifically, a site should design its layout and content so the user can access said content with as few clicks/keystrokes as possible[1][3]. The faster/easier a user can get to what they are looking for, the more efficient the site is.

Engagingness

To keep a website engaging to a user is to ensure the site has a good aesthetic, and overall smooth feel to it[1][3]. This will keep users coming back to the site for more content, or will at the very least mean the content of the page seems more reliable[6].

Error Tolerance

As the name suggests, error tolerance is the method by which a site can handle errors, either before or after they occur[1][4]. As mentioned before, a method of preventing errors would be only enabling numeric values to be inputted into a system that only needs a numeric value. This eliminates all possible errors which involve alphabetical inputs. In simpler terms, error tolerance is the method used to restrict any and all errors from occurring, either by user input or code issues. This can also apply to errors that have already occurred, which could be subverted by giving the user an 'undo' button to backtrack their mistake[4].


Ease of Learning

Ease of learning is the final concept any product or site would consider[1]. If the site is to be used on a day to day basis, then the site and its functions should be quite easy to learn to a new user[1]. This means the site's layout should be simple and buttons should be labelled appropriately[11]. This will keep new users coming back to access the site/product.

Site Implementation

After researching usability and utility and its impact on the quality of the site, I decided to make the layout of the site very simplistic. Every page is designed in the same way, each section separated by topic. Each page also has a navigation bar which sticks to the top of the users page as they scroll, so they always have access to all the pages on the site at all times. Unfortunately, the site doesn't have any prompts for users to input any data, as the site itself is designed to provide information and not receive it.

Below is a screenshot of the projects page of the site. The colour scheme may look darker on some monitors, however the text, links and navigation bar are all still visible and easily accessible. However, I plan changing the level of darkness of the background to be slightly brighter so that users can find it easier to identify the separations of sections.



After some thought towards the error tolerance of the site, I figured that preventing incorrect information from spreading beyond the site would be ideal, so in order to do this I used JavaScript to allow a user to click one of the ‘Targets’ IP addresses on the Data page, in order to copy it. Preventing the user from mistyping it out later.

目標 Targets		
もちろん、クレンジングが必要な方のみを対象としています。 Only those of greed shall fear our power, for we are just.		
Name	IP	Location
Vladimir Putin	80.92.32.0	Moscow, Russia
Xi Jinping	1.116.0.0	Beijing, China
Elon Musk	161.149.146.201	Los Angeles, USA
Jeff Bezos	204.89.92.153	Florida, USA
Ulf Mark Schneider	18.184.170.128	Frankfurt, Germany
Felix Kjellberg	105.17.150.141	Stockholm, Sweden
Sean McLoughlan	104.125.120.132	Dublin, Ireland

With this in place, the site is easy to navigate, easy to read, has error tolerance in place, is efficient and has a theme which is engaging to the target audience.

Search Engine Optimisation (SEO)

Search Engine Optimisation, or SEO for short, are the methods used to ensure the designed website appears higher on the listings on search engine result pages[7]-[8]. This is done to enable the site to receive as much traffic from the public as possible[7]. It's typical that most website developers would aim for the site to be on the first page of the google results page[7].

There are a few methods to implement SEO to a site, for example using keywords/keyphrases that a user would search online within the page's URL[9][10]. Since search engines will match users' results to what they had searched using keywords, having a site's page use the most common phrases a user would likely search will increase its possibility of being on the front page of google for the users[10].

Adding important keywords/phrases to a page's URL/metadata will increase the chances of users accessing the site[9][10], however, it's important to know what words to use. There are a few ways to know the most used phrases searched and such, one example is the "Free Keyword Tool," available for free on google. This site allows a user to search a keyword, phrase or URL and checks for the most searched variant of that topic.

Below is an example of me searching the words; "Search Engine Optimisation."


The screenshot displays the 'Free Keyword Tool' interface. At the top, the title 'Free Keyword Tool' is prominent, followed by the subtitle 'One tool to discover and prioritize the best keywords to target.' Below this, a search bar contains the text 'search engine optimisation'. Underneath the search bar, there are two dropdown menus: 'Choose an Industry (Optional):' set to 'All Industries' and 'Enter a State or Country:' set to 'United Kingdom'. A 'New Search' button is located to the right of these dropdowns. Below the search bar, the results are titled 'Keyword results for "search engine optimisation"'. A 'Download all Keywords' button is visible in the top right corner of the results section. The results are presented in a table with the following data:

Keywords	Monthly search volume	Top of page bid (low range)	Top of page bid (high range)	Competition
search engine optimisation	49,500	\$1.65	\$7.84	LOW
google optimisation	1,900	\$2.54	\$9.44	LOW
search engine optimisation is	1,600	\$0.75	\$3.00	LOW
search engine optimisation consultants	1,300	\$9.71	\$21.33	LOW
seo optimisation	1,000	\$4.00	\$16.14	LOW

These results show that the most searched variant of SEO is simply "Search Engine Optimisation." Having a monthly 49,500 searches, and the second highest being "google

optimisation” at 1,900 searches per month. Using this information, the webpage URL would use the keywords; “Search Engine Optimisation” within its metadata and URL[10].

Other aspects of Search Engine Optimisation would be the Metadata[10]. Metadata is information that a user would see when finding the site on google's results pages[9][10]. A meta title is the title a user would see and the meta description is the small synopsis a user sees below that title[8]-[11].




Search Engine Optimisation also involves the website being accessed from other means than just search engine results pages. An example would be a site using Backlinks. Backlinks are links within other websites that link to a separate website[8]-[10]. These links would be held within blog posts, articles or by other means[10].

Overall, Search Engine Optimisation is used to expose the site to the public as much as possible[8][9][11], as well as optimising the site to be viewed as trusted[10].

The site I have designed is not intended to be seen by the masses, therefore having search engine optimisation was not necessary for the site itself. However, I decided to add the metadata information regardless.

```
<title>パンテオン | Pantheon</title>
<meta name="description" content="We are the last defence against the new age slavery." />
<meta name="keywords" content="pantheon, freedom, new age slavery, corruption, prisoners, japanese, hackers, lotus, punishment">
```

This is what the page would look like on a results page:



Accessibility

Accessibility within a website are features which make it easier for those with disabilities, such as colour blindness, bad eyesight or deafness to access, engage and understand the website's content[12-16]. Using tools to optimise a site for the less-abled is important for enabling more users to visit the site, as well as avoiding lawsuits for discrimination[17].

Moreover, accessibility is more than just about disabilities, it's also about situational events which may impact the way a user can interact with the internet[12][14], an example would be a new parent, an arm injury or amputated arm, as these general events would impede the users ability to use websites as comfortably as a user who isn't affected by such situations[13].

An example of accessibility being put to use would be with the world known website known as YouTube. The site offers a multitude of videos for users to watch, however, a deaf person would be unable to hear the videos and so YouTube added 'captions' to give those users a method of engaging in their content.

According to the report done by Amani Ali [12], accessibility has guidelines which would require a website to be considered accessible. These guidelines include criteria such as:

- Can you navigate the site with a keyboard alone?
- Does the site work with a screen reader?
- Is the functionality of the site, and its content, still clear when applying a magnifier/zoom?
- Is the site easy to read/understand?

Once each of these questions can be answered with a yes, then the site is considered mostly accessible [12].

Features which could be applied to a site for accessibility reasons would be things like text-to-speech, colourblind options or darkmode [14].

When designing my site, I first took into consideration the users with poor eyesight. So I added a feature which would enlarge a section of text when the user hovers their mouse over it.



I then realised that the colour scheme may be a little hard to read for those who are colourblind, so to test this I used a website called “contrastchecker.com” to see if my site would be suitable for those users.



The screenshot shows the 'COLOR SELECTION' interface of the Contrast Checker website. It features a dark gray background with white text. At the top right, there is a help icon (question mark in a circle). Below the title, there are three buttons: 'SEE GRAYSCALE' (with a toggle switch), 'SHARE SAMPLE', and 'RESET'. The main area is divided into two sections: 'FOREGROUND' and 'BACKGROUND'. Each section has a color input field (showing 'B8B8B8' and '131313' respectively), a color picker icon, a 'Sample' size (12px and 18px), and a text preview area. Below these sections, there is a 'GET FROM IMAGE' button, a 'RATIO: 9.37' display, and an 'ADD TO HISTORY' button. At the bottom, there is a 'HISTORY' section with 'SHARE HISTORY' and 'SAVE PDF' buttons. A row of six circular indicators is displayed: four green circles with white checkmarks labeled 'AA', 'AAA', 'AA18pt', and 'AAA18pt'; a green circle with a white checkmark labeled 'COLORS MARGIN'; and a red circle with a white 'X' labeled 'COLOR DIFF 495'.

The white on black text passed every test asides the “colour difference” test. This means that users would have a hard time seeing when in greyscale. However when viewing the site in grey scale mode:

This screenshot is identical to the one above, showing the 'COLOR SELECTION' interface. The only difference is that the 'SEE RGB COLOR' button is highlighted in green, indicating it is the active view. The 'COLOR DIFF 495' indicator remains red with a white 'X'.

There is not much of a difference. Out of confusion, I’ve decided that I will change the colour of the text to be slightly brighter to further contrast the darker background.

Unfortunately, the white text is all in Japanese, as the group is intended to be a Japanese based entity. The english translated text is all in a red colour, which I tested as well:



The red colouring failed three out of the six tests, which tells me that I will need to change the red to be brighter, or perhaps add a feature in which the Japanese text can be translated to English instead of having red text at all.

The site can also be used without a mouse, the user simply needs to just press tab to be able to select any of the navigation buttons, and use the arrow keys to scroll through the pages.



References

- [1] A. Komninou, "An Introduction to Usability," *The Interaction Design Foundation*. <https://www.interaction-design.org/literature/article/an-introduction-to-usability#:~:text=While%20usability%20is%20concerned%20with> (accessed Dec. 26, 2022).
- [2] "Website Usability," *Balanced Website Design*, pp. 37–58, 2014, https://link.springer.com/chapter/10.1007/978-1-84628-795-4_3 (accessed Dec 26, 2022).
- [3] D. Belanche, L. V. Casaló, and M. Guinalíu, "Website usability, consumer satisfaction and the intention to use a website: The moderating effect of perceived risk," *Journal of Retailing and Consumer Services*, vol. 19, no. 1, pp. 124–132, Jan. 2017, doi: 10.1016/j.jretconser.2011.11.001. (accessed Dec 27, 2022).
- [4] W. L. in R.-B. U. Experience, "Usability 101: Introduction to Usability," *Nielsen Norman Group*. <https://www.nngroup.com/articles/usability-101-introduction-to-usability/#:~:text=Definition%20of%20Utility%20%3D%20whether%20it> (accessed Dec. 27, 2022).
- [5] [1]"Usefulness, Utility, Usability: 3 Goals of UX Design (Jakob Nielsen)," *www.youtube.com*. <https://www.youtube.com/watch?v=VwgZtqTQzg8> (accessed Dec. 27, 2022).
- [6] "BaseKit | 70 Per Cent Of People Don't Trust Badly Designed Websites," *RealWire*, Mar. 03, 2011. <https://www.realwire.com/releases/70-per-cent-of-people-dont-trust-badly-designed-websites> (accessed Dec. 27, 2022).
- [7] Interaction Design Foundation, "What is Search Engine Optimization (SEO)?," *The Interaction Design Foundation*, 2019. <https://www.interaction-design.org/literature/topics/search-engine-optimization> (accessed Dec 27, 2022).
- [8] Search Engine Land, "What Is SEO / Search Engine Optimization?," *Search Engine Land*, 2017. <https://searchengineland.com/guide/what-is-seo> (accessed Dec 28, 2022).
- [9] Michigan Tech, "Five Ways to Improve your Site's Ranking (SEO) | UMC | Michigan Tech," *Michigan Technological University*, 2022. <https://www.mtu.edu/umc/services/websites/seo/> (accessed Dec 29, 2022).
- [10] "8 Expert Tips to Build a Winning SEO Strategy in 2021," *www.wordstream.com*. <https://www.wordstream.com/blog/ws/2021/03/05/seo-strategy> (accessed Dec 29, 2022).

- [11] “12 SEO Techniques to Increase Organic Traffic,” *Semrush Blog*.
<https://www.semrush.com/blog/seo-techniques/> (accessed Dec. 29, 2022)
- [12] “Nomensa | What is web accessibility?,” *www.nomensa.com*.
<https://www.nomensa.com/blog/what-web-accessibility> (accessed Dec. 29, 2022)
- [13] W3C, “Introduction to Web Accessibility,” *Web Accessibility Initiative (WAI)*, 2019.
<https://www.w3.org/WAI/fundamentals/accessibility-intro/> (accessed Jan. 01, 2023)
- [14] “Top 10 Tips for Making Your Website Accessible | Web Access,” *Berkeley.edu*, 2019.
<https://webaccess.berkeley.edu/resources/tips/web-accessibility> (accessed Jan. 01, 2023)
- [15] “How Do I Make My Website Accessible?,” *www.youtube.com*.
https://youtu.be/YglJRnDS_o4 (accessed Jan. 02, 2023).
- [16] “How to Incorporate Accessibility in Your Website,” *Search Engine Journal*, Aug. 21, 2020. <https://www.searchenginejournal.com/make-website-more-accessible/347450/> (accessed Jan. 14, 2023)
- [17] “Disabled access to websites under UK law,” *Pinsent Masons*.
<https://www.pinsentmasons.com/out-law/guides/disabled-access-to-websites-under-uk-law>
(accessed Jan. 15, 2023)

Appendices

Index Page:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">

    <title>パンテオン | Pantheon</title>
    <meta name="description" content="We are the last defence against the
new age sl4very." />
    <meta name="keywords" content="pantheon, freedom, new age slavery,
corruption, prisoners, japanese, hackers, lotus, punishment">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.
css"
integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69
Npy4HI+N" crossorigin="anonymous">

    <link rel="stylesheet" href="assets/css/glitchEffect.css">
    <link rel="stylesheet" href="style.css">
  </head>
  <body>

    <!-- ===== Navbar Section ===== -->
    <nav class="navbar-expand-lg navbar-dark bg-dark">
      <div class="navbar-custom">
        <div class="navbar-container">
          <h2 class="hero glitch layers" data-text="パンテオン"
style="font-size: 16px; margin: 5px; "><span>パンテオン</span></h2>
          <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarTogglerDemo01"
aria-controls="navbarTogglerDemo01" aria-expanded="false"
aria-label="Toggle navigation" style="margin-top: -5px;">
            <span class="navbar-toggler-icon"></span>
          </button>
```

```

        <div class="collapse navbar-collapse"
id="navbarTogglerDemo01">
        <ul class="navbar-custom">
            <li>
                <a class="navLink-active">Home</a>
            </li>
            <li>
                <a class="navLink" href="about.html">About</a>
            </li>
            <li>
                <a class="navLink" href="projects.html">Projects</a>
            </li>
            <li>
                <a class="navLink" href="data.html">Data</a>
            </li>
            <li>
                <a class="navLink" href="contacts.html">Contacts</a>
            </li>
        </ul>
    </div>
</div>
</div>
</nav>

<!-- ===== End of Navbar Section ===== -->

<!-- ===== Main ===== -->
<div class="container-fluid" style="margin: 0px; padding: 0px;">

    <!-- ===== Banner Section ===== -->
    <div class="Welcome-Banner">
        <div class="enviroment"></div>
        <h2 class="hero glitch layers" data-text="パンテオン"
style="line-height: 625px; font-size: 64px; margin-left: 20px; text-align:
center; user-select: none; cursor: default;"><span>パンテオン</span></h2>

```

```
<p class="hero glitch layers transl-zoom" data-text="p4nthē0n"
style="margin-top: -280px; font-size: 28px; margin-left: 20px; text-align:
center; color: #ce5b5b;"><span>p4nthē0n</span></p>
</div>
<!-- ===== End of Banner Section ===== -->

<!-- ===== Summary Panel Section ===== -->
<div class="Section">
  <div class="row align-items-center">
    <div class="col-md-5 offset-md-1" style="padding: 30px; ">
      <h3 class="textDefault-Header">パンテオンへようこそ</h3>
      <h3 class="textDefault-Header" style="font-size: 18px;
margin-top: -12px; color: #ce5b5b;">Welcome to Pantheon</h3>

      <p class="zoom">ようこそパンテオンへ。私たちは団結であり、聖徒たちが罪
のない世界で生きる道を開く罪人です。私たちは希望であり、悲劇であり、地上の天国と地獄の違
いです。</p>

      <p class="transl-zoom">We are unity, we are light, we are the
sinners who pave the way for saints to live in a sinless world.

      We are the hope, the tragedy, the difference between heaven
and hell on earth.</p>

      <p class="zoom">私たちはグループではありません。私たちは理念を表し、一
連の道徳を表し、人間の自由と権利を表します。</p>

      <p class="transl-zoom">We are not a group. We represent
ideals, we represent a set of morals, we represent human freedom and
rights.</p>

      <p class="zoom">私たちは暗闇の中で取引する者たちに逆らう立場にありま
す。私たちは真実を明らかにする者です。</p>

      <p class="transl-zoom">We stand against those who trade in the
dark. We are the revealers of truth.</p>

      <p class="zoom">悪魔の世界では、神だけが勝つことができます。</p>
      <p class="transl-zoom">For in the world of demons, only Gods
can win.</p>
    </div>
    <div class="col-md-5 col-md-3 bar text-center">
```

```

</div>
</div>
</div>
<!-- ===== End of Summary Panel Section ===== -->

<!-- ===== Call to Action Section ===== -->
<div class="Section" style="background-color: rgb(5, 5, 5);">
  <div class="row">
    <div class="col-6 text-center" style="padding: 30px;
margin-left: auto; margin-right: auto;">
      <h3 class="textDefault-Header">アクションの呼び出し | <span
style="color: #ce5b5b;">Call to Action</span></h3>
      <p>あなたが必要です！自由のための戦いに参加しましょう！</p>
      <p class="transl">We need you! Join the fight for your
freedom!</p>

      <a class="pageLink">戦いに参加 | Join the Fight</a>
    </div>
  </div>
</div>
<!-- ===== End of Call to Action Section ===== -->

<!-- ===== Encryption Section ===== -->
<div class="Section" style="background-color: rgb(10, 10, 10);">
  <div class="row">
    <div class="col-md-6" style="padding: 30px; margin-left: auto;
margin-right: auto;">
      <h3 class="textDefault-Header redacted"><span style="color:
#ce5b5b;">Confession</span> | <span>私たちを見つける</span></h3>
      <p class="redacted zoom text-left">私たちは闇を扱う人々に光を当てま
す。夜明けの光が夕暮れの毒を覆うまで、私たちは戦います。</p>
```

<p class="redacted transl-zoom text-left">We shine light on those who deal with darkness. We will fight until dawn's light covers twilight's poison.</p>

<p class="redacted zoom text-right">xxxx からxxxx を防止しました。私たちは誰も知らなかった戦いで、xxxx xxxx xxxx と共に仕えました。</p>

<p class="redacted transl-zoom text-right">We have preventedxxxx xxx xxxxx xx fromxxx xx xxxxx. We served withxxxx xxxx xxxx in a battle no one knew about.</p>

<p class="redacted zoom text-left">将来の計画のためにxxxxxxx に移動します。私たちは十分長い間休眠状態にありました。審判の日です。</p>

<p class="redacted transl-zoom text-left">We look toxxxxxxx for our future plans. We have been dormant long enough, it's time forJudgment Day.</p>

<p class="redacted zoom text-right">損失を期待し、利益を期待し、太陽が西から昇ることを期待し、東に沈むことを期待する。</p>

<p class="redacted transl-zoom text-right">Expect loss, expect gain, expect the sun to rise from the west and set in the east.</p>

<p class="redacted zoom text-left">私たちは無実の苦痛を望んでいません。私たちはそれを何としても防ぎます。</p>

<p class="redacted transl-zoom text-left">We wish not to harm the innocent, we will prevent this at all costs.</p>

<p class="redacted zoom text-right">ただし、ターゲットへの警告、モンスターへの警告。</p>

<p class="redacted transl-zoom text-right">But a warning to the target, a warning to the monster.</p>

<p class="redacted zoom text-left">あなたの罪とは関係のない血がこぼれた場合。私たちの罰は、あなたが理解できるよりもはるかに壊滅的で卑劣です。</p>

<p class="redacted transl-zoom text-left">If blood, unrelated to your sins, is spilled; our punishment is far more devastating and vile than you can comprehend. </p>

<p class="redacted zoom text-right">私たちはあなたの死神です</p>

```
<p class="redacted transl-zoom text-right">We are your
reapers.</p>

</div>
</div>
</div>
<!-- ===== End of Encryption Section ===== -->

<!-- ===== Footer Section ===== -->
<footer class="page-footer font-small pt-4" style="background-color:
rgb(5, 5, 5); padding: 10px;">

<!-- Footer Links -->
<div class="container-fluid text-center text-md-left">
  <div class="row">
    <div class="col-md-6 mt-md-0 mt-3 text-center">
      <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>会う？ | Want
to Meet?</span></h2>
      <p style="margin-top: 15px;">私達が見ている。私たちはどこにでもい
ます。</p>
      <p class="transl">We are watching. We are everywhere.</p>
    </div>

    <hr class="clearfix w-100 d-md-none pb-3">

    <div class="col-md-3 offset-md-1">
      <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>コンタクト |
Contact</span></h2>

      <ul class="list-unstyled offset-md-2" style="margin-top:
20px;">
        <li>
          <p class="redacted" style="font-family:
consolas;">Email: <span>xxxxxxxxxxxxxxxxxxxxxxxx</span></p>
        </li>
        <li>
```

```

        <p class="redacted" style="font-family:
consolas;">Mobile: <span>+xxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
        <p class="redacted" style="font-family:
consolas;">Address: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
</ul>
</div>
</div>
</div>

<!-- Copyright -->
<div class="footer-copyright text-center py-3" style="font-size:
10px; color: #3a3a3a;">2022 © パンテオン |
    <a
href="https://www.google.com/maps/search/32.6276°+N,+129.7385°+E?sa=X&ved=
2ahUKEwjVutzrtq_7AhVEglwKHa9pDv8Q8gF6BAGREAE" style="color: #3a3a3a;">
32.6276° N, 129.7385° E</a>
    </div>
<!-- Copyright -->

</footer>
<!-- ===== End of Footer Section ===== -->

</div>
<!-- ===== End of Main ===== -->

<script
src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"
integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+O
rCXaRkfj" crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle
.min.js"
integrity="sha384-Fy6S3B9q64WdZWQUiU+q4/2Lc9npb8tCaSX9FK7E8HnRr0Jz8D6OP9dO
5Vg3Q9ct" crossorigin="anonymous"></script>
</body>

```

```
</html>
```

About Page:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.
css"
integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69
Npy4HI+N" crossorigin="anonymous">

    <link rel="stylesheet" href="assets/css/glitchEffect.css">
    <link rel="stylesheet" href="assets/css/ticker.css">
    <link rel="stylesheet" href="style.css">
    <title>パンテオン</title>
  </head>
  <body>

    <!-- ===== Navbar Section ===== -->
    <nav class="navbar-expand-lg navbar-dark bg-dark">
      <div class="navbar-custom">
        <h2 class="hero glitch layers" data-text="パンテオン"
style="font-size: 16px; margin: 5px; "><span>パンテオン</span></h2>
        <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarTogglerDemo01"
aria-controls="navbarTogglerDemo01" aria-expanded="false"
aria-label="Toggle navigation" style="margin-top: -5px;">
          <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse" id="navbarTogglerDemo01">
          <ul class="navbar-custom">
            <li>
              <a class="navLink" href="index.html">Home</a>
            </li>
            <li>
```

```

        <a class="navLink-active">About</a>
    </li>
    <li>
        <a class="navLink" href="projects.html">Projects</a>
    </li>
    <li>
        <a class="navLink" href="data.html">Data</a>
    </li>
    <li>
        <a class="navLink" href="contacts.html">Contacts</a>
    </li>
</ul>
</div>
</div>
</nav>
<!-- ===== End of Navbar Section ===== -->

<div class="container-fluid" style="margin: 0px; padding: 0px;">

    <!-- ===== Banner Section ===== -->
    <div class="Welcome-Banner">
        <div class="enviroment"></div>
        <h2 class="hero glitch layers" data-text="パンテオン"
style="line-height: 625px; font-size: 64px; margin-left: 20px; text-align:
center; user-select: none; cursor: default;"><span>パンテオン</span></h2>
        <p class="hero glitch layers transl-zoom" data-text="p4nthe0n"
style="margin-top: -280px; font-size: 28px; margin-left: 20px; text-align:
center; color: #ce5b5b;"><span>p4nthe0n</span></p>
    </div>
    <!-- ===== End of Banner Section ===== -->

    <div class="Section">
        <div class="row">

        </div>
    </div>

    <!-- ===== Founder Section ===== -->
    <div class="Section" style="background-color: rgb(5, 5, 5);">
        <div class="row">

```

```

        <div class="col-8 text-center" style="padding: 30px;
margin-left: auto; margin-right: auto;">
            <h3 class="textDefault-Header">創設者 | <span style="color:
#ce5b5b;">Founders</span></h3>
            <p>ここに私たちのリーダーがいます。私たちの信奉者はパンテオンの心と魂
であり、私たちの創設者は精神です。</p>
            <p class="transl">Here are our leaders. Our followers are
the heart and soul of the Pantheon, but our founders are the spirit.</p>
        </div>

        <div class="row text-center" style="margin-left: auto;
margin-right: auto;">
            <div class="col-md-3">
                
                <p class="redacted"><span>f4celess</span> <br>
<span>Social Engineer</span></p>
            </div>
            <div class="col-md-3">
                
                <p class="redacted"><span>Ghost</span> <br>
<span>Corporate Investigator</span></p>
            </div>
            <div class="col-md-3">
                
                <p class="redacted"><span>B0NES</span> <br>
<span>Netrunner</span></p>
            </div>
            <div class="col-md-3">
                
                <p class="redacted"><span>M4RY</span> <br>
<span>Hardware Designer</span></p>
            </div>

```

```

        </div>
    </div>

    <div class="col-8 text-center" style="padding: 30px;
margin-left: auto; margin-right: auto;">
        <p>彼らが誰であるか、または彼らがどのように見えるかは誰も知りません。彼
らがしたことだけ。</p>
        <p class="transl">No one knows who they are or what they
look like. Only what they've done.</p>
        <a href="contacts.html" style="text-decoration: none;"><p
class="zoom" style="color: #d8aa53e3; cursor: pointer; font-size: 10px;
word-wrap: break-word; margin-top: -12px;">もっと詳しく知る | Click them to
learn more!</p></a>
    </div>
</div>
<!-- ===== End of Founder Section ===== -->

<!-- ===== Footer Section ===== -->
<footer class="page-footer font-small pt-4"
style="background-color: rgb(5, 5, 5); padding: 10px;">

    <!-- Footer Links -->
    <div class="container-fluid text-center text-md-left">
        <div class="row">
            <div class="col-md-6 mt-md-0 mt-3 text-center">
                <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>会う？ | Want
to Meet?</span></h2>
                <p style="margin-top: 15px;">私達が見ている。私たちはどこにでもい
ます。</p>
                <p class="transl">We are watching. We are everywhere.</p>
            </div>

            <hr class="clearfix w-100 d-md-none pb-3">

            <div class="col-md-3 offset-md-1">
                <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>コンタクト |
Contact</span></h2>

```

```
<ul class="list-unstyled offset-md-2" style="margin-top:
20px;">
    <li>
        <p class="redacted" style="font-family:
consolas;">Email: <span>xxxxxxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
        <p class="redacted" style="font-family:
consolas;">Mobile: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
        <p class="redacted" style="font-family:
consolas;">Address: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
</ul>
</div>
</div>
</div>

<!-- Copyright -->
<div class="footer-copyright text-center py-3" style="font-size:
10px; color: #3a3a3a;">2022 © パンテオン |
    <a
href="https://www.google.com/maps/search/32.6276°+N,+129.7385°+E?sa=X&ved=
2ahUKEwjVutzrtq_7AhVEglwKHa9pDv8Q8gF6BAGREAE" style="color: #3a3a3a;">
32.6276° N, 129.7385° E</a>
    </div>
<!-- Copyright -->

</footer>
<!-- ===== End of Footer Section ===== -->

</div>

<script
src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"
integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+O
rCXaRkfj" crossorigin="anonymous"></script>
```

```

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle
.min.js"
integrity="sha384-Fy6S3B9q64WdZWQUiU+q4/2Lc9npb8tCaSX9FK7E8HnRr0Jz8D6OP9dO
5Vg3Q9ct" crossorigin="anonymous"></script>
  </body>
</html>

```

Projects Page:

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.
css"
integrity="sha384-xOolHFLEh07PJGoPkLv1IbcePTNtaed2xpHsD9ESMhqIYd0nLMwNLD69
Npy4HI+N" crossorigin="anonymous">

    <link rel="stylesheet" href="assets/css/glitchEffect.css">
    <link rel="stylesheet" href="style.css">
    <title>パンテオン</title>
  </head>
  <body>

    <!-- ===== Navbar Section ===== -->
    <nav class="navbar-expand-lg navbar-dark bg-dark">
      <div class="navbar-custom">
        <h2 class="hero glitch layers" data-text="パンテオン"
style="font-size: 16px; margin: 5px; "><span>パンテオン</span></h2>
        <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarTogglerDemo01"
aria-controls="navbarTogglerDemo01" aria-expanded="false"
aria-label="Toggle navigation" style="margin-top: -5px;">
          <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse" id="navbarTogglerDemo01">
          <ul class="navbar-custom">

```

```

        <li>
            <a class="navLink" href="index.html">Home</a>
        </li>
        <li>
            <a class="navLink" href="about.html">About</a>
        </li>
        <li>
            <a class="navLink-active">Projects</a>
        </li>
        <li>
            <a class="navLink" href="data.html">Data</a>
        </li>
        <li>
            <a class="navLink" href="contacts.html">Contacts</a>
        </li>
    </ul>
</div>
</div>
</nav>
<!-- ===== End of Navbar Section ===== -->

<!-- ===== Main ===== -->
<div class="container-fluid" style="margin: 0px; padding: 0px;">

    <!-- ===== Banner Section ===== -->
    <div class="Welcome-Banner">
        <div class="enviroment"></div>
        <h2 class="hero glitch layers" data-text="パンテオン"
style="line-height: 625px; font-size: 64px; margin-left: 20px; text-align:
center; user-select: none; cursor: default;"><span>パンテオン</span></h2>
        <p class="hero glitch layers transl-zoom" data-text="p4nthē0n"
style="margin-top: -280px; font-size: 28px; margin-left: 20px; text-align:
center; color: #ce5b5b;"><span>p4nthē0n</span></p>
    </div>
    <!-- ===== End of Banner Section ===== -->

```

```
<!-- ===== Reason Panel Section ===== -->
<div class="Section">
  <div class="row align-items-center">
    <div class="col-md-8 offset-md-2 text-left" style="padding:
30px; ">
      <h3 class="textDefault-Header">贖いを求めて</h3>
      <h3 class="textDefault-Header" style="font-size: 18px;
margin-top: -12px; color: #ce5b5b;">Seeking Redemption</h3>

      <p class="zoom">罪のない者が悪によって盲目になった。悪は無知によって強
力になりました。無知な人は盲人によって無実になりました。私たちは悪と戦い、目の見えない人
に視力を与え、無知な人に教えようとしています。、</p>
      <p class="transl-zoom">Innocent people are blinded by evil.
Evil is made powerful by ignorance. The ignorant have been made innocent
by the blind. We seek to fight against the evil, give sight to the blind,
teach the ignorant. </p>

      <p class="zoom">天国への唯一の切符は悪の糸にしがみつくと確信して
いる世界は自由ではありません。</p>
      <p class="transl-zoom">A world that is convinced that the only
ticket to heaven is to hang on the threads of evil is not free.</p>

      <p class="zoom">雨が火のように害を及ぼし、火は家よりも安全で、家は見知
らぬ人のものである世界。これは人生ではなく、奴隷制です。</p>
      <p class="transl-zoom">A world where rain harms like fire,
fire is safer than home, and home belongs to a stranger. This is slavery,
not life.</p>

      <p class="zoom">自分が何であるかをコントロールできる、真の自由の生活の
ために戦う。私たちのデータは私たちの命よりも価値があります。これでは続行できません。</p>
      <p class="transl-zoom">Fight for a life of true freedom, where
you can control who you are. Our data is more valuable than our lives. It
cannot continue.</p>
    </div>
  </div>
</div>
<!-- ===== End of Reason Panel Section ===== -->
```

```

<!-- ===== Call to Action Section ===== -->
<div class="Section" style="background-color: rgb(5, 5, 5);">
  <div class="row">
    <div class="col-6 text-center" style="padding: 30px;
margin-left: auto; margin-right: auto;">
      <h3 class="textDefault-Header">アクションの呼び出し | <span
style="color: #ce5b5b;">Call to Action</span></h3>
      <p class="zoom">あなたが必要です！自由のための戦いに参加しましょう！
</p>
      <p class="transl-zoom">We need you! Join the fight for your
freedom!</p>

      <a class="pageLink">戦いに参加 | Join the Fight</a>
    </div>
  </div>
</div>
<!-- ===== End of Call to Action Section ===== -->

```

```

<!-- ===== Attack Section ===== -->
<div class="Section" style="background-color: rgb(10, 10, 10);">
  <div class="row">
    <div class="col-md-6" style="padding: 30px; margin-left: auto;
margin-right: auto;">
      <h3 class="textDefault-Header redacted"><span style="color:
#ce5b5b;">Project</span> | 攻撃</h3>
      <p class="redacted zoom text-center">端島 32.6276° N,
129.7385° E</p>
      <p class="redacted transl-zoom
text-center"><span>Hashima</span> 32.6276° N, 129.7385° E</p>

      <p class="redacted zoom text-center">ペンタゴン 38.8719° N、
77.0563° W</p>
      <p class="redacted transl-zoom text-center"><span>The
Pentagon</span> 38.8719° N, 77.0563° W</p>

```

```
<p class="redacted zoom text-center">新義州ホーム 40.0815° N,  
124.4993° E</p>
```

```
<p class="redacted transl-zoom text-center"><span>Sinuiju  
Home</span> 40.0815° N, 124.4993° E</p>
```

```
<p class="redacted zoom text-center">ウェストミンスター宮殿  
51.4995° N, 0.1248° W</p>
```

```
<p class="redacted transl-zoom text-center"><span>Palace of  
Westminster</span> 51.4995° N, 0.1248° W</p>
```

```
<p class="redacted zoom text-center">フェイスブック 37.4530° N,  
122.1817° W</p>
```

```
<p class="redacted transl-zoom text-center"><span>Facebook  
Office</span>37.4530° N, 122.1817° W</p>
```

```
<p class="redacted zoom text-center">アマゾンオフィス 47.6062°  
N, 122.3321° W</p>
```

```
<p class="redacted transl-zoom text-center"><span>Amazon  
Office</span> 47.6062° N, 122.3321° W</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- ===== End of Attack Section ===== -->
```

```
<!-- ===== Footer Section ===== -->
```

```
<footer class="page-footer font-small pt-4" style="background-color:  
rgb(5, 5, 5); padding: 10px;">
```

```
<!-- Footer Links -->
```

```
<div class="container-fluid text-center text-md-left">
```

```
<div class="row">
```

```
<div class="col-md-6 mt-md-0 mt-3 text-center">
```

```
<h2 class="hero glitch layers" data-text="会う？ | Find us"  
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>会う？ | Want  
to Meet?</span></h2>
```

```
<p style="margin-top: 15px;">私達が見ている。私たちはどこにでもい  
ます。</p>
```

```
<p class="transl">We are watching. We are everywhere.</p>
</div>

<hr class="clearfix w-100 d-md-none pb-3">

<div class="col-md-3 offset-md-1">
  <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>コンタクト |
Contact</span></h2>

  <ul class="list-unstyled offset-md-2" style="margin-top:
20px;">
    <li>
      <p class="redacted" style="font-family:
consolas;">Email: <span>xxxxxxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
      <p class="redacted" style="font-family:
consolas;">Mobile: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
      <p class="redacted" style="font-family:
consolas;">Address: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
  </ul>
</div>
</div>

<!-- Copyright -->
<div class="footer-copyright text-center py-3" style="font-size:
10px; color: #3a3a3a;">2022 © パンテオン |
  <a
href="https://www.google.com/maps/search/32.6276°+N,+129.7385°+E?sa=X&ved=
2ahUKEwjVutzrtq_7AhVEglwKHa9pDv8Q8gF6BAGREAE" style="color: #3a3a3a;">
32.6276° N, 129.7385° E</a>
</div>
<!-- Copyright -->

</footer>
```

```

        <!-- ===== End of Footer Section ===== -->

    </div>

    <!-- ===== End of Main ===== -->

    <script
src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"
integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+O
rCXaRkfj" crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle
.min.js"
integrity="sha384-Fy6S3B9q64WdZWQUiU+q4/2Lc9npb8tCaSX9FK7E8HnRr0Jz8D6OP9dO
5Vg3Q9ct" crossorigin="anonymous"></script>
    </body>
</html>

```

Data Page:

```

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.
css"
integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69
Npy4HI+N" crossorigin="anonymous">

        <link rel="stylesheet" href="assets/css/glitchEffect.css">
        <link rel="stylesheet" href="assets/css/ticker.css">
        <link rel="stylesheet" href="assets/css/typewriter.css">
        <link rel="stylesheet" href="style.css">
        <title>パンテオン</title>
    </head>
    <body>

        <!-- ===== Navbar Section ===== -->

```

```

<nav class="navbar-expand-lg navbar-dark bg-dark">
  <div class="navbar-custom">
    <h2 class="hero glitch layers" data-text="パンテオン"
style="font-size: 16px; margin: 5px; "><span>パンテオン</span></h2>
    <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarTogglerDemo01"
aria-controls="navbarTogglerDemo01" aria-expanded="false"
aria-label="Toggle navigation" style="margin-top: -5px;">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarTogglerDemo01">
      <ul class="navbar-custom">
        <li>
          <a class="navLink" href="index.html">Home</a>
        </li>
        <li>
          <a class="navLink" href="about.html">About</a>
        </li>
        <li>
          <a class="navLink" href="projects.html">Projects</a>
        </li>
        <li>
          <a class="navLink-active">Data</a>
        </li>
        <li>
          <a class="navLink" href="contacts.html">Contacts</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
<!-- ===== End of Navbar Section ===== -->

<div class="container-fluid" style="margin: 0px; padding: 0px;">

  <!-- ===== Banner Section ===== -->
  <div class="Welcome-Banner">
    <div class="enviroment"></div>

```

```
<h2 class="hero glitch layers" data-text="パンテオン"
style="line-height: 625px; font-size: 64px; margin-left: 20px; text-align:
center; user-select: none; cursor: default;"><span>パンテオン</span></h2>
<p class="hero glitch layers transl-zoom" data-text="p4nthē0n"
style="margin-top: -280px; font-size: 28px; margin-left: 20px; text-align:
center; color: #ce5b5b;"><span>p4nthē0n</span></p>
</div>
<!-- ===== End of Banner Section ===== -->

<!-- ===== Stock Scroll Section ===== -->
<div class="Section">
  <div class="row">
    <div class="ticker-wrap">
      <div class="ticker">
        <div class="ticker__item">TSLA <span style="color:
green;">▲ +32.90</span></div>
        <div class="ticker__item">GOOG <span style="color:
green;">▲ +102.53</span></div>
        <div class="ticker__item">AMZN <span style="color: red;">▼
-146.34</span></div>
        <div class="ticker__item">MSFT <span style="color:
green;">▲ +52.90</span></div>
        <div class="ticker__item">BTC <span style="color:
green;">▲ +232.61</span></div>
        <div class="ticker__item">NVDA <span style="color: red;">▼
-95.01</span></div>
        <div class="ticker__item">AMD <span style="color: red;">▼
-23.55</span></div>
        <div class="ticker__item">CSCO <span style="color:
green;">▲ +250.67</span></div>
        <div class="ticker__item">SONY <span style="color:
green;">▲ +0.26</span></div>
        <div class="ticker__item">BAC <span style="color: red;">▼
-0.06</span></div>
        <div class="ticker__item">DOGE <span style="color:
green;">▲ +44.00</span></div>
```

```

        <div class="ticker__item">NFLX <span style="color:
green;">▲ +10.93</span></div>
    </div>
</div>
</div>
</div>
<!-- ===== End of Stock Scroll Section ===== -->

<!-- ===== Corporation Data Section ===== -->
<div class="Section" style="background-color: rgb(10, 10, 10);">
    <div class="row">
        <div class="col-md-5 offset-md-1 text-center" style="padding:
30px;">
            <h3 class="textDefault-Header">目標 | <span style="color:
#ce5b5b;">Targets</span></h3>
            <p class="zoom">もちろん、クレンジングが必要な方のみを対象としていま
す。</p>
            <p class="transl-zoom">Only those of greed shall fear our
power, for we are just.</p>

            <table style="width:100%">
                <tr>
                    <th>Name</th>
                    <th>IP</th>
                    <th>Location</th>
                </tr>
                <tr style="color: rgb(255, 81, 81);">
                    <td>Vladimir Putin</td>
                    <td
onclick="navigator.clipboard.writeText('80.92.32.0');">80.92.32.0</td>
                    <td>Moscow, Russia</td>
                </tr>
                <tr style="color: rgb(255, 159, 81);">
                    <td>Xi Jinping</td>
                    <td
onclick="navigator.clipboard.writeText('1.116.0.0');">1.116.0.0</td>
                    <td>Beijing, China</td>
                </tr>
                <tr style="color: rgb(255, 159, 81);">

```

```

        <td>Elon Musk</td>
        <td
onclick="navigator.clipboard.writeText('161.149.146.201');">161.149.146.20
1</td>

        <td>Los Angeles, USA</td>
    </tr>
    <tr style="color: rgb(143, 250, 81);">
        <td>Jeff Bezos</td>
        <td
onclick="navigator.clipboard.writeText('204.89.92.153');">204.89.92.153</t
d>

        <td>Florida, USA</td>
    </tr>
    <tr style="color: rgb(255, 159, 81);">
        <td>Ulf Mark Schneider</td>
        <td
onclick="navigator.clipboard.writeText('18.184.170.128');">18.184.170.128<
/td>

        <td>Frankfurt, Germany</td>
    </tr>
    <tr style="color: rgb(255, 81, 81);">
        <td>Felix Kjellberg</td>
        <td
onclick="navigator.clipboard.writeText('105.17.150.141');">105.17.150.141<
/td>

        <td>Stockholm, Sweden</td>
    </tr>
    <tr style="color: rgb(255, 159, 81);">
        <td>Sean McLoughlan</td>
        <td
onclick="navigator.clipboard.writeText('104.125.120.132');">104.125.120.13
2</td>

        <td>Dublin, Ireland</td>
    </tr>
</table>
</div>

<div class="col-md-5 text-center" style="padding: 30px;">
    <h3 class="textDefault-Header" style="margin-top: 10px;">正
当化 | <span style="color: #ce5b5b;">Justification</span></h3>

```

```
<p class="zoom">私たちのリストにある名前は、エリートの単なるポーンで  
あり、操り人形師にとっての操り人形です。それらは、すべての王、1% の 1%、神を演じる男性  
にたどり着くための便利なツールです。
```

```
私たちは、人類が腐敗しており、モラル、情熱、優先事項が墮落していると信じ  
ています。すべては、コングロマリットが何を感じてほしいかによって定義されます。
```

```
政府は私たちを裏切り、エリートたちは私たちを虐待し、プライバシーと自由は  
幻想です。私たちはあなたの癌を治し、エリート主義者の操作を一掃しなければなりません。</p>
```

```
<p class="transl-zoom" style="padding: 10px;">The names on  
our list are simply pawns of the elite, puppets to the puppeteer. They're  
a handy tool to get to all the kings, the 1% of the 1%, the men who play  
God.
```

```
We believe that humanity is corrupt, corrupted in morals,  
passions and priorities. Everything is defined by what the conglomerate  
wants you to feel.
```

```
Governments betray us, elites abuse us, privacy and freedom  
are an illusion. We must cure your cancer and wipe out elitist  
manipulation.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- ===== End of Corporation Data Section ===== -->
```

```
</div>
```

```
<!-- ===== Footer Section ===== -->
```

```
<footer class="page-footer font-small pt-4" style="background-color:  
rgb(5, 5, 5); padding: 10px;">
```

```
<!-- Footer Links -->
```

```
<div class="container-fluid text-center text-md-left">
```

```
<div class="row">
```

```
<div class="col-md-6 mt-md-0 mt-3 text-center">
```

```
<h2 class="hero glitch layers" data-text="会う？ | Find us"  
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>会う？ | Want  
to Meet?</span></h2>
```

```
<p style="margin-top: 15px;">私達が見ている。私たちはどこにでもい  
ます。</p>
```

```
<p class="transl">We are watching. We are everywhere.</p>
</div>

<hr class="clearfix w-100 d-md-none pb-3">

<div class="col-md-3 offset-md-1">
  <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>コンタクト |
Contact</span></h2>

  <ul class="list-unstyled offset-md-2" style="margin-top:
20px;">
    <li>
      <p class="redacted" style="font-family:
consolas;">Email: <span>xxxxxxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
      <p class="redacted" style="font-family:
consolas;">Mobile: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
    <li>
      <p class="redacted" style="font-family:
consolas;">Address: <span>xxxxxxxxxxxxxxxx</span></p>
    </li>
  </ul>
</div>
</div>

<!-- Copyright -->
<div class="footer-copyright text-center py-3" style="font-size:
10px; color: #3a3a3a;">2022 © パンテオン |
  <a
href="https://www.google.com/maps/search/32.6276°+N,+129.7385°+E?sa=X&ved=
2ahUKEwjVutzrtq_7AhVEglwKHa9pDv8Q8gF6BAGREAE" style="color: #3a3a3a;">
32.6276° N, 129.7385° E</a>
</div>
<!-- Copyright -->

</footer>
```

```

<!-- ===== End of Footer Section ===== -->

<script
src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"
integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+O
rCXaRkfj" crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle
.min.js"
integrity="sha384-Fy6S3B9q64WdZWQUiU+q4/2Lc9npb8tCaSX9FK7E8HnRr0Jz8D6OP9dO
5Vg3Q9ct" crossorigin="anonymous"></script>
</body>
</html>

```

Contacts Page:

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.
css"
integrity="sha384-xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69
Npy4HI+N" crossorigin="anonymous">

    <link rel="stylesheet" href="assets/css/glitchEffect.css">
    <link rel="stylesheet" href="assets/css/ticker.css">
    <link rel="stylesheet" href="style.css">
    <title>パンテオン</title>
  </head>
  <body>

    <!-- ===== Navbar Section ===== -->
    <nav class="navbar-expand-lg navbar-dark bg-dark">
      <div class="navbar-custom">
        <h2 class="hero glitch layers" data-text="パンテオン"
style="font-size: 16px; margin: 5px; "><span>パンテオン</span></h2>

```

```

        <button class="navbar-toggler" type="button"
data-toggle="collapse" data-target="#navbarTogglerDemo01"
aria-controls="navbarTogglerDemo01" aria-expanded="false"
aria-label="Toggle navigation" style="margin-top: -5px;">
        <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarTogglerDemo01">
        <ul class="navbar-custom">
            <li>
                <a class="navLink" href="index.html">Home</a>
            </li>
            <li>
                <a class="navLink" href="about.html">About</a>
            </li>
            <li>
                <a class="navLink" href="projects.html">Projects</a>
            </li>
            <li>
                <a class="navLink" href="data.html">Data</a>
            </li>
            <li>
                <a class="navLink-active">Contacts</a>
            </li>
        </ul>
    </div>
</div>
</nav>

<!-- ===== End of Navbar Section ===== -->

<div class="container-fluid" style="margin: 0px; padding: 0px;">

    <!-- ===== Banner Section ===== -->
    <div class="Welcome-Banner">
        <div class="enviroment"></div>
        <h2 class="hero glitch layers" data-text="パンテオン"
style="line-height: 625px; font-size: 64px; margin-left: 20px; text-align:
center; user-select: none; cursor: default;"><span>パンテオン</span></h2>

```

```

        <p class="hero glitch layers transl-zoom" data-text="p4nth30n"
style="margin-top: -280px; font-size: 28px; margin-left: 20px; text-align:
center; color: #ce5b5b;"><span>p4nth30n</span></p>
    </div>
    <!-- ===== End of Banner Section ===== -->

    <!-- ===== Contact Summary Section ===== -->
    <div class="Section">
        <div class="row align-items-center">
            <div class="col-md-8 offset-md-2 text-center"
style="padding: 30px; ">
                <h3 class="textDefault-Header">私たちを見つける</h3>
                <h3 class="textDefault-Header" style="font-size: 18px;
margin-top: -12px; color: #ce5b5b;">Find us</h3>
                <br>
                <p>[日本語] メール: pr0misedL4nd@proton.me</p>
                <p class="transl-zoom">[english] Email:
fre3For4ll@proton.me</p>
                <br>
                <p>提供された電子メールはログを保持しません。これらの電子メールとの間
のすべてのトラフィックは暗号化されており、追跡できません。</p>
                <p class="transl-zoom">The emails provided do not keep
logs, all traffic to and from these emails are encrypted and
untraceable.</p>
            </div>
        </div>
    </div>
    <!-- ===== End of Contact Summary Section ===== -->

    <!-- ===== Footer Section ===== -->
    <footer class="page-footer font-small pt-4" style="background-color:
rgb(5, 5, 5); padding: 10px;">

    <!-- Footer Links -->
    <div class="container-fluid text-center text-md-left">
        <div class="row">
            <div class="col-md-6 mt-md-0 mt-3 text-center">

```

```

        <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>会う？ | Want
to Meet?</span></h2>

        <p style="margin-top: 15px;">私達が見ている。私たちはどこにでもい
ます。</p>

        <p class="transl">We are watching. We are everywhere.</p>
    </div>

    <hr class="clearfix w-100 d-md-none pb-3">

    <div class="col-md-3 offset-md-1">
        <h2 class="hero glitch layers" data-text="会う？ | Find us"
style="font-size: 16px; margin: 5px; color: #ce5b5b;"><span>コンタクト |
Contact</span></h2>

        <ul class="list-unstyled offset-md-2" style="margin-top:
20px;">
            <li>
                <p class="redacted" style="font-family:
consolas;">Email: <span>xxxxxxxxxxxxxxxxxxxx</span></p>
            </li>
            <li>
                <p class="redacted" style="font-family:
consolas;">Mobile: <span>xxxxxxxxxxxxxxxx</span></p>
            </li>
            <li>
                <p class="redacted" style="font-family:
consolas;">Address: <span>xxxxxxxxxxxxxxxxxxxx</span></p>
            </li>
        </ul>
    </div>
</div>

<!-- Copyright -->
<div class="footer-copyright text-center py-3" style="font-size:
10px; color: #3a3a3a;">2022 © パンテオン |
    <a
href="https://www.google.com/maps/search/32.6276°+N,+129.7385°+E?sa=X&ved=

```

```

2ahUKEWjVutzrtq_7AhVEglwKHa9pDv8Q8gF6BAgREAE" style="color: #3a3a3a;">
32.6276° N, 129.7385° E</a>
    </div>
    <!-- Copyright -->

    </footer>
    <!-- ===== End of Footer Section ===== -->

</div>

<script
src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"
integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+O
rCXaRkfj" crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle
.min.js"
integrity="sha384-Fy6S3B9q64WdZWQUiU+q4/2Lc9npb8tCaSX9FK7E8HnRr0Jz8D6OP9dO
5Vg3Q9ct" crossorigin="anonymous"></script>
    </body>
</html>

```

Style Sheet / CSS:

```

body{
    background: #131313;
    color: white;
    background-size: cover;
    overflow-x: hidden;
    width: 100%;
}

.hero{
    font-family: 'Courier New', Courier, monospace;
    font-size: 34px;
    user-select: none;
    cursor: default;
}

```

```
.navbar-custom{
  position: fixed;
  width: 100%;
  list-style: none;

  display: flex;
  margin: 0px;
  padding: 10px;
  background-color: rgba(11, 11, 11);
  z-index: 10;
}

.navLink{
  color: white;
  font-family: 'Courier New', Courier, monospace;
  transition: 0.2s;
  padding: 15px
}

.navbar-container{ display: flex; }

.navLink-active{
  color: #444444;
  font-family: 'Courier New', Courier, monospace;
  padding: 15px;
  user-select: none;
}

.navLink-active:hover{
  color: #444444;
  font-family: 'Courier New', Courier, monospace;
  padding: 15px;
  text-decoration: none;
  cursor: default;
}

.navLink:hover{
  text-decoration: none;
  font-size: 18px;
}
```

```
        color: #ce5b5b;
    }

    .enviroment{
        position: absolute;
        background: url(assets/images/banner.gif);
        width: 100%;
        height: 650px;
        z-index: 1;
        filter: blur(1px);
    }

    .Welcome-Banner{
        margin: 0px;
        padding: 0px;
        width: 100%;
        height: 650px;
    }

    .Section{
        height: auto;
        background-color: rgb(10, 10, 10);
    }

    .textDefault-Header{
        font-family: 'Courier New', Courier, monospace;
        font-size: 24px;
        text-align: center;
    }

    p{
        color: #b8b8b8;
        word-wrap: break-word;
        font-size: 14px;
        cursor: default;
    }

    p.transl{
        color: #ce5b5bcb;
        word-wrap: break-word;
```

```
    font-size: 11px;
    margin-top: -15px;
}

p.zoom{
    color: #b8b8b8;
    word-wrap: break-word;
    font-size: 14px;
    cursor:default;
    transition: 0.2s;
}

p.transl-zoom{
    color: #ce5b5bcb;
    word-wrap: break-word;
    font-size: 11px;
    transition: 0.2s;
    margin-top: -15px;
}

p.zoom:hover{
    transition: 0.2s;
    background-color: #000000ec;
    transform: scale(1.2);
    padding: 5px;
}

p.transl-zoom:hover{
    transition: 0.2s;
    background-color: #000000ec;
    transform: scale(1.2);
    padding: 5px;
}

a.pageLink{
    color: #d8aa53e3;
    font-size: 10px;
    word-wrap: break-word;
    transition: 0.2s;
    padding: 10px;
```

```
}

.pageLink:hover{
    text-decoration: none;
    font-size: 14px;
    cursor: pointer;
}

.redacted span {
    position: relative;
    white-space: pre;
    user-select: none;
}

.redacted span:after {
    background: black;
    border-radius: 0.1em;
    box-shadow: 0 0 1px rgba(0, 0, 0, 0.35);
    content: " ";
    width: 100%;
    height: 1.2em;
    left: 0;
    position: absolute;
    transform: skewY(-5deg) rotate(5deg);
}

.image-zoom{
    background-color: #252525;
    border: #252525;
    height: 250px;
    width: 250px;
    margin: 10px;
    padding: 3px;
    transition: 0.2s;
}

.image-zoom:hover{
    transform: scale(1.2);
    margin: 15px;
}
```

```
table, th, td {
    border:1px dashed rgb(133, 133, 133);
    font-family: 'Courier New', Courier, monospace;
    padding: 5px;
    cursor: crosshair;
    user-select: none;
    transition: .2s;
}

th{
    font-size: 16px;
}

td{
    font-size: 14px;
}

td:hover {
    border:1px dashed rgb(133, 133, 133);
    background-color: #1a1a1aaf;
    color: wheat;
    font-size: 16px;
}

td:active{
    background-color: rgba(255, 153, 0, 0.26);
}
```