




Evo-stik 528 [polystyrene X]
A synthetic rubber resin contact adhesive based in a blend of solvents. The most popular general purpose contact adhesive particularly suitable for bonding decorative laminate sheets and rigid plastic sheets of PVC or ABS. New faster drying formula. UN 1133. Cleaner UN 1993.



Evo-stik 584 [polystyrene ✓] A synthetic rubber resin contact adhesive based in a solvent. Typically used for the bonding of expanded polystyrene.



Evo-bond A universal adhesive, sealer and primer. Improves adhesion when used as a primer and will effectively bond many light sheet materials and cloths.



glue types 1



Evo-stik Impact Similar to the 528, this contact adhesive bonds decorative laminates, wood, chipboard, hardboard, rigid PVC, ABS plastics, leather, cork, stone, china and earthenware. Sold in small sizes for convenient storage in the touring prop skip.



Clam 2 Brummer Latex Adhesive

A rubber latex solvent-free non-flammable adhesive which provides an exceptionally strong bond with a good open time for working on large areas. Thixotropic, it can be applied by brush or roller and is generally used for fixing


canvas to open framed flats –
for bonding leather, cork, card, etc.

Clam 2 can also be used

✓ Tenacious strength.



FlintsBond A waterborne PVA emulsion which is easy to spread. Suitable for use as a primer or for gluing cloths such as light canvas, calico or muslin to flats or for scrimming polystyrene. It can also be used as a concrete dust sealer by diluting 50% with water and applying with airless spray, brush or roller. It dries clear. Covers 3 - 5 m² per litre.



glue types 2



Sheppy PVA M155 A medium viscosity compounded emulsion glue. It has good running characteristics and dries to a strong flexible film. Excellent for gluing large areas of canvas and very popular with the big workshops.


✓ Easy spreading for large areas



Made exclusively for Flints!

Tretobond 375 [polystyrene ✓] It's funny how manufacturers keep dropping their best products! We have managed to persuade Tremco to continue making this popular glue just for us. Tretobond 375 is a synthetic rubber resin contact adhesive based in a blend of solvents. Typically used for the bonding of expanded polystyrene to itself and to other smooth surfaces. Both

surfaces require a thin uniform coat and Tretobond 375 spreads easily. The surfaces must be completely dry [otherwise the trapped solvents can have a deleterious effect on polystyrene] before they are brought together preferably under pressure. Health and Safety information should be strictly followed. Do not mix the cleaner into the glue. As Flints purchases this glue in very high volumes we are able to sell it at almost half the old recommended retail price. UN 1133. Covers around 4 m² per litre.



glue type 3