

Assessment 2: Complementary Therapies (Hypnotherapy in Women)

Student name: Myrna Morales

Student ID: 1917110

Module name: Complementary Therapies

Module code: BMHP5001_LON

Lecturer name: Bianca Sanfilippo

Table of Contents	Pages
Introduction.....	3
History, Uses, Efficacy and Contraindications.....	4
Evaluation of the Self-Regulatory Systems.....	5
Ethical Considerations.....	6
Recommendations.....	7
Conclusion.....	8
References.....	9

1. Introduction

Hypnotherapy is a complementary therapy that uses hypnosis to help with treating specific symptoms or illnesses. Hypnotherapy operates by establishing a hypnotic state characterized by conscious awareness, allowing people to encounter detached outward attention while focusing on internal experiences (Garba & Mamman ,2020). Determines the nature of the problem by consulting with the client. Explains how hypnosis functions and what the client would experience before entering the hypnotic state. The subject is put through several tests to measure their physical and emotional agreeableness level Derived from analysis of test findings and the client's problem, the client initiates hypnosis using tailored hypnosis techniques. Client's maybe be taught self-hypnosis instructions. It is occasionally used to treat phobias and other anxiety symptoms as part of a treatment regimen It is also used for variety of many other things, including pain relief, losing weight, and cessation of smoking.

Several principles help in the operation of hypnotherapy First of all, it is essential to determine whether the individual is apprehensive about being hypnotised. Following that keep an eye out for tension indicators in the body language. It is important to avoid speaking things that may cause worry (Azizmohammedi & Azizmohammedi, 2019) It is recommended that you begin by eliciting and dismissing any first worries and then eliminating negative ideas. Traced should be viewed as a pleasurable adventure. It is also a good idea to shared hypnotic success tales. This increases their self -assurance and faith in one's talents. In therapeutic contexts, the patient may have a problematic level of comfort in their situation and may run away from therapy subconsciously. For efficient collaboration, it may be necessary to enlist the help of the conscious mind and use some distracting techniques Collaboration is crucial in stage hypnosis, when the subject may not even enter a hypnotic state but join in the fun even leveraging the circumstances for a bit of showmanship.

The other vary important principle is forced cognition. When someone says anything, the subjects consider it.(Sahouret et. al 2019). A reversal is a famous example used to described forced understanding. In which one is to avoid thinking about today a pink elephant. Of course, thinking about not thinking about it leads them to think about it, so this becomes unworkable. Suggestions are based on forced cognition which causes a person to think about something. When an offer compelling, the person accepts what is proposes.

Sensory thought is also another principle that is currently used in hypnotherapy. This is frequently employed in regression, which involves travelling back to investigate positive and adverse events. The subject may describe how they feel to the hypnotist as they go through them, and the hypnotist may assist them in changing or exploring those feelings. It can also be used to plan for the future (Fuhr et al.,2017). Getting individuals to picture themselves feeling is happy is sometimes enough to help them feel good. After all these, feedback is needed Hypnosis is not a magical state. One does not simply wave their magic, hypnotic words at people and expect them to fall into profound trance and obey every instruction. It is a leading technique in which one encourages their subject to move in a path that will assist them in helping the patient. The feedback reinforces one's suspicions. After the patient has performed all the processes, it is always advisable for the therapist to utilize what happens. In this case, everything is beneficial. Confidence is also needed for the subject to take every action seriously and be confident. This makes the things one does more likely to happen.

Hypnotherapist in the UK United Kingdom are not required by law to have any specialized training (Sahouret et al.,2019). This means that people can provide hypnotherapy with little or no medical expertise. This means that if one is looking for a hypnotherapist, they have to consider their professionalism and the ability of the hypnotherapist to handle the situation at hand. In particular conditions like advanced diagnosis, special attention is needed and can only be possessed by a hypnotherapist who underwent special training.

2.History, Uses, Efficacy and Contraindications of Hypnotherapy

Hypnotherapy has a long story that has led to today 's modern hypnotherapy in some way. Traditional elders would use tribal theatre and rituals, such as singing, chanting, or dancing ceremonies.(Abbarin et al.,2018). They did give tribes their own identities and passed on their beliefs down the generations. Dancing, as well as psychedelics plant -based medications, played a part .The participants were substantially aided in transitioning into a trance-like state by the rhythmic pattern of tribal dances and ceremonies .Shamanistic rites have played an important role in tribal societies throughout the world ,and shamanism is being practiced in many communities today .Shamanism is also practiced in the West ,and it has found some traction in the new age movement ,for example .

People just lost connection with much of this historic tradition nowadays. On the other hand, the shaman was the most revered member of the tribe in ancient tribal civilizations. Because it was thought that he communicated with the spirit realm, he was given this title (Thompson, 2019). The shaman was also said to acquire direct spiritual information that the

tribal members could not receive. He also possessed specific curative magical abilities, such as performing magical healings and shifts in consciousness. The shaman was one of the first hypnotists. As a result, he would induce hypnosis in the tribal members, allowing them to communicate with the spirit world to experience a completely different reality.

Moreover, there was no understanding of the mind, psychology, or the unconscious in ancient times. As a result, the tribal members truly believed it was magical! This was hypnosis in action (Azizmohammadi & Azizmohammadi, 2019). As the shaman, functioning as a facilitator, guided tribal group members into a superstitious and mysterious trance-like condition in its raw, unbridled state, with no training courses governmental bodies, credentials, he just did his work. This shows that the human mind's ability to visualize and achieve levels of consciousness has existed ever since the dawn of the civilization. Throughout history, from the beginning of the humanity's history until the Middle Ages excellent persons have appeared who purported to have specialized expertise or wisdom that was unavailable to the average man or woman. These healers and tribe elders appeared to heal people by putting their hands on them or saying a short prayer.

The underlying advisers still applied today, even though we no longer live in a world of magic and fairy tales (Abbarin et al., 2018). A hypnotherapist will employ hypnosis to generate a relaxed state to enable a person to meet oneself more fundamentally, rather than guiding individuals to meet the creation of their imagination. Because a hypnotherapist is performing an enigmatic procedure, there is still a sense of enchantment and mystery. It should go without saying in today's more reasonable and informed culture that belief and faith played an essential role in these ostensibly miraculous cures. In Europe, the Kings of the Middle Ages would have extraordinary effects on ordinary people. This phenomenon, however, can still be seen today with television faith healers.

It's effectiveness in treating various illnesses, including stress, anxiety, irritable bowel syndrome and chronic pain, has proven studies (Sahouret et al., 2019). With the growing awareness of the problems caused by opiate addiction, hypnosis provides a realistic solution to pain management that has no discernible adverse effects. Despite the lack of scientific proof for its efficacy, hypnotherapy is widely used to help people quit smoking (Tastan et al., 2018). However, it is unknown whether hypnosis enhances or weakens the urge to break the habit. Hypnosis is a promising independent treatment for a sleep disorder, perhaps reducing any need for pharmacological treatment. It is also beneficial for treating pain and easing cancer side effects of chemotherapy. Hypnosis is becoming more wildly utilized as a depression treatment, and it is just effective at alleviating depression as psychological interventions aimed at correcting incorrect cognition processes. Hypnosis appears to be

beneficial in a variety of ways. It helps strengthen coping abilities, switches focus from sensations to concepts, and reframes stressful situations by lowering symptoms.

The difference to the traditional medicines is that need to take the mainstream medicines or orthodox regular medicines prescribes by the general practitioners while the complementary therapies just choose which is comfortable and will be suitable to the need of the body.

3.Evaluation of the Self-regulation Systems

Several hypnotherapy organizations exist in the United Kingdom. Each one has its own Code of Ethics and Practice which aims to safeguard the public and uphold professional standards. The number of hypnotherapy organizations has grown over the years. Many of them are linked to specific training institutes. There has been significant lack of cooperation across organizations in developing a public standard of training and a code of practice for the entire hypnotherapy profession. However, progress is being made (Juel et al.,2018). There are differences between hypnotherapy bodies associated with training colleges and those that are not. The profitably operated organizations and professional enrolment affiliations or communities that are “not for profit making” owned and managed by their members are also involved. These parties are required to disclose accounts –and those who are owned and controlled by individuals.

Some occupations are regulated and required a 'license to operated', such as physicians, who must register with regulatory agency, the (GMC) General Medical Council. The GMC oversees all physicians' education and professional growth and sets criteria for doctors 'intellectual and technical capabilities clinical and professional obligations (Moss,2020). They also established standards for 'qualification of practice'. While hypnotherapy is not covered by statutory regulation, it is under the CNHCs (Complementary & Natural Healthcare Council) voluntary regulation, framework, govern by the Professional Standard Authority.

The Complementary and Natural Healthcare Council is the volunteer regulation. The authority for hypnotherapy in the United Kingdom CNHC (Complementary & Natural Healthcare Council)). The CNHC is in charge of regulating variety of alternative therapies, such as reflexology and hypnosis (Volkovyskaya,2020). One must already be a member of an applicable PA to 'offer' to be controlled by the CHNC (such as FHT,GHR,BIH,BHSC,NHC,etc.). While the CNHC does not employ professional therapists, they are backed up by Profession Specific Boards (PSBs)for every field they control. The functions, terms of reference, and membership criteria for each PSB (Profession Specific

Boards) are all established. The PSA oversees social and healthcare inspectors' review of professionals' competences for practicing and accredits voluntary registries that fulfil their requirements. Its mission is to safeguard the citizenry's health and safety. Parliament has oversight of them.

4. Ethical considerations in Hypnotherapy

A practitioner's responsibilities are divided into three categories: respecting autonomy, aiding patients while avoiding injuring them and displaying respect for justice values. Authorization, confidentiality, and its limitations operating within the area of competences, avoiding risks, functioning as an interdisciplinary team, and safe medical governance issues will all be discussed (Entwistle,2017). The link between hypnosis and trance induction for entertainment contributes to public misconceptions about hypnotherapy. Because of the overlap between hypnosis and hypnotherapy some individuals are concerned that hypnotherapies can compel people to submit to their will while they are 'under the spell'. The use of hypnosis in addressing behavioural diseases and malfunctions, especially mental illnesses, is described by the UK House of Lords' Technology and Science Committee Hearing as "its use of hypnosis in addressing behavioural illness and disorder, mainly mental illnesses."

The foundation of any healthcare partnership is trust. Patients expect doctors to always behave in their best interests. Because of the power imbalance in all a health provider interaction, hypnotherapist must be aware of the therapeutic encounter's moral considerations (Brooker,2018). Patients are always apprehensive or sensitive, although not always, and think that therapists know what they are doing and act within their work area. The occupational encounter frames the patient's perceptions by the atmosphere in which therapy is provided, the white coat and formal semantics. 'Service to others is what professionalism entails'. The fiduciary aspect of any therapist –patient interaction is reflected in this. The promise of healing is compelling; therefore, hypnotherapists must be careful not to exploit their patients' trust, exaggerate their skills, or make exaggerated claims on what treatments may accomplish.

The hypnosis procedure should explain to the patient and patient's therapeutic goals. Next, the therapist will speak in a quiet, calming tone and convey imagery to help the client feel at ease, secure, and comfortable (Bhagat & Menon ,2020). The therapist will offer solutions for the patient to attain their goals such as reducing discomfort or removing smoking desires, when they are in responsive state. The therapist may also assist the patient in imagining themselves achieving their objectives in clear relevant mental pictures. When the therapy is finished, the patient seems to be able to come out hypnosis on their own, or the therapist

assists them in leaving their relaxed condition. Patients do not lose control of their behaviour while under hypnosis, despite how hypnosis can sometimes be presented in movies or television.

5. Recommendations for Better Hypnotherapy

In an experimental environment aimed at identifying the neurological underpinnings of hypnotics' response, there was unanimity in the symposium that is crucial to segregate the components that contribute to reaction to specific recommendations as accurately as possible. An excellent response to a hypnotic suggestion can arise from various sources, nether less, the answer is linked to a measurement of hypnotic suggestibility. There is also some evidence that the result is caused, at least to some extent (Ersan, & Ersan,2020). This holds even in studies looking at the effects of hypnotic inductions without explicit suggestions because hypnotic disinhibition still will predict responses. At the same time, we understand the rationale for eliding hypnotic suggestibility scale items from clinically meaningful studies due to its poor prediction in clinical settings. It is strongly recommended that laboratory experiments aimed at identifying the neurocognitive polymers of hypnotic response involves metrics of hypnotics' agreeableness to optimize proof of identity of recommendation responses and thus solidify the reliability and credibility of the study.

Hypnosis scientists still use hypnotic suggestibility measurements devised more than fifty years ago, raising concerns about whether the precision of hypnotic suggestibility assessment equals the robustness of modern behavioural and imaging paradigms (Banyai,2018). Traditional measures may represent the gold standard for the time frame they were designed, but there is mounting evidence that may be inadequate for modern research. There is evidence, for example, that collective measurements, which are more often employed as stand –alone tests for hypnotic suggestibility evaluation, are inferior to evaluation metrics in predicting response to suggestions. Distinctions in hypnotic suggestibility are also insufficiently probed by the pool of items used in such tests. Another significant drawback is that these measurements cannot reliably differentiate between deliberate and unintentional responses, putting their construct validity to doubt. Rather than focusing only on the former, future measures will need to better incorporate behavioural and experience variables.

6. Conclusion

When it comes to the use of hypnosis as a therapeutic modality, there is still a significant gap between the conditions for which hypnosis is employed as a treatment and the disorder for which hypnosis has indeed been scientifically proven effective. This disparity is attributable to the lack of established methods in hypnosis medical trials, in part to the failure of medical practitioners exercising the field to embrace reliable findings, and in part to the unproven use of hypnosis from outside psychiatry and psychology. Hypnosis has evolved into a feasible therapeutic. Approach for various health conditions and significant research weapon in our quest to comprehend the human mind and cognition better. Both hypnosis practices must be affiliated to finally free it from stigma of being a pseudoscience.

References

- Abbarin, M., Zemestani, M., Rabiei, M., & Bagheri, A.H. (2018). Efficacy of cognitive – behavioural hypnotherapy on body dysmorphic disorder: A case study, *Iranian Journal of Psychiatry and Clinical Psychology*, 23(4), 394-407.
- Azizmohammadi, S. & Azizmohammadi, S. (2019) Hypnotherapy in management of delivery pain: a review. *European journal of translational myology*, 29 (3)
- Banyai, E.I. (2018). Active -alert hypnosis: History, research and applications. *American Journal of Clinical Hypnosis*, 61(2), 88-107
- Bhagat, V. & Menon, S. (2020) The Efficacy of Using Hypnosis to reduce Anxiety and Pain in Obstetrics and Gynaecology Patients. *Research Journal of Pharmacy and Technology*, 13(1), 347-352
- Brooker, E. (2018) *Transforming Performances Anxiety Treatment: Using Cognitive Hypnotherapy and EDMR*. Routledge.
- Entwistle, P. A. (2017). A pragmatic guide to the setting up integrated hypnotherapy services in primary care and clinical settings. *International Journal of Clinical and Experimental Hypnosis*, 65(3), 257 –295
- Ersan, S. & Ersan, E. (2020) Effects of Hypnotherapy on Weight Loss and thus on Serum Leptin, Adiponectin, and Irisin Levels in Obese Patients. *The Journal of Alternative and Complementary Medicine*, 26(11). 1047-1054
- Fuhr, K., Schweizer, C. Meisner, C. & Batra, A. (2017) Efficacy of hypnotherapy compared to cognitive –behavioural therapy for mild-to-moderate depression: study protocol of a randomized-controlled rater-blind trial (WIKI-D), *BMJ Open*, 7(11), e016978
- Garba, M. H., & Mamman, M. (2020) Hypnosis and Hypnotherapy: The Role of Traditional Versus Alternative Approach, *Hypnotherapy and Hypnosis*
- Juel, J. Abrahamsen, Olesen, S. S. & Drewes, A. M. (2018). A pilot study of hypnotherapy as a complementary treatment for pain in chronic pancreatitis. *Journal of Complementary and Integrative Medicines*, 15 (4)
- Moss, D. (2020) Physiological Monitoring to Enhance Clinical Hypnosis and Psychotherapy. *International Journal of Clinical and Experimental Hypnosis*, 68(4), 466-474

Sahour ,A. Fakhri,M.K. & Poursaghar,M. (2019) We are investigating the effect of hypnotherapy on reducing anxiety and pain during labor.*BRAIN.Broad Research in Artificial Intelligence and Neuroscience* ,10 (3),25-33

Tastan, K. Ozer Disci, O.& Set, T. (2018). A comparison of the efficacy of acupuncture and hypnotherapy in patients with migraine. *International Journal of Clinical and Experimental Hypnosis* ,66 (4),371-385

Tomson, L. (2019) Combining hypnosis and biofeedback in primary care paediatrics. *American Journal of Clinical Hypnosis*,61 (4),335-344

Volkovskaya ,E. (2020) Clinical hypnotherapy in treating social anxiety and panic attacks: a case study. *Contemporary hypnosis &integrative therapy*, 34 (1)