

The Impact of Heart Disease on Public Health in the United Kingdom

Student Name: Sasha Mohammed

Student Number: 2429698

Module Code and Title: LCHS4008- Introduction to Public Health

Lecturer: Christopher Mafuva

Assignment: Assessment 2 – Report on a Health Issue

Contents

The Impact of Heart Disease on Public Health in the United Kingdom 1

Introduction.....3

Community Impacts of Cardiovascular Disease 4

Determinants That Influence Health and Quality of Life.....5

Enhancing Health and Social Care Collaboration 6

Conclusion 8

References.....9

Introduction

Cardiovascular disease (CVD), often known as heart disease, encompasses a range of conditions that affect the heart and blood vessels. Common examples include coronary artery disease, heart rhythm abnormalities, congenital heart defects, and heart failure. Among these, coronary heart disease (CHD) is the most common and usually develops when arteries become narrowed or blocked due to plaque accumulation (British Heart Foundation, 2023).

Globally, CVD remains the leading cause of death, accounting for around 17.9 million deaths each year—approximately 31% of all global fatalities (World Health Organization, 2023). In the United Kingdom, heart and circulatory diseases are responsible for roughly 160,000 deaths annually, equivalent to nearly one in four deaths (British Heart Foundation, 2023). The high prevalence of CVD highlights the urgent need for effective prevention, medical intervention, and community-based health promotion strategies.

This report draws on secondary data from credible UK and international sources, such as NHS, NICE, and WHO, to explore the wider effects of cardiovascular disease and evaluate collaborative approaches in public health practice.

This highlights that cardiovascular disease is deeply connected to social and economic inequalities, making it not only a clinical challenge but also a test of how well the UK addresses preventable diseases through policy and community action. (Marmot et al., 2020)

Community Impacts of Cardiovascular Disease

Heart disease continues to place a considerable strain on healthcare systems and community wellbeing throughout the UK. The total annual economic cost is estimated to be approximately £9 billion, which includes hospital admissions, prescription medication, productivity loss, and premature mortality linked to cardiovascular complications (Public Health England, 2020). As lifestyles evolve and the population ages, the National Health Service (NHS) faces growing pressure to meet the long-term needs of patients requiring treatment, surgery, and ongoing monitoring.

At the local level, CVD can greatly affect an individual's independence, ability to work, and overall quality of life. Family members and carers frequently assume unpaid care responsibilities, which may impact their mental health, financial stability, and career prospects. Research shows that people from South Asian and Black African backgrounds are at higher risk due to greater prevalence of type 2 diabetes and hypertension within these groups (NHS, 2023).

These wider community effects demonstrate that cardiovascular disease is not only a health condition but also a social and economic burden that deepens existing inequalities. Individuals and families in disadvantaged communities often face added emotional and financial strain which can create ongoing cycles of disadvantage and poor health outcomes (The Health Foundation, 2023).

National initiatives, such as the NHS Health Check Programme, aim to identify at-risk individuals early and promote healthier living. However, health inequalities persist. Residents of disadvantaged or rural areas may face barriers to accessing services, understanding medical advice, or maintaining consistent care, which can contribute to poorer outcomes (Marmot et al., 2020).

Determinants That Influence Health and Quality of Life

A range of interrelated factors influence the development and progression of cardiovascular disease (CVD), shaping how the condition affects individuals, families, and local communities (as illustrated in *Figure 1*, adapted from Dahlgren and Whitehead, 1991).




Figure 1: The Dahlgren and Whitehead (1991) model of the social determinants of health (adapted from Dahlgren and Whitehead, 1991).

Lifestyle behaviours such as smoking, unhealthy diets, physical inactivity, and excessive alcohol use are key contributors to cardiovascular risk. These habits often interact with medical conditions such as high blood pressure, raised cholesterol, and obesity. The NHS (2023) suggests that around half of all CVD cases could be prevented through improved lifestyle choices. Genetic predisposition and family history also elevate risk levels for some individuals. These determinants reflect the wider social model of health, which recognises that an individual's wellbeing is shaped more by their living conditions, income, and environment than by healthcare access alone. Tackling these inequalities requires coordinated policy interventions such as those outlined in the *Public Health Outcomes Framework* (Public Health England, 2019), which focuses on improving life expectancy and reducing disparities across communities. By addressing these social and economic influences, public health initiatives can move beyond treatment to create lasting prevention strategies.

Socioeconomic inequalities further intensify CVD risk. People living in deprived areas may face challenges such as poor housing quality, limited access to nutritious foods, and fewer opportunities for physical activity. Data from the Office for National Statistics (2022) indicate that premature deaths from CVD are four times more likely in deprived communities than in affluent ones. Low income, unstable employment, and limited education compound these disparities.

Emotional wellbeing also plays a significant role. Long-term heart conditions can lead to anxiety, depression, or social isolation, while carers often experience exhaustion and stress due to continuous caregiving responsibilities (The King's Fund, 2023).

Environmental conditions have a direct influence on cardiovascular health. Access to clean air, safe walking routes, and green spaces supports healthy living, whereas exposure to air pollution – particularly fine particulate matter (PM2.5) – is associated with increased cardiovascular deaths (DEFRA, 2022).

Enhancing Health and Social Care Collaboration

A joined-up, person-centred model that integrates medical care and social support is essential to effectively manage cardiovascular disease (CVD). This coordinated approach ensures that wider social and environmental factors are considered alongside clinical treatment. Effective health and social care collaboration involve professionals sharing expertise and coordinating support around individuals' needs rather than working in isolation. This integrated approach, promoted by the *NHS Long Term Plan* (NHS England, 2019), strengthens continuity of care and ensures people receive timely, person-centred support. By improving communication and joint planning between sectors, collaboration helps reduce hospital readmissions and enhances overall wellbeing.

This collaborative foundation supports community-based programmes such as social prescribing, which further empower individuals to manage their own health.

Collaboration among healthcare professionals, such as GPs, cardiologists, nurses, physiotherapists, dietitians, and social workers, helps ensure holistic care delivery. These multidisciplinary teams design individualised care plans that cater to physical, emotional, and social needs. Programmes like cardiac rehabilitation combine exercise, dietary education, and psychological guidance to assist recovery and encourage long-term wellbeing (NICE, 2020).

The NHS Long Term Plan (2019) prioritises prevention and early intervention in cardiovascular health, focusing on screening, risk identification, and community engagement. This approach complements Public Health England's goals to narrow health inequalities by tackling the root social and behavioural factors influencing disease prevalence.

Local and voluntary organisations, including social prescribing schemes, play an important role in supporting individuals with CVD. Activities such as group exercise classes, peer support networks, and healthy cooking workshops help patients stay active and independent (The King's Fund, 2023).

Conclusion

Cardiovascular disease (CVD) continues to represent a major challenge to public health in the United Kingdom, contributing substantially to illness, disability, and early death. Although many cases are preventable through lifestyle modification, the condition persists due to a mix of behavioural, social, and biological factors.

The far-reaching effects of CVD extend beyond the patient, impacting families, communities, and the healthcare infrastructure. Effective collaboration between health and social care professionals is essential to delivering responsive, inclusive, and person-focused care. Integrating digital tools, education, and community engagement fosters improved health outcomes and greater patient empowerment.

Public health strategies should continue to emphasise prevention, early detection, and the reduction of inequalities. This aligns with the social model of health set out in the Ottawa Charter (World Health Organization, 1986), highlighting equity, empowerment, and supportive environments as vital components of sustainable wellbeing.

Ultimately, achieving long-term progress in cardiovascular health depends on sustained investment, stronger community partnerships, and continuous evaluation of prevention programmes. Emphasising collaboration, public education, and health equity can help create a more resilient and inclusive health system for future generations.

References

- British Heart Foundation (2023) *Heart and circulatory disease statistics 2023*. London: British Heart Foundation.
- Dahlgren, G. and Whitehead, M. (1991) *Policies and strategies to promote social equity in health*. Stockholm: Institute for Futures Studies.
- Department for Environment, Food and Rural Affairs (DEFRA) (2022) *Air pollution in the UK 2022*. London: DEFRA.
- Marmot, M., Allen, J., Boyce, T., Goldblatt, P. and Morrison, J. (2020) *Health equity in England: The Marmot Review 10 years on*. London: Institute of Health Equity.
- National Health Service (NHS) (2023) *Cardiovascular disease prevention*. Available at: <https://www.nhs.uk/conditions/heart-disease/> (Accessed: 8 November 2025).
- National Institute for Health and Care Excellence (NICE) (2020) *Cardiac rehabilitation and secondary prevention*. London: NICE.
- NHS England (2019) *The NHS Long Term Plan*. London: NHS England.
- Office for National Statistics (ONS) (2022) *Health inequalities and mortality data*. London: Office for National Statistics.
- Public Health England (2019) *Public Health Outcomes Framework*. London: Public Health England.
- Public Health England (2020) *Cardiovascular disease prevention: Overview*. London: Public Health England.
- The Health Foundation (2023) *Tackling the causes of poor health*. London: The Health Foundation.
- The King's Fund (2023) *Working together to improve cardiovascular care*. London: The King's Fund.
- World Health Organization (1986) *Ottawa Charter for Health Promotion*. Geneva: World Health Organization.

World Health Organization (2023) *Cardiovascular diseases (CVDs)*. Available at: [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)) (Accessed: 8 November 2025).