



The consumers' response to product design: a narrative review

Brahim Benaissa & Masakazu Kobayashi

To cite this article: Brahim Benaissa & Masakazu Kobayashi (2023) The consumers' response to product design: a narrative review, *Ergonomics*, 66:6, 791-820, DOI: [10.1080/00140139.2022.2127919](https://doi.org/10.1080/00140139.2022.2127919)

To link to this article: <https://doi.org/10.1080/00140139.2022.2127919>



Published online: 28 Sep 2022.



Submit your article to this journal [↗](#)



Article views: 1500



View related articles [↗](#)



View Crossmark data [↗](#)



Citing articles: 12 View citing articles [↗](#)

REVIEW ARTICLE



The consumers' response to product design: a narrative review

Brahim Benaissa  and Masakazu Kobayashi 

Department of Mechanical Systems Engineering, Design Engineering Lab, Toyota Technological Institute, Aichi, Japan

ABSTRACT

This paper reviews the research ideas around consumer response to product design. From the product side, we discuss the most significant design features preferred by average consumers, such as aesthetics and utility. And from the consumer side, we investigate the human factors influencing consumer perceptions. We present the main approaches used to measure the consumer response to product design and summarize the multiple biases that occur during the evaluation. Finally, we present in detail the most commonly used methods to analyze consumer response data and their roles in the design evaluation context.

Practitioner Summary: To answer the question: What causes differences in design response? We summarise the research findings related to product design features and human factors. We highlight the biases that can emerge from the measurement approach. And discuss the most common analysis methods used for product design response information.

ARTICLE HISTORY

Received 6 April 2022

Accepted 18 September 2022

KEYWORDS

Product design; consumer design perception; product design response

1. Introduction

Consumers have access to a large variety of products in almost every market segment. In such intense competition, design has become a primary added value. And besides the product's functional quality, modern companies must deliver designs that spark precise emotion from their customers. First, to communicate the quality of their products. And to fulfil their customer's affective needs such as the feeling of safety, comfort and elegance. Such accurate design is challenging because, on the other side, not all consumers respond in the same manner to a particular product design (Palmer, Schloss, and Sammartino 2013).

Research suggested it may be profitable to design products that elicit 'paradoxical emotions (Desmet 2003)'. This argument is supported by the classic theory of human appreciation of aesthetics (Frijda 1986), as well as the recent aesthetic emotions studies (Menninghaus et al. 2019; Cheung et al. 2019; Fingerhut and Prinz 2020). Creating a precise product design that can spark such emotion while achieving the design goals, is a challenging task (van Ooijen et al. 2017; Parisi, Rognoli, and Sonneveld 2017; Ishihara et al. 2008; Kobayashi, Kinumura, and Higashi 2016). Because it requires a profound understanding

of the target customer and the possible co-occurrence of several different emotions (Zhou, Ji, and Jiao 2020). As well as consider the fact that we also react to product designs for their symbolic value (Candi et al. 2017). Feng et al. (2020) reviewed the latest research in data-driven product design and listed the first step, the analysis of customer design perception requirements.

Product design theory has reached an advanced understanding (Chen 2019), as we found that we share basic aesthetic preferences (Van Geert and Wagemans 2019), and developed consumer product design response theories that allowed further advancement (Fenko and van Rompay 2018). And allowed researchers to create several methods that measure the consumer's response to product design and to connect design features to particular design response elements such as the perception of the robustness of elegance (Nagamachi 2002; Barnes et al. 2008; Nagamachi and Lokman 2016). However, the design precision requires understanding the consumer response at the individual level.

Several investigations have been made on customer profile factors (Bovea et al. 2018) and found that consumers from the same regions expressed similar perceptions of colour (Ou et al. 2004; Palmer and Schloss 2010). But in the case of product design variations, no correlation has been found between consumer profile and their

perceptions (Blijlevens, Creusen, and Schoormans 2009; Mata et al. 2017). In this review paper, we aim to summarise the latest understanding of the consumer's response to product design and discuss the most important factors influencing the product design response both from the product side and the consumer side. And our latest understanding is related to measuring consumer response. For the introduction of individual consumer response findings into precision consumer studies.

2. Search method

2.1. The search terms

This review focuses on product design and the consumers' product design response (PDR). We consider the definition of product design as the combination of properties that define its shape, its haptic sensory characteristics, and the properties that define its functional capabilities (Chen 2019). The 'consumer' is the person for whom the product is intended (Bloch 1995; Creusen 2011), it is also referred to in research as the 'customer' or the 'user' (Kaulio 1998; Akman 2010). We focus on the consumer side and exclude PDR studies on the designer side.

PDR is defined in this study as the generated subconscious reaction to a product design (Bloch 1995; Locher, Overbeeke, and Wensveen 2010). However, because this reaction is studied from various angles, it is referred to in research as 'Emotion', 'Affect', 'Perception' and 'Kansei'. We considered the various terms to cover this topic properly. Nonetheless, we use the term 'PDR' to englobe the different terms. The method of mixed studies review was employed when conducting the literature search.

The basic human emotion theories suggest that they emerge from the combination of basic emotions. However, from the product design perspective, this model creates a limitation because it contains only one pleasant emotion, Joy, Simplifying all the pleasant variations of product impressions into one variable (Plutchik and Kellerman 2013). However, product evaluation studies do not favour such an emotional model for that reason, as it does not fairly represent intuitive product emotions (Desmet 2004). However, the term 'Emotion' appear in product design research to describe product-related emotions, outside the human emotion theory (Desmet 2004).

The term 'Affect' is defined as the subconscious interpretation of emotions based on personal experiences (Shouse 2005). In product design studies, affect is considered the compound of the person's temperament, current mood and current emotion. It is used in product

design studies to describe the consumers' most abstract, positive or negative, responses to a product design (Lottridge, Chignell, and Jovicic 2011).

The term 'Kansei'. It is a Japanese word that is close in meaning to 'Affect', with an extra edge towards the interaction of a person with a product. Several attempts have been made to give it a definition, Lévy (2013) summarised these efforts. We mention two; the first came from an analysis of a set of definitions made by 60 researchers in Kansei engineering (KE) and resulted as 'An internal process (a high function) of the brain, involved in the construction of intuitive reaction to external stimuli'. The second is a definition proposed by Nagamachi (2002) as 'The individual's subjective impression from a certain artefact, context, or situation using all the senses of sight, hearing, feeling, smell, taste as well as recognition'.

The term 'Perception' is often used to refer to one particular aspect, such as luxury or novelty (Horn and Salvendy 2009). While the terms 'Kansei' and 'Affect' are used to describe the complete consumer PDR. They englobe multiple perceptions. Nonetheless, the term 'Perception' is sometimes employed synonymously with 'Affect' and 'Kansei'. On the other hand, the term 'Preference' is used clearly in PDR studies to indicate the notion of choice based on design variations.

2.2. Search screening

The search is designed to capture studies that focussed on product design and the consumers' PDR. We allowed aesthetic design response because there has been extensive research and theories on human factors in aesthetics that are referenced in product design.

Table 1 lists the search strategy, and Table 2 lists the search exclusion criteria. Where the search numbers 7, 8 and 9 are refinery searches to further explore details learned from the first 6 searches. Particularly to investigate the human factors of personality and exposure, the measurement biases and the process of KE. We excluded studies that fit the search criteria but are not directly related to the consumer PDR (EX1, EX2). And the research that focuses on the designer's PDR, also papers that focus on the design process (EX3).

2.3. PDR terms overview


Figure 1 shows that researchers used all these terms to describe PDR, although the term 'Emotion' is more dominant in PDR measurement studied, namely in

Table 1. Search terms and search strategy.

Search number	Search terms and combinations
1	'Product design' 'response' OR 'perception' OR 'affect' OR 'emotion'
2	'Aesthetic design' 'response' OR 'perception' OR 'affect' OR 'emotion'
3	'Human factors in product design' OR 'Human factors in aesthetics'
4	'Product aesthetics' OR 'product utility' OR 'product ergonomics'
5	'Individual' OR 'personal' OR 'cultural' + 1 + 2 + 3
6	1 + 2 + 3 + 4
7	'Personality' OR 'intelligence' OR 'exposure' + 1 + 2 + 3
8	'Measurement' 'bias' + 1 + 2 + 3 + 4
9	'Kansei engineering' + 1 + 2 + 3 + 4

Table 2. Search exclusion criteria.

Exclusion code	Exclusion criteria
EX1	The research does not focus on product design, aesthetic design or human factors.
EX2	The research does not discuss human factors or design/aesthetic response.
EX3	The research focuses on the designer.
EX4	The research paper was not written in English or not peer-reviewed.
EX5	The article does not belong to Scopus, Web of Science, IEEE Explorer and ScienceDirect databases.

**Figure 1.** Terms to describe product design response in research article titles.

Physiological-signs-based research. It is worth noting that the term 'Kansei' (Consumer Kansei, User Kansei, individual Kansei) is the most exclusive term for describing product design response research in its article title. And the term 'Affect' is the most used.

The research resulted in papers that are focussed on Aesthetics, PDR or the PDR measurement. We identified five terms used to describe the consumer PDR in the research papers titles, namely, Emotion, Affect, Preference, Kansei and perception. For the term 'Kansei', we considered the cases where it was expressed as Customer Kansei, User Kansei, individual Kansei or Kansei preference and excluded it when it was mentioned to describe the process of KE. Figure 1 presents a histogram describing the count terms used to describe PDR in the article titles, relative to the focus of the research.

Figure 1 shows that researchers used all these terms to describe PDR, although the term 'Emotion' is

more dominant in PDR measurement studied, namely in Physiological-signs-based research. It is worth noting that the term 'Kansei' (Customer Kansei, User Kansei, individual Kansei) is the most exclusive term for describing product design response research in its article title. And the term 'Affect' is the most used.

2.4. Review structure

This review intends to provide a clear understanding of the factors related to consumer interaction with product design and the methods employed to measure and analyse their response. We formulate the narrative to discuss the questions shown in Table 3.


Besides the product form, there exist multiple aspects of product design. In the third section, we discuss the design features found to receive common consumer responses, particularly, in the design aspect of aesthetics, product perceived utility, haptic design and the aspect of luxury of the product.

Although there is a good overall agreement in product design responses, the margin of responses is wide due to individual differences. There has been a large effort in investigating the consumer's characteristics causing these differences. In sections 4 and 5, we discuss these studies and present the human factors found to have the strongest association with product design response such as the factors of individual exposure and openness in personality and the group factor of culture.

Product design evaluation is challenging because the consumer response is not a value that we can measure directly. It requires an effort from the consumer to present their response in a language form, and we can only extract basic emotion from the brain signal. The semantic methods are found to be the

Table 3. Questions discussed in the review.

Question	Section
What are the design aspects influencing the product design response?	3
What are the consumer factors influencing the differences in PDR?	4
How we should measure the consumers' response to product design?	5–6
What are the methods used to analyse PDR?	7

**Figure 2.** The hierarchical structure of reviewed studies.

most efficient because they can help us estimate the consumer's true affect by choosing from multiple adjectives.

However, researchers still have to consider the existence of many cognitive and consumer mood biases that can impact the quality of their experiments. In [section 5](#), we discuss these potential biases, and in [section 6](#), we present the common methods employed for measuring the PDR and highlight the difference between self-reported and physiological-based emotions studies. The seventh section presents the most commonly used methods to analyse the PDR data and discuss the advantages of each method. [Figure 2](#) describes the hierarchical structure of reviewed studies.

3. Design factors influencing PDR

3.1. Product aesthetic and haptic design

It is well established that emotional satisfaction leads to consumer loyalty and advertisement through word of mouth ([Othman et al. 2020](#); [Yun et al. 2003](#)). In order to win that free publicity, businesses must first understand the objective aesthetic aspects of their product. [Berlyne \(1973\)](#) theorised that we share common affective processes in aesthetic valuation ([Berlyne 1974](#)). Since then, scientists have dedicated several studies to understanding our aesthetic appreciation ([Pelowski et al. 2016](#); [Marin et al. 2016](#)). For instance,

we found that humans favour symmetry ([Bauerly and Liu 2008](#); [Azemati et al. 2020](#)), complexity ([Güçlütürk, Jacobs, and van Lier 2016](#); [al-Rifaie et al. 2017](#)), curvatures ([Corradi et al. 2019](#); [Gómez-Puerto et al. 2018](#)) and balance ([Post, Blijlevens, and Hekkert 2016](#); [Fillinger 2020](#)). [Figure 3](#) presents four iconic Nokia designs with noticeable innate aesthetic preferences and features.

Evidence shows that hard-wired visual system mechanisms detect these aesthetic features automatically ([Rasche and Koch 2002](#); [Locher, Martindale, and Dorfman 2020](#)). [Van Geert and Wagemans \(2020\)](#) wrote a detailed review of the research findings related to the relationship between aesthetic appreciation and (a) complexity, (b) order and (c) balance between order and complexity. And concluded that 'it is important to study their relation to aesthetic appreciation together, not separately'. In product design, [Bloch](#) proposed one of the earliest models for product design ([Bloch 1995](#)). In this model, he discussed innate human preferences for product design, like order and unity and suggested that too much unity can be unappreciated ([Tseng, Jiao, and Wang 2010](#)). This idea is supported by human emotion-aesthetics theories ([Desmet 2004](#); [Van Geert and Wagemans 2020](#)). And it is confirmed by recent studies ([Van Geert and Wagemans 2019](#); [Locher, Martindale, and Dorfman 2020](#)).

The research showed that haptic design properties play a considerable role in the consumer's design




Figure 3. Examples of mobile phone designs with innate aesthetic preferences: Nokia models from left to right: 6235, 7610, 6630 and 6600.

response. James et al. (2002) showed that haptic exploration of novel three-dimensional objects evokes activation in brain areas associated with visual processing. In consumer-product interaction, Vrána and Mokry (2020) wrote a review on studies that observed the effect of product haptic qualities on brain activity. They concluded that the haptic aspect of product design might be underestimated.

Ranaweera, Martin, and Jin (2021) conducted an experimental study on the influence of weight and texture on consumer haptic sensing and perception. Considering three products; a photo frame, a remote controller and a water bottle. Their results suggest that smooth textures with heavier weights provoke excitement and show favourable responses towards exciting brands. While smooth textures with lighter weights provoke the perception of sophistication.

3.2. Product utility

Bagozzi, Gopinath, and Nyer (1999) theorised that people simultaneously evaluate products according to two classes. On the utility side, ie the product is beneficial to what degree? And on the hedonic side, ie how pleasant are the feelings associated with using this product? The overall evaluation of the product is, in differing degrees, the combination of assessment in both dimensions (Batra and Ahtola 1991). Van Rompay and Ludden (2015) presented a modern equivalent based on the embodied cognition framework (Shapiro 2019).

Research showed that a misalignment between the utilitarian and hedonic aspects of the product is more likely to cause strong negative emotions (Chitturi 2009; Kortum 2021). The utility aspects relate to functionality and reliability, while the hedonic element refers to the product's ergonomics, Kansei and

aesthetics (Spangenberg, Voss, and Crowley 1997; Liu 2003). That means a product with high functional quality but low enjoyability can cause negative emotions relative to a product with equivalent hedonic and utilitarian attributes (Chitturi 2009; Hancock, Fisk, and Rogers 2001).

Norman (2004) theorised that we expect better-designed products to function better. Sundar confirmed this principle in their study (Sundar, Cao, and Machleit 2020). Hoegg et al. experimented on different products, examining the effect of appearance on the expected performance against the product description (Hoegg, Alba, and Dahl 2010). They concluded that higher aesthetics is more favourable in many cases where conflicting cues exist. Radford et al. studied the perception of newness and its effect on consumers' judgement (Radford and Bloch 2011). They concluded that the evaluation of the aesthetics tends to occur before the consumer can consider the product's functional aspects. And suggested that people may not focus on a product that does not evoke sufficient aesthetic interest. Adeyeye, She, and Bāiri (2017) examined the perceived user experience of eco-friendly showerheads. Participants expressed their preference for designs different from regular showerheads, even though the design changes do not necessarily correspond to better performance (Sierra-Pérez, Boschmonart-Rives, and Oliver-Solà 2019).

Han, Forbes, and Schaefer (2019) examined creativity in product design and its relationship with functionality and aesthetics. Their case study suggested no tangible relations among creativity, utility and aesthetics (Liu 2003). Haug (2016) studied the complexity of aesthetics in product success and offered a framework for understanding the aesthetic experience of products. Considering the following stages of

aesthetic emotions: Objective emotion, Personal context, External context and Reflection, the stage where the consumer justifies their emotion or argues against it.

3.3. Product luxury and brand

Besides the aesthetic and the utility values, research showed that we also consider products for symbolic value (Candi et al. 2017; Chen 2019; Kumar and Noble 2016). Luxury products, in particular, hold high social signals value and are often accompanied by a brand image (Brunner et al. 2016). In addition, luxury products are often identified by distinctiveness, exclusivity and craftsmanship (Idemen, Elmadag, and Okan 2021). Also by timelessness, sensuality and beauty (Kapferer 2008). Tynan, McKechnie, and Chhuon (2010) discussed in their review that symbolic values are essential in luxury products because it communicates the signal of consumer status to others.

Hemonnet-Goujot and Valette-Florence (2022) studied the PDR regarding the aspect of luxury and brand love and their social drivers (Informational influence, Utilitarian influence and Value-expressive influence) and individual drivers (Self-consistency, Self-enhancement and Self-differentiation). Considering PDR as the Aesthetic, Functional and Symbolic values. The experiment studied luxury in two commonly used products, a pen (Mont Blanc Meisterstück pen) and a wristwatch (Rolex Oyster Perpetual watch). The study collected design evaluation data from a multinational pool of participants through an online survey, resulting in 276 evaluations for the watch and 249 evaluations for the pen. Besides design evaluation, the participants were asked to answer questions related to the product brand and describe the important drivers for buying a watch or a pen.

The study results supported the known antecedents of product design value perception, namely the 'importance of the need for status' (Han, Nunes, and Drèze 2010) and the 'self-expression' (Kumar and Noble 2016) and showed that the social drivers for watch products are significantly higher than for the pen. And that the individual drivers are higher for the pen product. Which suggests distinguishing between socially consumed products and privately consumed products. Their results also showed that brand identification has a mediating role and design that triggers affective experience has a symbolic value. Both of these drivers act as catalysts for brand love. Adding to the antecedents R&D and advertising intensity, found by Nguyen and Feng (2021).

Hagtvedt and Patrick (2014) investigated products with extravagant aesthetic features. In their experiment, participants associated excessive levels of styling to lower levels of functionality. However, the results also suggested that products in the Beauty category can be valued based solely on their design, regardless of their perceived functionality. Greenberg et al. (2020) suggested the use of design extravagance as a new luxury product design element.

Tynan, McKechnie, and Chhuon (2010) also classified hedonic appeal as self-directed because it refers to messages of allow the consumer to satisfy their individual stylistic identity. Amatulli, De Angelis, and Donato (2020) studied the effect of hedonic versus utilitarian messages on consumers' perceptions and attitudes towards luxury products. And found that the hedonic message is more important than the utilitarian message in product perceived luxuriousness when the promoted product carries lowly prominent logos.

We present a visual summary in Figure 4. Focussing on the notion of balance between aesthetics and functionality, referred to as 'Balance AF'. This figure describes the two extremes. On one side, products with multiple functionalities but low aesthetics and on the opposite side, the products with high aesthetics but little functionalities. The graph describes that the latter is appreciated much more than the former on average. And outperformed by the products that have little functionalities but higher aesthetics, as they score higher is the Balance AF, to our best knowledge this balance is not a countable value, we suggest it illustrate our understanding of research findings. This graph would have been a straight line if we simply appreciated higher aesthetics. But, on average, we do not highly value the overdesigned products that belong to the utility category. The graph shows this as the valley that separates the luxury category.




Figure 4. Aesthetic/functionality product evaluation (watches from left to right: a fake Oulm, a Swatch, a Daniel Wellington, a Jacob & Co, a Sekonda).

3.4. Summary of product factors

Product design evaluation is based on aesthetics, utility and symbolic values, Researchers developed a good understanding of the design aesthetic features and showed that we share significant common preferences in terms of product shape and haptic sensory characteristics. In the dimension of product utility, research showed that the most important factor is the alignment of the aesthetic and the functional aspects of the product design. and the utility on its own is not responsible for positive consumer response. As opposed to the product with high aesthetic characteristics, it can be appreciated without or with very little utility. Research shows that we appreciate the latter product for its symbolic value.

4. Consumer factors influencing PDR

4.1. Consumer culture

Diverse cultures have distinctive aesthetics (Walker et al. 2018). In product designs, product design that is motivated or inspired by a local culture is referred to as 'Cultural Design' (Erlmann 1998). It is the design that is associated with an identity and holds the signs of the social context in which it was created, signs that can be functional or aesthetic aspects of the cultural product and mark the distinction between the people of different cultures (Kesebir and Kesebir 2017). Several studies discussed the distinct differences in traditional aesthetic features (Luo and Dong 2017; Kharkongor and Chakrabarti 2019; Gan and Hirai 2017; Dianat, Molenbroek, and Castellucci 2018). Gilal et al. (2018) suggest that dissimilar cultures have different common interests in terms of symbolic or aesthetic values in a product design.

The 'Cross-cultural Design' On the other hand, is the design that identifies with multiple groups across national and cultural boundaries and seeks to receive consumer acceptance globally, regardless of their cultural background. Ikeda discussed the history of Japanese product design (Ikeda 2022) its origin and inspirations from European and American product design. And Adelabu et al. investigated the product design inspired by the African culture (Adelabu, Yamanaka, and Moalosi 2013), suggesting a cultural product evaluation approach based on the Kansei method. Due to global culture dominating local cultures, and most technological products do not adopt local cultural designs, people from different backgrounds tend to have a joint position in product design perception (Higgins 2017; Reynolds 2016).

Chai et al. (2015) showed in their study that the consumer tends to prefer products with cultural meanings compared to superficial design and that they may prefer cultural products with a modern design element to traditional cultural elements. Qin, Song, and Tian (2019) executed quantitative research to understand consumer attitudes towards culturally innovative design and sustainability. Focussing on how young consumers perception of cultural products. And showed that the perceived novelty of culturally innovative products is important for the consumers' purchasing intentions and their consumption attitudes. Qin later suggested a framework for designing new products based on cultural inspiration (Qin and Ng 2020). And Zhou suggested an approach for cross-cultural design based on Deep learning (Zhou et al. 2022).

We summarise with a visual illustration of cultural design in Figure 5. This framework shows that most people perceive product design similarly. The most significant part of the population worldwide uses the




Figure 5. Cultural and cross-cultural design.

same products in their daily lives, for example, technological products, formal clothing and transportation. Within this category of global products, slight design variations are made in local regions, mainly motivated by competition and marketing as well as functional features. Such design variations are primarily present in locally made products, like home furniture, packaging and beauty-related products. Furthermore, aesthetics for these products are more likely to be perceived similarly by neighbouring cultures and, to different degrees, less similarly by farther cultures.

Based on our understanding, we theorise that the perception of traditional aesthetics receives agreement from people of the same culture of origin. But, they do not evoke similar emotions in people from other cultures. Therefore they are the most isolated in terms of perception agreement. The best examples of such aesthetics can still be found in items related to traditional ceremonies. The above remarks support the idea that: human perception of aesthetics is dependent on exposure, and its emotional meaning is shaped by society.

4.2. Consumer exposure

In personal aesthetic perception, it is evident that each person is different. Corradi et al. (2020) studied the individual aesthetic sensitivity of previously mentioned human aesthetic preferences, ie complexity, order, curvatures and balance. They found that people agree on these aesthetic preferences, but to different degrees. As a conclusion of their experimental study, they suggested that 'Variations in aesthetic sensitivity should not be treated as noise'. Highlighting the importance of the individual. This idea is supported by other theoretical and experimental studies (Myszkowski and Storme 2017; Weichselbaum, Leder, and Ansorge 2018; Ma et al. 2020).

Aesthetic sensitivity is a concept that explains a person's ability to recognise and appreciate aesthetic quality (Child 1964), previously thought of as a unique trait present in some people more than others (Eysenck 1972). Because specific shapes, proportions, and characteristics were considered inherently attractive (Arnheim 1992). Since then, our understanding of aesthetics has evolved towards relativity, as more and more research showed that aesthetic appreciation is dynamic and depends on other personal and learnable characteristics (Corradi et al. 2020; Myszkowski and Storme 2017). Several research projects aimed to understand the relationship between general intelligence and aesthetic sensitivity

and found conflicting results, from negative to positive correlations (Eysenck 1940; Myszkowski et al. 2014). Myszkowski, Çelik, and Storme (2018) analysed data from 23 previous studies and found a weak positive correlation (0.3 with a 95% confidence interval). These results raise more questions than answers regarding what constitutes aesthetic appreciation.

Summerfeldt, Gilbert, and Reynolds (2015) conducted an experiment on the correlation of aesthetic interests, experience and knowledge with basic human aesthetic preferences (order, complexity, balance). They measured the art-related expertise of the participants through questions. Then asked them to rate the aesthetics of computer-generated elementary shapes. The objective aesthetic characteristics of these shapes were calculated based on their geometry and used to evaluate the participant's answers. Results showed that people with higher experience correspond to higher objective aesthetic appreciation.

Weichselbaum, Leder, and Ansorge (2018) studied the aesthetic valuation relative to consumer expertise. They subjected the participants to an art-related exam and ranked them based on their scores. Then later asked them to rate patterns according to their perceived beauty. The results showed that the average participant rated symmetrical patterns significantly higher than asymmetrical ones. And that participants that have higher expertise valued the asymmetrical patterns higher. This experiment suggests a natural tendency to appreciate symmetry, but people with significant aesthetic exposure were able to challenge that natural tendency.

Similar results were found by Silvia and Barona (2009), where the experiment suggested that, in the case of simple shapes, people typically prefer angular shapes. However, as expertise increased, the effect of angularity decreased. Their experiment, however, presented the contrary regarding complex design shapes because experts prefer angular shapes more than participants who are less experienced. We think this might be related to the idea that experts have a more tolerant perspective on weighing the trade-off between complexity and simplicity.

Bloch, Brunel, and Arnold (2003) suggested measuring the importance of aesthetics of a product for a particular consumer through the concept of Centrality of Visual Product Aesthetics (CVPA). It differentiates between consumers who evaluate products with low regard for aesthetics and consumers whose product valuation is dominated by how it appears aesthetically. At the individual level, the CVPA was found to be dependent on the ability to understand and evaluate

product designs. Studying the effect of exposure on design appreciation (Carbon 2010), Carbon asked the participants to evaluate car designs in terms of liking, curvature, complexity, quality, innovativeness and safety. before exposing them to highly innovative designs of concept cars. The results showed changes in the overall evaluation of past car designs as people saw them later as less creative. The paper refers to this concept as 'Zeitgeist' (Carbon 2019).

Design novelty is an essential aspect of design, and from the subjective perspective, it is related to exposure. Raymond Loewy (2002) highlighted the importance of balancing the comfort of familiarity with the uncertainty of the unknown, characterised by the acronym MAYA (Most advanced yet acceptable). Vazquez and Yamanaka (2014) studied the impact of novelty on consumer evaluation using actual commercial products, considering the participant's prior experience with such products. The results showed slightly higher pleasure levels for the familiar designs and that visual stimulation before the first interaction has arousal enhancing effect relative to the novelty aspect. Researchers developed several mathematical models to simulate the effect of novelty (Miyamoto and Yanagisawa 2020; Sekoguchi and Yanagisawa 2019; Ueda, Sekoguchi, and Yanagisawa 2021; Ruiz-Pastor et al. 2022).

Van Geert and Wagemans (2020) reported evidence of considerable individual variation when it comes to aesthetic appreciation of order and complexity. The research projects suggested that expertise, and personality traits, might be the most significant drivers for such variation.

4.3. Consumer personality

The link between personality and aesthetic experience has been researched from different angles (Christensen, Cotter, and Silvia 2019; Afhami and Mohammadi-Zarghan 2018; Mohammadi-Zarghan and Afhami 2019). De Young wrote an in-depth review of evidence associating Openness and aesthetic appreciation in general (DeYoung 2015). And the results found by Antinori, Carter, and Smillie (2017) indicated that open people are characterised by higher engagement with aesthetic information.

Myszkowski and Storme (2012) conducted a correlation study between the Big Five model of personality traits and the quality of product aesthetics (Conscientiousness, Agreeableness, Neuroticism, Openness and Extraversion) (Afhami and Mohammadi-Zarghan 2018). They measured the Centrality of Visual Product Aesthetics (CVPA; Bloch, Brunel, and Arnold

2003) of 158 participants, mostly female students. The test is an 11-item self-report questionnaire that has three subscales. Namely: Value, how significant is the design for the consumer? The Acumen is how capable the consumer is in recognising design details is? And The Response is how crucial the customer's need to buy products that have appealing designs is. The results suggested that people with low Openness tended to prefer higher quality designed products. And agreeableness is found to correlate with Value.

In later research, Myszkowski et al. (2014) conducted the Visual Aesthetic Sensitivity Test (VAST; Götz et al. 1979) on a similar subject pool constituted of 129 participants, mostly female students. This test is also a self-report questionnaire considering the following six subscales: Openness to aesthetics, Openness to fantasy, Openness to feelings, Openness to ideas, sensation-seeking tendency and tendency to seek order. But in this study, the results showed a correlation between Openness and aesthetic sensitivity. However, the author recognises the limitations of self-reporting. Participants have to use their imagination when answering the questions, which is not ideal because they may not have the same view of what makes a highly designed product. Furthermore, there are many variables to a product design; therefore, the design perception can impact their judgement in an actual product evaluation exercise.

de Bont, Schoormans, and Wessel (1992) made one of the earliest consumer personality studies in product design. They identified the consumer in terms of two cognitive styles; Tolerance of Ambiguity (ToA; Budner 1962) and Categorisation Width (CW; Donnelly, Etzel, and Roeth 1973). A person with a high ToA is equivalent to what we consider open to experiences. And a consumer with low CW is a person that gives high importance to product details. And may, for example, recognise the difference between trainers, running shoes and sneakers. Nonetheless, this study asked 76 participants to rank 15 espresso machine designs according to what they consider an ordinary design. They set the standard ranking, on the other hand, using the answers of five experts. They found men to have higher categorisation width than women, and older participants had a lower tolerance for ambiguity. The results showed that people with high ToA, and high CW, tend to accept deviating (according to the judges' standards) product designs.

Han and Ma (2018) studied the relationship between consumer personality and jewellery item perception. Their experiment studied the personalities of 60 highly familiar female customers and classified

them into 4 clusters. Namely 'Casual and free', 'Introvert and sensitive', 'Rational and calm' and 'Extrovert and optimist'. They asked each to rate 278 items from a well-known brand to conduct a study based on 100 words. The results suggested that personality has an impact on the participant's perception. And that there is a correlation between the personality cluster members. Chen, Liang, and Lee (2019) studied the effect of personality type on the design perception of elderly products. They classified the 30 elderly participants into four types, namely, 'Dominance', 'Influence', 'Steadiness' and 'Compliance' and collected their impressions on a shoe product with eight design variables, including the shape, material texture and colour. Similarly to the above study, they found that personality groups have different preferences in shoe material and colours.

Other studies showed that some personality traits are essential in preferring luxury design. For instance, Kang and Park (2016) discussed that narcissistic orientations encourage people to prefer luxury products. In their studies of actual brands and consumers, Fujiwara and Nagasawa (2015a, 2015b) showed that Openness to Experience is a significant trait among consumers of luxury items. In another field study, Greenberg et al. (2020) established a link between extravagance and preferences for luxury product design as a motive for the 'need for status'.

4.4. Summary of consumer factors

The consumer response to product design can be influenced by culture, however, this is mostly true in a limited set of products inside the local regions. The cultural factor is not very significant in most mass consumption of modern products. From the individual characteristics of the consumer, two factors were the most responsible for PDR differences, namely, the consumer experience and the consumer personality element of Openness to experiences.

5. Design evaluation context factors

5.1. Product–consumer interaction

The product design response is not a reflection of the nature of the product alone, but also on the characteristics of the evaluator and their experience (Kumar and Noble 2016; Homburg, Schwemmler, and Kuehn 2015). Locher, Overbeeke, and Wensveen (2010) created a detailed framework combining product-driven and cognitively driven processes underlying the consumer's experience with product design. Based on the




Figure 6. The subjective product design response, a suggested illustration of Locher, Overbeeke, and Wensveen (2010) framework.

models for aesthetic appreciation and judgements (Leder et al. 2004) and the model describing the affective product interactions (Wensveen 2005). Tavares et al. (2020) presented a systematic literature review in the field of cognitive-affective needs in product design. There exist many factors that can impact the consumer response, starting from personal elements like the mood, at the moment of evaluation, to more complex influences that can emerge from consumer–product interaction.

We present a visual summary illustration in Figure 6; to describe the influencing factors in product design evaluation, on one side, there is the consumer, including the cultural background, former experience with aesthetics, consumer personality and consumer mood at the moment of interaction with the product. And on the other side, the product, which consists of product characteristics and context:

5.2. PDR measurement biases at the moment of evaluation

The evaluation context has a significant effect on the overall consumer response (Knetsch and Wong 2009). Logkizidou et al. (2019) showed in their study that products presented in a museological manner (inside a glass cube for instance) are perceived to be more luxurious, less risky and thus more purchasable. The order of product display can cause other cognitive biases that may affect the product design evaluation, like the 'Anchoring bias', which occurs when a reference design, intentionally or unintentionally, is considered the reference point for evaluating all other designs. The 'Recency bias' says that people would remember the first and last designs more accurately when assessing a series of product designs than those in the middle. And lastly, the 'Framing bias' occurs when the evaluation context positively or negatively

influences the design evaluation (Hallihan, Cheong, and Shu 2012).

The product's prior connection with the consumer can encourage some consumer decision biases, such as the 'Endowment effect', which is the tendency for people to value a product they own more than people who do not (Morewedge and Giblin 2015). Furthermore, Bushong et al. (2010) showed in an experimental study that people value products higher when they see them in real than in pictures. And Peck and Shu (2009) demonstrated that touching a product increased the affective reaction towards that product, similarly to the endowment effect.

Another effect, called the 'I Designed It Myself' effect, also known as the Effort bias, says that people are attached to objects they created or helped create. And value them higher than other objects. In their paper, Franke, Schreier, and Kaiser (2010) discussed the different aspects of this effect. They suggested its incorporation in the online design customisation tools, for its substantial impact on the willingness to buy. Yanagisawa (2019) discussed the 'expectation effect' and proposed mathematical modelling of this effect in product design.

Another consumer bias factor is the mood at the moment of evaluation. It is shown to be an important variable that can affect product design evaluation. Locher, Frens, and Overbeeke (2008) conducted an experimental study that looked at the problem of design evaluation from the consumer's mood angle. Half of the participants in this experiment were trained design students, and the other half were untrained students from other departments. The task is to rate the visual appeal of a set of six digital cameras by thinking out loud about the design features using camera prototypes. To introduce a positive mood, half of all participants, trained and untrained, were presented with a nice bag of candies and explained that it was an appreciation for participating in the experiment. This idea was inspired by Estrada, Isen, and Young (1997), who showed that it influenced doctors to demonstrate more efficiency and openness to information. The design evaluation results showed that; participants that were gifted the candy gave, on average, a significantly more appealing rating than the rating of individuals who were not given candy.

Furthermore, the untrained participants who received candy provided the fewest reactions overall and design students who received candy generated more reactions than design students who did not. This suggests that the effect of positive mood is similar, but depending on the consumer's perspective, the

means can be different. It is worth mentioning the following research results that showed a strong effect of consumer mood on perception. Djamzbi, Strong, and Dishaw (2010) demonstrated in an experimental study that people are more willing to accept new technology when in a good mood, even in high levels of uncertainty. Their results were examined further in recent experiments regarding consumer personality and the duration of the positive/negative mood effect (Sagnier et al. 2020).

More results were found in the service evaluation study by Sirakaya, Petrick, and Choi (2004). That surveyed a cruise vacation and found that a positive mood is significant enough to be considered a bias and recommended a neutral mood for more accurate service evaluation surveys. In a more detailed experimental study, Kocabulut and Albayrak (2019) surveyed hotel customers on the quality of service. On the other hand, they measured their personalities and mood before taking the survey. They found that 'good mood' has a stronger correlation, with high-quality evaluation, than personality. And surprisingly, results showed that, in a good mood, people with aggressive/competitive characters perceive higher quality service than people with easygoing/happy personalities.

6. Measurement methods of product design response

6.1. Physiological-based measurement

An emotional experience can reflect on various physiological signs such as pupil size, heart rate (Wang et al. 2018), skin conductance (Christopoulos, Uy, and Yap 2019) and brain activity (Rahman et al. 2021). Yu and Qi (2018) reported the recent advancement in emotional recognition based on Electroencephalogram (EEG) recordings and proposed guidance points on EEG-based user-experience-focussed product design. Cela-Conde et al. (2004) presented one of the earliest investigations in visual aesthetics. Under Magnetoencephalography (MEG), participants were shown different artworks and natural photographs and asked to decide whether each picture was beautiful or not using a finger sign. The brain activation tracings showed a significant difference between beautiful and not beautiful conditions. In a similar study, Yang, Lin, and Milekic (2018) found that EEG plus eye-tracking can indicate one's affective responses towards picture aesthetics. And Chew, Teo, and Mountstephens (2016) expanded the quest towards 3D shapes.

In research related to product design, One of the early attempts to understand PDR, using physiological-based exploration, was made by Tomico et al. (2008). They studied the comfort levels of six stylus designs during and after the interaction. Lin et al. (2011) sequentially exposed Eighteen participants to table-chair pairs and asked them to make design-match judgements while connected to the EEG machine. Thirty-two chairs from four categories and eight tables. The Event-Related Potential (ERP) brain activity showed that, depending on the styles, the reaction time for match/mismatch is different.

Deng and Wang (2019) presented a paper where they conducted an emotional scale survey in reaction to pictures of cultural symbols of the 'Shu culture' on the one hand. They recorded the brain activity of the 20 participants using an EEG. On the other hand, understanding the brain signal patterns that reflect the relationship between product experience, user emotion, and the degree of pleasure is independent of cultural bias. Guo et al. (2018) found that it is possible to indicate the consumers' product design preferences through EEG data. In another study, the authors used EEG to identify accurate adjectives to assess product design features.

Chen et al. (2017) studied product colour attractiveness and the perception of product affordance based on its colour. They connected the 20 participants to an EEG machine and measured their ERP in reaction to seeing pictures of coloured sofas, then target words (affordance or attractive). The brain signal results showed that colour affordance is involved in the cognitive process before colour attractiveness. Wang et al. (2020) investigated the ability to predict design choice decisions using eye movement and EEG response. Using 35 participants and 4 designs of a construction truck, they found that the fusion of data from brain signals and eye movement can help predict product design decisions.

Liu and Sourina (2014) developed an algorithm for human emotion recognition based on real-time EEG readings. In recent work, Liu et al. (2019) used it in a study to detect the design preferences of humanoid robots. To understand the design traits that correspond to higher perceptions of likeability, smartness and friendliness, perceptions of 12 robot designs based on the evaluations of 20 inexperienced participants, along with eye-tracking and EEG data. The results suggest that the emotion predictions are equivalent to the likeability responses. And on average, the first impression does not change. On the other hand, eye-tracking

suggests that facial features are the most important aspect in humanoid robot design.

These studies of product design emotion mainly focus on understanding the brain's priorities when interacting with a design. And how the decision to like or dislike is made. They do not identify a distinct emotion or what caused it. Instead, they find brain signal heuristics corresponding to a positive or negative emotion. For designers, such an approach cannot serve as part of the design process. But they can extract general ideas about how the consumer decides to like/buy the product (Bacciotti et al. 2016).

6.2. Self-reported measurement

Psychological questionnaires are used to identify emotional states. But are not adopted in product design because they mainly focus on disorders. On the other hand, simply asking consumers how they feel about a product design does not help identify its real affect. Because people might restrict their answers to what they think is socially acceptable, they can also be easily motivated to provide an answer that pleases the researcher (Orne 1962). Schoen and Crilly (2012) showed in their experiment that multiple questions, such as the 'willingness to pay', 'wanting' and 'prior ownership', increase the possibility of identifying the consumer's response compared to the simple one question for attractiveness.

Even though the verbal expression is vulnerable to social biases (Poels and Dewitte 2006), the verbal protocol method intends to overcome these drawbacks (Smith 2015) by encouraging the participants to reflect on their mental processes. Nonetheless, the verbal self-report has the advantage of quick implementation. The participants are not required to learn about the specific answering process. They simply express what they feel about the product design or give quick answers to specific questions. The freedom of answer allows the participants to provide a variety of expressions, which is a good advantage for catching the complexity of the design emotions (Deiningner et al. 2019).

Other frameworks have been developed to capture both the complexity of the affect and the simplicity of implementation (Schindler et al. 2017). Desmet suggested the Product Emotion (PrEmo1) technique (Desmet 2003). It allows the consumers to express their feeling about a product design through a cartoon character with 14 different pleasant and unpleasant facial and body expressions. This technique was thoroughly tested in different

cultures and improved to PrEmo2 by Laurans and Desmet (Desmet 2018).

However, the most widely used techniques for measuring product design affect employ the semantic ideas introduced in psychology by Osgood et al. through the semantic differential method (Osgood 2009; Osgood, Suci, and Tannenbaum 1957). In product design, semantics refers to its psychological message expressed through its design features, ie shape, form, colour, texture, etc ... its early applications focussed on the understandability of product function and easy use (Demirbilek and Sener 2003). In product design, semantic studies first focussed on creating brand personality through design (Karjalainen and Snelders 2010; Karjalainen 2007). Then expanded to predicting consumer perceptions (Shi, Huo, and Hou 2021; Kobayashi 2020; Hartono and Chuan 2011).

Researchers created several strategies to cover the different design priorities of a research experiment. For instance, the design evaluators select from a limited list of 'adjectives', known as 'semantic attributes' or 'Kansei words'. And the goal is to establish the relationship between the design attributes and basic affect. The design attributes are also fixed in an existing list (Kobayashi, Kinumura, and Higashi 2016; Kobayashi and Kinumura 2017). It is common to ask the design evaluator to choose a position in the Likert Scale between two polar attributes (Kobayashi and Niwa 2018; Ding et al. 2021). Other approaches ask the experiment participants to rate a design, ranging from 'not' to 'very', on a selected set of attributes (Belboula et al. 2019). Table 4 presents a

collection of shared attribute pairs used in product design research.

Compared to the previously mentioned physiological-based emotion studies, the self-reported approach is more suitable for product design and is the most widely used by designers and researchers. Not only because of its cost-effectiveness, but it also provides a deep understanding of specific perceptions of the design.

Online e-commerce sites provide a massive amount of information about consumers' affect. And with the maturation of machine learning tools, product design researchers took the opportunity to exploit this consumer-generated data (Ireland and Liu 2018). For a detailed understanding of the recent works in this field, we refer the reader to these two surveys: First, Quan et al. (2021) wrote a detailed layout of the new methods used for extracting valuable consumer preferences through text, image, voice and video data. Second, Jin et al. (2019) wrote a comprehensive survey on extracting consumer needs from online reviews. From data acquisition to opinion recognition and sentiment analysis (Jiao and Qu 2019). suggested a method for extracting consumer' design responses from online product reviews based on natural language processing.

6.3. Consumer observation-based measurement

Observation-based measurement is a popular technique in ergonomic design studies, it consists of real-time assessment of a user, directly or through Video records (Pereira et al. 2016; Spielholz et al. 2001). Compared to

Table 4. Common attributes pair in the domain of product design.

K, Y, U, S Adult-Childish	H, U, J, G Old-Young	C, I Mature-Youthful	A (Akay et al. 2021),
H, K, Y Popular-Unique	D, J, V, X Ordinary-Special	M, Y Alternative-Usual	B (Bartolome, Cho, and Cho 2021),
I, W, N, D, S Traditional-Modern	Y Progressive-Conservative	M, X Conservative-Innovative	C (Choi 2021),
S, O, I Elegant-Not elegant	P, J, N, H, G, U Beautiful-Ugly	Z Horrible-Pretty	D (Ding et al. 2021),
X Strong-Soft	H Soft-Wild	J, A, P, N, B, C, J, H, G Hard-Soft	E (Müezzinoğlu, Hidayetoğlu, and Yı İdi rı 2021),
E, J, H Relaxed-Stiff	Y Relaxed-Intense	B, O, R, Z Comfortable-Uncomfortable	J (Jylhä and Hamari 2019),
K, D Luxurious-Cheap	H Expensive-Cheap	R Expensive-Inexpensive	H (Jylhä and Hamari 2021),
U, K, I, S Stylish-Styleless	C Classy-Trendy	R Fashionable-Unfashionable	I (Sutono 2016),
K Attractive-Not attractive	P Pleasant-Unpleasant	R, U Attractive-Repulsive	G (Gan and Hirai 2017),
P Calm-Strident	J Calm-Exciting	N, E, X, R Exciting-Boring	K (Kobayashi and Niwa 2018),
D, V Simple-Gorgeous	Y Gorgeous-Pure	W Gorgeous-Plain	L (Kuhnert, Ragni, and Lindner 2017),
H, K, N Exciting-Quiet	D, N, R, V, X Dull-Lively	M Dull-Cheerful	M (Ma et al. 2020),
C Aggressive-Passive	J, Q, H, X Passive-Active	G, B Active-Inactive	N (Nagano, Okamoto, and Yamada 2018),
K Intellectual-Wild	R Smart-Stupid	L Stupid-Intelligent	O (Ulusoy, Olgutürk, and Aslanoğlu 2021),
S, I Bold- Plain	N, H Delicate-bold	Q Plain-Gaudy	P (Dal Palù et al. 2017),
K Revolutionary-Retro	I Classic-Not classic	R Unconventional-Conventional	Q (Jiang, Chen, and Zhang 2019),
R Cold-Hot	E, H Warm-Cool	N, A, G, O, Y, A, B, C, Q, Z Warm-Cold	R (Huang et al. 2018),
M Amateur-Professional		J, H Professional-Unprofessional	S (Sutono 2018),
M, N Dangerous-Safe		R Safe-Unsafe	U (Asghar, Torrens, and Harland 2018),
R, L Rational-Emotional		W Emotional-Intellectual	V (Chen et al. 2021),
C, X Humorous-Serious		Y Funny-Serious	W (Wang et al. 2021),
J, H, R, B, L Strong-Weak			X (Tsao, Huang, and Hung 2019),
L, O, W, G, J, I, Q, S Masculine-Feminine			Y (Yan et al. 2018),
			Z (García, Estupiñan, and Olarte 2017).




Figure 7. Camera prototypes in the Locher, Frens, and Overbeeke (2008) experiment.




Figure 8. Illustration of the forward and backward modelling (Shieh, Li, and Yang 2018).

the self-reported measurement approach, it requires extensive technical knowledge and experience to interpret the observed reactions (David 2005). In product design, this approach is mainly used to investigate the utility aspect of the design (Kermavnar, Shannon, and O'Sullivan 2021; Kamil, Moi Li Shi, and Sani 2020; Yu, Chou, and Luh 2018).

In aesthetic design assessment, Locher, Frens, and Overbeeke (2008) measured the product design response by consumer observation, the experiment participant evaluated six camera prototype designs. Each camera was modelled out of white foam with all functional parts. Two views of each camera are shown in Figure 7. The experimental session lasted approximately 25 minutes. They manipulated the prototypes manually, expressed their reaction verbally and gave a rating of their appeal. A videotape of the participant's interaction with the design prototypes was created for examination. Besides observing the reaction of the evaluators, this method presents additional information on processing time. Their results showed that the trained design students spent more time evaluating the prototypes, however, no significant connection was found between the processing time and the evaluation outcome.

This method is not widely adopted in product design evaluation as it requires a specific experimental approach for different products. It is time-consuming in the evaluation step and, necessitates expert interpretation of the results. Which makes it relatively expensive compared to the self-reported measurement approach.

6.4. Summary of PDR measuring methods

Researchers were able to predict human emotion, based on Physiological signs, such as brain waves. PDR used such emotion to predict the emotion about particular aesthetic or design features and showed that it is possible to measure preferences. The method of consumer observation, on the other hand, offers much more data on the consumer's response, but it requires large efforts both from the consumer and the experimenter, and requires expert interpretation. Semantic-based approaches remain the most efficient method for extracting the deep consumer affect. However, experimenters need to pay attention to biases that can occur due to incorrect measuring approaches.

7. Product design response engineering methods

7.1. Kansei engineering methods

KE is the process of capturing human affect/Kansei associated with a product design (Nagamachi and Lokman 2016). Not only the product form but also patterns, textures, sounds and smells. It represents a method to study the users' interaction with a design by analysing their product design response. Academic and industrial researchers use this methodology for various design investigations (Ishihara et al. 2008; Marco Almagro 2011; Schütte et al. 2004). López, Murillo, and González (2021) wrote a systematic literature study of KE product design, analysing research papers from 1995 to 2020. They presented the most commonly used KE methods and showed that technology and furniture/home products make up approximately 60% of all research subjects. KE focuses on obtaining the Affect/Kansei related to a product design through semantics.

The early KE applications focus on identifying the users' affective and ergonomic needs. Such as the work made by Ishihara et al. (2008) where they found that forklift drivers preferred standing in a risky position because they perceived it to be more comfortable. KE helped investigators understand the need for a better suspension system, which eventually allowed the drivers to work safely (Axelsson, Eklund, and Nagamachi 2001). Razza and Paschoarelli (2015) investigated the consumers' affective needs for the product of disposable razors using KE. Forty razor designs were evaluated in a virtual system by 321 adult men. Their factor analysis study presented no dominant correlations between the design features and the evaluator's affective response. The authors suggested that such data complexity is more suitable to analyse using more powerful modelling techniques.

Yanagisawa et al. (Yanagisawa, Miyazaki, and Bouchard 2017; Maki and Yanagisawa 2019) presented a multisensory Kansei modelling methodology to extract users' product experience and study the cross-modal effect. A further study (Yanagisawa and Takatsuji 2015) investigated the impact of the product's visual appearance on the perception of sound made by that product. Kobayashi and Takeda (2021) developed a product recommendation system based on KE. The new approach estimates the personal favourite design style based on past choices and suggests other products with similar design features. Hashimoto, Yamada, and Nagata (2019) suggested a method for extracting Kansei product

evaluation from online reviews. Its results were compared to a subjective evaluation of a selected collection of wristwatches and proved effective, supporting the ideas suggested in Figure 4. The KE process is summarised as follows:

1. Definition of the domain; includes the product features, the target consumer and the evaluation context.
2. Selection of the affect adjectives; through elimination (qualitative, quantitative), produce a list of low-level adjectives used for the evaluation.
3. Creation of the design matrix; containing all possible product properties with the most significant potential to impact the consumer's Kansei.
4. Collection of the design response data; by conducting the design evaluation and storing the survey responses in a database.
5. Analysing the data using statistical tools and mapping the results.
6. Validation and drawing conclusions.

This procedure, however, is not the only approach to obtaining consumer product design response. We use the term 'Kansei engineering' here to describe the studies focussing on the reaction of consumers to a product design (Aydoğan et al. 2020) and the approaches that employ the consumer's PDR to serve further purposes, such as design features optimisation (Brum et al. 2021), customer grouping based on product design features (Kobayashi and Niwa 2018), PDR modelling (Shieh, Li, and Yang 2018) and design recommender systems (Kobayashi and Takeda 2021). In what follows, we describe the major analytical and computational methods used for building such systems.

7.2. Principle component analysis

The Principle Component Analysis (PCA) (Pearson 1901) is commonly used to find a lower-dimensional representation of the original dataset while retaining as much information as possible (Tang et al. 2022). It is also used to find correlations and simplify data visualisation. Aydoğan et al. (2020) used PCA to determine the consumers' general preferences. Tang et al. (2022) produced data visualisations based on PCA to study the cultural differences in product design and consumer evaluation. And Yang et al. (2021) used PCA to decompose online product evaluation reviews. It is generally defined by the following process:

1. Calculate the covariance matrix C for the original dataset matrix D as follows:

$$C = \text{cov}(D) \quad (1)$$

the size of D is $n \times p$, with n being the number of data vectors and p the number of parameters.

2. Extract the Eigenvectors U of the covariance matrix through the PCA operation:

$$C = U \Lambda U^T \quad (2)$$

3. Reduce the model size by selecting a subset of the eigenvectors U' with size $l \times p$, with $l < n$.

4. Reconstruct the reduced data matrix D' using the U' .

Similar factor analysis methods are used in design research to simplify complex sets of design evaluation data (Dobriban 2020). The goal is to find the underlying variables, by searching for interdependencies between design evaluation variables (Deng and Wang 2019).

7.3. Multidimensional scaling

The multidimensional scaling (MDS) method helps us study the similarity between designs in terms of their inter-perception distances (Liu and Wu 2020). By creating the multidimensional semantic map presenting similar items in the same proximities. This method is used in various data analytics fields (Borg and Groenen 2005), as well as in various product design studies, such as material aesthetics (Veelaert et al. 2020) and shape design (Vlah and Žavbi 2020).

Metric MDS calculate the Euclidean distance between the elements of the design variables, while other distances can be considered. It is generally defined by the following process (Qiao et al. 2017):

1. Create the $n \times p$ matrix of coordinates X representing the position of each element n in their parameter dimensions p .
2. Calculate the distances between all elements of the same dimension. And create the $n \times n$ distances matrix Δ , which is symmetrical, non-negative and hollow (Equation (4)).

$$\delta_{ij} = \sqrt{\sum_{k=1}^p (x_{ik} - x_{jk})^2} \quad (3)$$

$$\Delta = \begin{bmatrix} 0 & \cdots & \delta_{1p} \\ \vdots & 0 & \vdots \\ \delta_{p1} & \cdots & 0 \end{bmatrix} \quad (4)$$

3. Minimise the stress function using optimisation. The stress function can be calculated in various

ways, Equation (5). Present the most commonly used equation.

$$S(X) = \sqrt{\frac{\sum_{i \neq j=1..n}^p (\delta_{ij} - \|x_i - x_j\|)^2}{\sum_{i \neq j=1..n}^p (\delta_{ij})^2}} \quad (5)$$

The Metric MDS assumes that distances present a perfect representation of the similarity. To accept the complexity of the data, Non-metric MDS avoid the linearity assumption and use the ranking of the distances between points instead of the actual distances. By using a monotonic transformation function $f(x)$ that represents the scaled proximities. Generally, a monotonic transformation function help transform a set of numbers into another set while preserving the order of the original set (Kruskal 1964).

$$S(X) = \sqrt{\frac{\sum_{i \neq j=1..n}^p (\delta_{ij} - f(x))^2}{\sum_{i \neq j=1..n}^p (\delta_{ij})^2}} \quad (6)$$

7.4. Clustering methods

There exist multiple clustering algorithms (Aggarwal and Reddy 2014). They are commonly used in scientific research and data analysis. And their task is to:

- a. Identify elements that belong to the same category/cluster in studies where the amount of categories is known.
- b. Find the number of underlying categories in a dataset in studies where the number of categories is unknown.

Hierarchical clustering algorithms are based on the idea that elements in the same proximity belong to the same group. So it finds the maximum distance between cluster members. And consider members outside this range as members of another cluster. However, the hierarchical algorithms do not split the dataset but instead create hierarchal clusters based on found distances. Variables of this algorithm consist of the method of computing the distances and the linkage criteria. The algorithm can start clustering from the top by considering that the dataset is one cluster and dividing it into smaller clusters based on the algorithm parameters. Or start from the bottom by considering every element unique (Murtagh and Contreras 2012).

Statistical distribution clustering is based on the idea that cluster members are most likely in the same statistical distribution, such as the Gaussian

distribution (O'Hagan et al. 2016). On the other hand, density-based clustering methods use the idea that high-density areas separated by less dense areas most likely constitute a cluster of the same group members. Their technique is to find the borders of an area by ignoring isolated data points or by moving them to the nearest dense area (Kriegel et al. 2011). This idea is developed further by grid-based clustering algorithms, where they divide the data space into even cells and incrementally compare the densities of each cell to its neighbour. This method starts with small clusters and merges them based on their densities (Amini et al. 2011).

K-means clustering methods focus on the idea that cluster members are distributed around the cluster centre. And its goal is to find the position of the centres for which the square distance to cluster members is minimum (Teknomo 2006). The K-means algorithm is an optimisation problem; therefore, it requires running multiple times with different starting points. Their biggest drawback is that they assume the number of clusters is known (Kodinariya and Makwana 2013). However, in product design studies based structured method of response, the number of clusters is the number of study parameters.

Qiao et al. (2017) suggested a method based on MDS and clustering for modular product design and compared the performance of the different clustering algorithms. Shieh and Yeh (2013) used cluster analysis to choose the right sets of attributes in the study of shoe design. Kuroda, Yoshikawa, and Furuhashi (2006) proposed a method for clustering customers based on their product impression resemblance. Yamamoto, Yoshikawa, and Furuhashi (2005) proposed a clustering technique for grouping customers based on the similarity in product design evaluation. Kobayashi and Niwa (2018) employed hierarchical clustering to group customers based on their decision rules similarities. The decision rules in this study derive from customer evaluations of existing products using the Rough Set method.

7.5. Rough set analysis

The Rough set (RS) methodology is a mathematical tool for extracting hidden patterns from a data set (Pawlak, Polkowski, and Skowron 2001). With the ability to handle nonlinear patterns and the advantage of not requiring information besides the dataset. It considers the system $S = (U, A, V, f)$, with U being the finite non-empty set representing the data set. A is a collection of attributes. V stores the attributes values.

And f is the function that links the attributes and the dataset. A is defined by the following expression:

$$A = C \cup D, C \cap D = \emptyset \quad (7)$$

Where C contains the conditional attributes, D contains the decision attributes. The process of rough set requires calculating the following approximations, $B(X)$ and the $\bar{B}(X)$, respectively, the upper approximation set and the lower approximation set. The positive domain $POS_C(D)$. And the core attributes $Core(C)$. The dependencies $\gamma_C(D)$ and the importance degree $\sigma_{(C,D)}(a)$ expressed as follows:

$$B(X) = \{x|x \in U, B(x) \subseteq X\} \quad (8)$$

$$\bar{B}(X) = \{x|x \in U, B(x) \cap X \neq \emptyset\} \quad (9)$$

$$POS_C(D) = POS_{C-C_q}(D) \quad (10)$$

$$Core(C) = \cap Red(C) \quad (11)$$

The lower approximation $\bar{B}(X)$ combines elements contained in the set. While the upper approximation $B(X)$ combines all the elements that are in the non-intersection. The positive region $POS_C(D)$ contains all the elements of the block U/D with q being a condition attribute. The $Core(C)$ is the set of attributes shared by all Reduction sets $Red(C)$. The Reduction $Red(C)$ contains the degrees of dependence between the condition attribute C and decision attribute D .

The goal is to find the subsets containing minimum attributes, with the $Core$ being the intersection of all subsets of minimum attributes. We calculate the indispensability of a condition attribute a by comparing the dependencies γ_C with and without it. $\sigma_{(C,D)}(a)$ calculates the importance of this attribute (Pawlak et al. 1995).

$$\gamma_C(D) = \frac{|POS_C(D)|}{|U|} \quad (12)$$

$$\sigma_{(C,D)}(a) = \frac{\gamma_C(D) - \gamma_{C-\{a\}}(D)}{\gamma_C(D)} \quad (13)$$

RS is useful for feature extraction, dimensionality reduction and decision rule generation. Ito and Yamashita (2014) employed the Rough Set method to analyse mascot design impression and its influence on design evaluation. Kang (2020) used the RS method to determine the core aesthetic qualities of a product design and their importance degrees. The new synthetic designs respect each group's decision rule. In the method suggested by Shieh, Yeh, and Huang (2016), RS is used to study the relationship between product shape design, its colour and the effect on consumer perception. Regression and soft computing-based modelling

7.6. Regression and soft computing-based modelling

Multiple linear regression methods are widely used in design research, particularly KE research. They help model the relationship between the design features and the consumer Kansei through the following equation:

$$y = \alpha + \beta_1 x_1 + \dots + \beta_n x_n + \varepsilon \quad (14)$$

y is the response, $x_1, \dots, x_n$ are the predictor variables, and $\alpha, \beta_1, \dots, \beta_n$ are regression coefficients, generally estimated by the least square method, with ε being the error (Xiong et al. 2016).

Nonlinear regression methods can solve complex design studies. The Support Vector Regression approach (SVR) (Li, Shieh, and Yang 2019) is an extension of the popular Support Vector Machine (SVM) approach (Noble 2006). SVR constructs a linear model $f(x, \omega)$ in the high dimensional features space, representing the variable distribution mapped with the help of a kernel function, like the Radial Basis Functions or Sigmoid functions.

$$f(x, \omega) = \sum_{j=1}^p \omega_j g_j(x) + b \quad (15)$$

ω_j, b are the coefficients of the nonlinear transformations $g(x)$, $j = 1, \dots, p$. SVR performs linear regression in the features space using ε -insensitive loss while minimising $|\omega|^2$ (reducing the model complexity). The loss function is expressed by:

$$L_\varepsilon(y, f(x, \omega)) = \begin{cases} 0 & \text{if } |y - f(x, \omega)| \leq \varepsilon \\ |y - f(x, \omega)| - \varepsilon & \text{other wise} \end{cases} \quad (16)$$

SVR use the principle of structural risk minimisation, where the empirical risk is expressed as follows:

$$R(\omega) = \frac{1}{n} \sum_{i=1}^n L_\varepsilon(y_i, f(x_i, \omega)) \quad (17)$$

Considering ξ_i, ξ_i^* $i = 1, \dots, n$ are the measurements of training samples deviation outside the ε -insensitive region. The minimisation problem can be expressed as follows (Wang 2011):

$$\text{Min } \frac{1}{n} \|\omega\|^2 + C \sum_{i=1}^n (\xi_i + \xi_i^*) \quad \text{for } \begin{cases} y_i - f(x_i, \omega) \leq \varepsilon + \xi_i^* \\ f(x_i, \omega) - y_i \leq \varepsilon + \xi_i \\ \xi_i, \xi_i^* \geq 0 \end{cases} \quad i = 1, \dots, n \quad (18)$$

Soft computing refers to complex and flexible systems built to represent real applications (Ibrahim 2016), such as systems design problems (Benaïssa et al. 2018a, 2018b; Benaïssa, Köppen, and Yoshida 2018), engineering design problems (Al Ali and

Shimoda 2022a, 2022b), product design problems and modelling the product design response evaluation relationship (Shen and Wang 2016; Yeh 2020), where the Artificial Neural Networks (ANN) and optimisation algorithms have known wide development (Ruder 2016; Abdel-Basset, Abdel-Fatah, and Sangaiah 2018).

The fuzzy theory allows interpreting the uncertainty and vagueness of consumer choices in a mathematical form. It was found suitable for solving PDR problems. Hotta and Hagiwara (2006) suggested a method for personal response modelling by adjusting group Kansei model rules to fit personal design response data; this is achieved using a set of fuzzy rules. Shen and Wang (2016) suggested a creative thinking process to design a product that matches customers' preferences based on fuzzy theorem and ANN. Kang (2020) employed the Fuzzy theory with the 'Quality function deployment' method to associate the customer aesthetic qualities with product design characteristics. Dong et al. (2021) addressed the topic of individual Kansei variance, suggesting a method based on fuzzy clustering and basic-emotion systems to transform the Kansei words into multisensory design elements.

Metaheuristic optimisation algorithms have widespread use in various research fields due to their ability to solve challenging problems (Benaïssa et al. 2021; Al Thobiani et al. 2022; Benaïssa et al. 2016). Product design studies also employ these algorithms in problems such as product form and attribute optimisation (Brum et al. 2021). Moreover, multi-objective optimisation algorithms helped understand the association rules between product design and consumer response (Xue, Desmet, and Fokkinga 2020) and find the optimal design response for a group of diverse consumers (Jiang, Chen, and Zhang 2019).

7.7. Forward and backward Kansei engineering

The modelling applications focus on mapping the connection between design features and consumer perception. Modelling-based studies build mathematical predictive models that help predict design features corresponding to a specific perception (Forward), as well as the consumer perception corresponding to a design feature (Backward). It also allows estimating the perception of particular design features or combinations of design features.

An example of this type of research is presented by Xiong et al. (2016), considering the application of mobile phone design. The approach first collected user perceptions from 40 participants about 32 mobile

phone designs. Then construct a model based on Support Vector Regression (SVR) and Gaussian Radial Basis Function (RBF) to predict the users' perceptions of new designs. Shieh et al. also used the SVR method (Shieh, Li, and Yang 2018) combined with a multi-objective evolutionary algorithm for forward and backward modelling. Through their case study of vase design, they showed that clustering Pareto front solutions could suggest creative design ideas.

Chang and Chen (2016) investigated the affective design elements of a car steering wheel, considering the aesthetic and ergonomic factors. Linear regression models were built to compare the consumer perception of individual components and the perception of the product as a whole. Akgül et al. (2021) presented an approach for forward and backward modelling based on the Genetic Algorithm and Fuzzy linguistic summarisation. In their case study, a cradle design was considered. In the backward model, the product design is input for one adjective as output. While in the forward model, one adjective is designated as the input corresponding to a complete design with a combination of eight variables.

A product design cannot be easily changed to satisfy the preference of a diverse customer base. Advanced models allow studying higher-level consumer response diversity and investigating design features that unify consumer perception to maximise customer satisfaction. Yamagishi, Seki, and Nishimura (2018) presented an approach based on multiple regression analysis and hierarchical clustering for customer preference clustering. The most important design factors are selected based on the evaluation of each consumer cluster. And finally, find the design feature corresponding to the highest sensitivity in all consumer clusters. Kobayashi (2020) developed a method based on multi-objective optimisation to combine the design features that receive maximum unified customer perception, as intended by the designer. The Genetic algorithm solves two fitness functions, one for minimising the variation of customer perception and the other for maximising a specific perception.

7.8. AI in product design response studies

The rapid advances in machine learning and optimisation methods (Pouyanfar et al. 2019) plus the expansion of accessibility to big data (Roh, Heo, and Whang 2019) have led to the wide development of Artificial Intelligence (AI) applications in almost every domain. AI consumer for product design evaluation is an idea

that several researchers are working on, we list below the most important axes of research.

In the axis of studying the profound connections between product design features and consumers' responses; Wu et al. (2020) laid out the latest research and challenges in automatic aesthetic design evaluation using deep learning. Wang, Mo, and Tseng (2018) suggested a framework for mapping the consumer needs to design parameters using deep learning. McCormack and Lomas (2021) studied the aesthetic evaluation using the Convolutional Neural Networks (CNN), trained on personal prior aesthetic evaluations. Zhou et al. (2020) suggested a machine learning method for analysing the consumers' design needs. Kobayashi, Fujita, and Wada (2022) proposed a method for associating the consumers' feedback to specific design features, using Gradient-weighted Class Activation Mapping (Grad-CAM) and CNN.

In the axis of simulating the consumers' response to product design; Pan et al. (2017) introduced a deep learning approach based on the Siamese network of conditional GANs to predict the perception of different consumers of the product design aesthetics and visualise the corresponding design features. Dong et al. (2021) suggested a fuzzy mapping method for modelling individual consumer affective needs. Zhou et al. (2021) presented an approach that allows design aesthetics evaluation using CNN and aesthetic design generation using Generation Adversarial Network (GAN) with the help of manual sketching, thus reducing the investigative efforts. Yanagisawa, Nakano, and Murakami (2017) proposed a database framework with embedded functions to estimate the product design's emotional responses.

And finally, in the axis of consumer-centred automatic design optimisation, Kang et al. (2019) presented an approach for real-time product form design interweaved with consumer preferences using the SVM method. Burnap, Hauser, and Timoshenko (2021) proposed an automatic aesthetic design approach using GAN models of consumer design evaluation. Their application to car design showed that such an algorithm can suggest innovative design variations within the consumers' preferences.

8. Conclusion

Product design has reached an unprecedented level of sophistication; companies now understand that design is not only an issue of aesthetics and ergonomics but also an instrument to create complex consumer affect. Research has shown that such an affect exists and developed a broad understanding, both from the

product design and human response sides. Vast progress has also been made in measuring and analysing detailed consumer perceptions of product design.

Research has shown that we share some basic design preferences. For example, aesthetically, we like symmetry, curvature and complexity. We also tend to prefer design features that look familiar. And we highly value products after touching them or when they feel relatively heavier.

Measuring the real design response is challenging because some factors can influence the design evaluation, such as the environment of the product and the consumer mood at the moment of assessment. Also, how the product is evaluated can trigger one of the multiple potential cognitive biases. Researchers are required to pay extra attention to these biases. Low-level affect adjectives remain to be an efficient method for measuring the actual consumer's response to product design.

Several approaches have been created to analyse the product design response. We presented the commonly used methods and discussed their utility in current research. And discussed the current understanding of the connection between product design features and their corresponding affective responses, the tools allowing design researchers to produce new designs based on consumer design response models.

The Research has shown that there exist considerable individual differences. Recent research highlight that such differences can be linked to prior personal exposure to a design style and the personality scores in openness to experiences. Precision design studies are required to consider these individual differences.

Disclosure statement

No potential conflict of interest was reported by the author(s).

Funding

The author(s) reported there is no funding associated with the work featured in this article.

ORCID

Brahim Benaïssa  <http://orcid.org/0000-0002-9472-9331>
Masakazu Kobayashi  <http://orcid.org/0000-0002-1212-2879>

References

Abdel-Basset, M., L. Abdel-Fatah, and A.K. Sangaiah. 2018. "Metaheuristic Algorithms: A Comprehensive Review." In

- Computational Intelligence for Multimedia Big Data on the Cloud with Engineering Applications*: 185–231.
- Adelabu, O.S., T. Yamanaka, and R. Moalosi. 2013. "Retraction: Towards Kansei Evaluation of African Product Design-perspectives from Cultural Aesthetics." *International Journal of Affective Engineering* 12 (2): 135–144. doi:10.5057/ijae.12.135.
- Adeyeye, K., K. She, and A. Bāiri. 2017. "Design Factors and Functionality Matching in Sustainability Products: A Study of Eco-showerheads." *Journal of Cleaner Production* 142: 4214–4229. doi:10.1016/j.jclepro.2016.11.143.
- Afhami, R., and S. Mohammadi-Zarghan. 2018. "The Big Five, Aesthetic Judgment Styles, and Art Interest." *Europe's Journal of Psychology* 14 (4): 764–775. doi:10.5964/ejop.v14i4.1479.
- Aggarwal, C.C., and C.K. Reddy. 2014. *Data Clustering. Algorithms and Applications*. USA: Taylor & Francis.
- Akay, Diyar, Burcu U. Duran, Engin Duran, Brian Henson, and Fatih E. Boran. 2021. "Developing a Labeled Affective Magnitude Scale and Fuzzy Linguistic Scale for Tactile Feeling." *Human Factors and Ergonomics in Manufacturing & Service Industries* 31 (1): 13–26. doi:10.1002/hfm.20866.
- Akgül, E., Y. Delice, E.K. Aydoğan, and F.E. Boran. 2021. "An Application of Fuzzy Linguistic Summarization and Fuzzy Association Rule Mining to Kansei Engineering: A Case Study on Cradle Design." *Journal of Ambient Intelligence and Humanized Computing* 13: 1–31.
- Akman, P. 2010. "'Consumer' versus 'Customer': The Devil in the Detail." *Journal of Law and Society* 37 (2): 315–344. doi:10.1111/j.1467-6478.2010.00506.x.
- Al Ali, M., and M. Shimoda. 2022a. "Investigation of Concurrent Multiscale Topology Optimization for Designing Lightweight Macrostructure with High Thermal Conductivity." *International Journal of Thermal Sciences* 179: 107653. doi:10.1016/j.ijthermalsci.2022.107653.
- Al Ali, M., and M. Shimoda. 2022b. "Toward Multiphysics Multiscale Concurrent Topology Optimization for Lightweight Structures with High Heat Conductivity and High Stiffness Using MATLAB." *Structural and Multidisciplinary Optimization* 65: 1–26.
- al-Rifaie, M.M., A. Ursyn, R. Zimmer, and M.A.J. Javid. 2017. "On Symmetry, Aesthetics and Quantifying Symmetrical Complexity." In *International Conference on Evolutionary and Biologically Inspired Music and Art*, edited by A. Ekárt, A. Liapis, and M.L.C. Pena, 17–32. Germany: Springer.
- Al Thobiani, Faisal, Samir Khatir, Brahim Benaïssa, Emad Ghandourah, Seyedali Mirjalili, and Magd Abdel Wahab. 2022. "A Hybrid PSO and Grey Wolf Optimization Algorithm for Static and Dynamic Crack Identification." *Theoretical and Applied Fracture Mechanics* 118: 103213. doi:10.1016/j.tafmec.2021.103213.
- Amatulli, C., M. De Angelis, and C. Donato. 2020. "An Investigation on the Effectiveness of Hedonic versus Utilitarian Message Appeals in Luxury Product Communication." *Psychology & Marketing* 37 (4): 523–534. doi:10.1002/mar.21320.
- Amini, A., T.Y. Wah, M.R. Saybani, and S.R.A.S. Yazdi. 2011. "A Study of Density-grid Based Clustering Algorithms on Data Streams." In *2011 Eighth International Conference on Fuzzy Systems and Knowledge Discovery (FSKD)*, 1652–1656. USA: IEEE Xplore. <https://ieeexplore.ieee.org/xpl/conhome/6012258/proceeding>

- Antinori, A., O.L. Carter, and L.D. Smillie. 2017. "Seeing It Both Ways: Openness to Experience and Binocular Rivalry Suppression." *Journal of Research in Personality* 68: 15–22. doi:10.1016/j.jrp.2017.03.005.
- Arnheim, R. 1992. *But Is It Science? In Emerging Visions of the Aesthetic Process: In Psychology, Semiology, and philosophy*, edited by G.C. Cupchik and J. Laszlo, 445. USA: Cambridge university press.
- Asghar, S., G. Torrens, and R.G. Harland. 2018. "Cross-cultural influences on the Semantics Ascribed to Assistive Technology Product and Its Envisaged User." *The Asian Conference on Media, Communication & Film* 1 (1): 263–263 (280).
- Axelsson, J.R.C., J. Eklund, and M. Nagamachi. 2001. "Suspension and Damping of a Lowlifter Platform.— An Application of Kansei Engineering." *Systems, social and internationalisation design aspects of human-computer interaction* 2: 333–337.
- Aydoğan, E.K., E. Akgul, Y. Delice, and C. Sinanoglu. 2020. "Determining of Customer's Kansei Needs and Product Design Attributes by Rough Set Theory." In *Strategic Innovative Marketing and Tourism*, 159–168. Springer.
- Azemat, Hamidreza, Fatemeh Jam, Modjtaba Ghorbani, Matthias Dehmer, Reza Ebrahimpour, Abdolhamid Ghanbaran, and Frank Emmert-Streib. 2020. "The Role of Symmetry in the Aesthetics of Residential Building Façades Using Cognitive Science Methods." *Symmetry* 12 (9): 1438. doi:10.3390/sym12091438.
- Bacciotti, D., Y. Borgianni, G. Cascini, and F. Rotini. 2016. "Product Planning Techniques: Investigating the Differences between Research Trajectories and Industry Expectations." *Research in Engineering Design* 27 (4): 367–389. doi:10.1007/s00163-016-0223-6.
- Bagozzi, R.P., M. Gopinath, and P.U. Nyer. 1999. "The Role of Emotions in Marketing." *Journal of the Academy of Marketing Science* 27 (2): 184–206. doi:10.1177/0092070399272005.
- Barnes, C., T. Childs, B. Henson, and S. Lillford. 2008. "Kansei Engineering Toolkit for the Packaging Industry." *The TQM Journal* 20: 372–388.
- Bartolome, J.I., G. Cho, and J.-D. Cho. 2021. "Multi-sensory Color Expression with Sound and Temperature in Visual Arts Appreciation for People with Visual Impairment." *Electronics* 10 (11): 1336. doi:10.3390/electronics10111336.
- Batra, R., and O.T. Ahtola. 1991. "Measuring the Hedonic and Utilitarian Sources of Consumer Attitudes." *Marketing Letters* 2 (2): 159–170. doi:10.1007/BF00436035.
- Bauerly, M., and Y. Liu. 2008. "Effects of Symmetry and Number of Compositional Elements on Interface and Design Aesthetics." *International Journal of Human-Computer Interaction* 24 (3): 275–287. doi:10.1080/10447310801920508.
- Belboula, I., C.-L. Ackermann, J.-P. Mathieu, and C. Cuny. 2019. "Consumers' Responses to Product Design: Using a Semantic Priming Task to Assess Automatic Understanding of Product Positioning." *International Journal of Market Research* 61 (2): 140–156. doi:10.1177/1470785318777429.
- Benaissa, Brahim, Nourredine Aït Hocine, Idir Belaidi, Abderrachid Hamrani, and Valeria Pettarin. 2016. "Crack Identification Using Model Reduction Based on Proper Orthogonal Decomposition Coupled with Radial Basis Functions." *Structural and Multidisciplinary Optimization* 54 (2): 265–274. doi:10.1007/s00158-016-1400-y.
- Benaissa, Brahim, Nourredine Aït Hocine, Samir Khatir, Mohamed Kamel Riahi, and Seyedali Mirjalili. 2021. "YUKI Algorithm and POD-RBF for Elastostatic and Dynamic Crack Identification." *Journal of Computational Science* 55: 101451. doi:10.1016/j.jocs.2021.101451.
- Benaissa, B., F. Hendrichovsky, K. Yishida, M. Koppen, and P. Sincak. 2018a. "Phone Application for Indoor Localization Based on Ble Signal Fingerprint." In *2018 9th IFIP International Conference on New Technologies, Mobility and Security (NTMS)*, 1–5. USA: IEEE Xplore. doi:10.1109/NTMS.2018.8328729.
- Benaissa, B., M. Köppen, and K. Yoshida. 2018. "Activity and Emotion Recognition for Elderly Health Monitoring." *International Journal of Affective Engineering* 17 (2): 81–88. doi:10.5057/ijae.IJAE-D-17-00020.
- Benaissa, B., K. Yoshida, M. Köppen, and F. Hendrichovsky. 2018b. "Updatable Indoor Localization Based on BLE Signal Fingerprint." In *2018 International Conference on Applied Smart Systems (ICASS)*, 1–6. USA: IEEE Xplore. doi:10.1109/ICASS.2018.8652035.
- Berlyne, D.E. 1973. "Aesthetics and Psychobiology." *Journal of Aesthetics and Art Criticism* 31: 205–211.
- Berlyne, D.E. 1974. *Studies in the New Experimental Aesthetics: Steps toward an Objective Psychology of Aesthetic Appreciation*. Washington, DC: American Psychological Association.
- Blijlevens, J., M.E.H. Creusen, and J.P.L. Schoormans. 2009. "How Consumers Perceive Product Appearance: The Identification of Three Product Appearance Attributes." *International Journal of Design* 3: 27–35.
- Bloch, P.H. 1995. "Seeking the Ideal Form: Product Design and Consumer Response." *Journal of Marketing* 59 (3): 16–29. doi:10.2307/1252116.
- Bloch, P.H., F.F. Brunel, and T.J. Arnold. 2003. "Individual Differences in the Centrality of Visual Product Aesthetics: Concept and Measurement." *Journal of Consumer Research* 29 (4): 551–565. doi:10.1086/346250.
- Borg, I., and P.J.F. Groenen. 2005. *Modern Multidimensional Scaling: Theory and Applications*. Germany: Springer Science & Business Media.
- Bovea, María, Valeria Ibáñez-Forés, Victoria Pérez-Belis, Pablo Juan, Marta Braulio-Gonzalo, and Carlos Díaz-Ávalos. 2018. "Incorporation of Circular Aspects into Product Design and Labelling: Consumer Preferences." *Sustainability* 10 (7): 2311. doi:10.3390/su10072311.
- Brum, T.C., M.M. Borges, A.C. de Castro Lemonge, and L.G. Marujo. 2021. "Genetic Algorithm Applied to Packaging Shape Models Using Sustainability Criteria." In *International Joint Conference on Industrial Engineering and Operations Management*, edited by Z. Anisic, B. Lalic, and D. Gracanin, 545–558. Germany: Springer.
- Brunner, C.B., S. Ullrich, P. Jungen, and F.-R. Esch. 2016. "Impact of Symbolic Product Design on Brand Evaluations." *Journal of Product & Brand Management* 25 (3): 307–320. doi:10.1108/JPBM-06-2015-0896.
- Budner, S. 1962. "Intolerance of Ambiguity as a Personality Variable 1." *Journal of Personality* 30: 29–50. doi:10.1111/j.1467-6494.1962.tb02303.x.

- Burnap, A., J.R. Hauser, and A. Timoshenko. 2021. *Design and Evaluation of Product Aesthetics: A Human-machine Hybrid Approach*. USA: Cornell university arxiv.
- Bushong, B., L.M. King, C.F. Camerer, and A. Rangel. 2010. "Pavlovian Processes in Consumer Choice: The Physical Presence of a Good Increases Willingness-to-Pay." *American Economic Review* 100 (4): 1556–1571. doi:10.1257/aer.100.4.1556.
- Candi, M., H. Jae, S. Makarem, and M. Mohan. 2017. "Consumer Responses to Functional, Aesthetic and Symbolic Product Design in Online Reviews." *Journal of Business Research* 81: 31–39. doi:10.1016/j.jbusres.2017.08.006.
- Carbon, C.-C. 2010. "The Cycle of Preference: Long-term Dynamics of Aesthetic Appreciation." *Acta Psychologica* 134 (2): 233–244. doi:10.1016/j.actpsy.2010.02.004.
- Carbon, C.-C. 2019. "Psychology of Design." *Design Science* 5: 1–18.
- Cela-Conde, Camilo J., Gisèle Marty, Fernando Maestú, Tomás Ortiz, Enric Munar, Alberto Fernández, Miquel Roca, Jaume Rosselló, and Felipe Quesney. 2004. "Activation of the Prefrontal Cortex in the Human Visual Aesthetic Perception." *Proceedings of the National Academy of Sciences of the United States of America* 101 (16): 6321–6325. doi:10.1073/pnas.0401427101.
- Chai, C., D. Bao, L. Sun, and Y. Cao. 2015. "The Relative Effects of Different Dimensions of Traditional Cultural Elements on Customer Product Satisfaction." *International Journal of Industrial Ergonomics* 48: 77–88. doi:10.1016/j.ergon.2015.04.001.
- Chang, Y.-M., and C.-W. Chen. 2016. "Kansei Assessment of the Constituent Elements and the Overall Interrelations in Car Steering Wheel Design." *International Journal of Industrial Ergonomics* 56: 97–105. doi:10.1016/j.ergon.2016.09.010.
- Chen, D., P. Cheng, S. Simatrang, and E. Joneurairatana. 2021. "Kansei Engineering as a Tool for the Design of Traditional Pattern." *Autex Research Journal* 21 (1): 125–134. doi:10.2478/aut-2019-0052.
- Chen, K.-H., C.-C. Liang, and Y.-H. Lee. 2019. "Design Criteria for Kansei-oriented Elderly Products." In *International Conference on Human-computer Interaction*, edited by M. Kurosu, 404–413. Germany: Springer.
- Chen, Mo., Georges Fadel, Chengqi Xue, Haiyan Wang, Ivan Mata, and Yunfei Chen. 2017. "Evaluating the Cognitive Process of Color Affordance and Attractiveness Based on the ERP." *International Journal on Interactive Design and Manufacturing (IJIDeM)* 11 (3): 471–479. doi:10.1007/s12008-015-0286-z.
- Chen, S. 2019. "Product Design Research: A Review." In *The Design Imperative*, 37–54. Cham: Palgrave Macmillan.
- Cheung, M.-C., D. Law, J. Yip, and C.W.Y. Wong. 2019. "Emotional Responses to Visual Art and Commercial Stimuli: Implications for Creativity and Aesthetics." *Frontiers in Psychology* 10: 14. doi:10.3389/fpsyg.2019.00014.
- Chew, L.H., J. Teo, and J. Mountstephens. 2016. "Aesthetic Preference Recognition of 3D Shapes Using EEG." *Cognitive Neurodynamics* 10 (2): 165–173. doi:10.1007/s11571-015-9363-z.
- Child, I.L. 1964. "Observations on the Meaning of Some Measures of Esthetic Sensitivity." *The Journal of Psychology* 57: 49–64. doi:10.1080/00223980.1964.9916671.
- Chitturi, R. 2009. "Emotions by Design: A Consumer Perspective." *International Journal of Design* 3: 7–17.
- Choi, J. 2021. "Material Selection: Exploring the Reliability of Material Perception Data and Its Relevance to Materials." *Metals and Materials International* 27 (6): 1599–1604. doi:10.1007/s12540-019-00574-y.
- Christensen, A.P., K.N. Cotter, and P.J. Silvia. 2019. "Reopening Openness to Experience: A Network Analysis of Four Openness to Experience Inventories." *Journal of Personality Assessment* 101 (6): 574–588. doi:10.1080/00223891.2018.1467428.
- Christopoulos, G.I., M.A. Uy, and W.J. Yap. 2019. "The Body and the Brain: Measuring Skin Conductance Responses to Understand the Emotional Experience." *Organizational Research Methods* 22 (1): 394–420. doi:10.1177/1094428116681073.
- Corradi, Guido, Erick G. Chuquichambi, Juan Ramón Barrada, Ana Clemente, and Marcos Nadal. 2020. "A New Conception of Visual Aesthetic Sensitivity." *British Journal of Psychology* 111 (4): 630–658. doi:10.1111/bjop.12427.
- Corradi, Guido, Manuel Belman, Tommaso Currò, Erick G. Chuquichambi, Carlos Rey, and Marcos Nadal. 2019. "Aesthetic Sensitivity to Curvature in Real Objects and Abstract Designs." *Acta Psychologica* 197: 124–130. doi:10.1016/j.actpsy.2019.05.012.
- Creusen, M.E.H. 2011. "Research Opportunities Related to Consumer Response to Product Design." *Journal of Product Innovation Management* 28 (3): 405–408. doi:10.1111/j.1540-5885.2011.00812.x.
- Dal Palù, Doriana, Eleonora Buiatti, Giuseppina Emma Puglisi, Olivier Houix, Patrick Susini, Claudia De Giorgi, and Arianna Astolfi. 2017. "The Use of Semantic Differential Scales in Listening Tests: A Comparison between Context and Laboratory Test Conditions for the Rolling Sounds of Office Chairs." *Applied Acoustics* 127: 270–283. doi:10.1016/j.apacoust.2017.06.016.
- David, G.C. 2005. "Ergonomic Methods for Assessing Exposure to Risk Factors for Work-related Musculoskeletal Disorders." *Occupational Medicine* 55 (3): 190–199. doi:10.1093/occmed/kqi082.
- de Bont, C.J.P.M., J.P.L. Schoormans, and M.T.T. Wessel. 1992. "Consumer Personality and the Acceptance of Product Design." *Design Studies* 13 (2): 200–208. doi:10.1016/0142-694X(92)90286-J.
- Deiningner, Michael, Shanna R. Daly, Jennifer C. Lee, Colleen M. Seifert, and Kathleen H. Sienko. 2019. "Prototyping for Context: Exploring Stakeholder Feedback Based on Prototype Type, Stakeholder Group and Question Type." *Research in Engineering Design* 30 (4): 453–471. doi:10.1007/s00163-019-00317-5.
- Demirbilek, O., and B. Sener. 2003. "Product Design, Semantics and Emotional Response." *Ergonomics* 46 (13–14): 1346–1360. doi:10.1080/00140130310001610874.
- Deng, L., and G. Wang. 2019. "Application of EEG and Interactive Evolutionary Design Method in Cultural and Creative Product Design." *Computational Intelligence and Neuroscience* 2019: 1–16. doi:10.1155/2019/1860921.
- Desmet, P. 2003. "A Multilayered Model of Product Emotions." *The Design Journal* 6 (2): 4–13. doi:10.2752/146069203789355480.
- Desmet, P. 2003. "Measuring Emotion: Development and Application of an Instrument to Measure Emotional

- Responses to Products." In *Funology*, edited by M.A. Blythe and A.F. Monk, 111–123. Germany: Springer.
- Desmet, P. 2004. "A Basic Typology of Product Emotions." *City* 4: 1–12.
- Desmet, P. 2018. "Measuring Emotion: Development and Application of an Instrument to Measure Emotional Responses to Products." In *Funology 2*, edited by M.A. Blythe and A.F. Monk, 391–404. Germany: Springer.
- DeYoung, C.G. 2015. *Openness/Intellect: A Dimension of Personality Reflecting Cognitive Exploration*. Washington, DC: American Psychological Association.
- Dianat, I., J. Molenbroek, and H.I. Castellucci. 2018. "A Review of the Methodology and Applications of Anthropometry in Ergonomics and Product Design." *Ergonomics* 61 (12): 1696–1720. doi:10.1080/00140139.2018.1502817.
- Ding, M., Y. Cheng, J. Zhang, and G. Du. 2021. "Product Color Emotional Design Based on a Convolutional Neural Network and Search Neural Network." *Color Research & Application* 46 (6): 1332–1346. doi:10.1002/col.22668.
- Djamasbi, S., D.M. Strong, and M. Dishaw. 2010. "Affect and Acceptance: Examining the Effects of Positive Mood on the Technology Acceptance Model." *Decision Support Systems* 48 (2): 383–394. doi:10.1016/j.dss.2009.10.002.
- Dobriban, E. 2020. "Permutation Methods for Factor Analysis and PCA." *Annals of Statistics* 48: 2824–2847.
- Dong, Yuanfa, Rongzhen Zhu, Wei Peng, Qihua Tian, Gang Guo, and Wenrong Liu. 2021. "A Fuzzy Mapping Method for Kansei Needs Interpretation considering the Individual Kansei Variance." *Research in Engineering Design* 32 (2): 175–187. doi:10.1007/s00163-021-00359-8.
- Donnelly, J.H., M.J. Etzel, and S. Roeth. 1973. "The Relationship between Consumers' Category Width and Trial of New Products." *Journal of Applied Psychology* 57 (3): 335–338. doi:10.1037/h0034703.
- Erlmann, V. 1998. "How Beautiful Is Small? Music, Globalization and the Aesthetics of the Local." *Yearbook for Traditional Music* 30: 12–21. doi:10.2307/768551.
- Estrada, C.A., A.M. Isen, and M.J. Young. 1997. "Positive Affect Facilitates Integration of Information and Decreases Anchoring in Reasoning among Physicians." *Organizational Behavior and Human Decision Processes* 72 (1): 117–135. doi:10.1006/obhd.1997.2734.
- Eysenck, H.J. 1940. "The General Factor in Aesthetic Judgements 1." *British Journal of Psychology General Section* 31 (1): 94–102. doi:10.1111/j.2044-8295.1940.tb00977.x.
- Eysenck, H.J. 1972. "Personal Preferences, Aesthetic Sensitivity and Personality in Trained and Untrained Subjects." *Journal of Personality* 4: 544–557.
- Feng, Yixiong, Yuliang Zhao, Hao Zheng, Zhiwu Li, and Jianrong Tan. 2020. "Data-driven Product Design toward Intelligent Manufacturing: A Review." *International Journal of Advanced Robotic Systems* 17 (2): 172988142091125. doi:10.1177/1729881420911257.
- Fenko, A., and T.J.L. van Rompay. 2018. "Consumer-driven Product Design." In *Methods in Consumer Research*, edited by G.A.P. Varela, Volume 2, 427–462. Netherlands: Elsevier.
- Fillinger, M.G. 2020. "Effects of Perceptual Balance on Aesthetic Appreciation" Doctoral dissertation. University of Konstanz.
- Fingerhut, J., and J.J. Prinz. 2020. "Aesthetic Emotions Reconsidered." *The Monist* 103 (2): 223–239. doi:10.1093/monist/onz037.
- Franke, N., M. Schreier, and U. Kaiser. 2010. "The 'I Designed It Myself' Effect in Mass Customization." *Management Science* 56 (1): 125–140. doi:10.1287/mnsc.1090.1077.
- Frijda, N.H. 1986. *The Emotions*. USA: Cambridge University Press.
- Fujiwara, K., and S. Nagasawa. 2015a. "Analysis of Psychological Factors That Influence Preference for Luxury Food and Car Brands Targeting Japanese People." *American Journal of Industrial and Business Management* 05 (09): 590–600. doi:10.4236/ajibm.2015.59059.
- Fujiwara, K., and S. Nagasawa. 2015b. "Relationships among Purchase Intentions for Luxury Brands and Personality Traits Based on the Big Five." *American Journal of Industrial and Business Management* 05 (11): 631–639. doi:10.4236/ajibm.2015.511063.
- Gan, Y., and Y. Hirai. 2017. "Culture Reference Product Design—Case Study of Hans J. Wegner China Chair Design." *Culture* 59: 30–41.
- García, F.M., Z.G. Estupiñan, and J.C. Olarte. 2017. "Comfort Testing in Office Chair Design." *Revista UIS Ingenierias* 16: 69–74.
- Gilal, F.G., J. Zhang, N.G. Gilal, and R.G. Gilal. 2018. "Integrating Self-determined Needs into the Relationship among Product Design, Willingness-to-Pay a Premium, and Word-of-Mouth: A Cross-cultural Gender-specific Study." *Psychology Research and Behavior Management* 11: 227–241. doi:10.2147/PRBM.S161269.
- Gómez-Puerto, Gerardo, Jaume Rosselló, Guido Corradi, Cristina Acedo-Carmona, Enric Munar, and Marcos Nadal. 2018. "Preference for Curved Contours across Cultures." *Psychology of Aesthetics, Creativity, and the Arts* 12 (4): 432–439. doi:10.1037/aca0000135.
- Götz, K.O., R. Lynn, A.R. Borisy, and H.J. Eysenck. 1979. "A New Visual Aesthetic Sensitivity Test: I. Construction and Psychometric Properties." *Perceptual and Motor Skills* 49 (3): 795–802. doi:10.2466/pms.1979.49.3.795.
- Greenberg, Daria, Elena Ehrensperger, Michael Schulte-Mecklenbeck, Wayne D. Hoyer, Z. John Zhang, and Harley Krohmer. 2020. "The Role of Brand Prominence and Extravagance of Product Design in Luxury Brand Building: What Drives Consumers' Preferences for Loud versus Quiet Luxury?" *Journal of Brand Management* 27 (2): 195–210. doi:10.1057/s41262-019-00175-5.
- Güçlütürk, Y., R.H.A.H. Jacobs, and R van Lier. 2016. "Liking versus Complexity: Decomposing the Inverted U-curve." *Frontiers in Human Neuroscience* 10: 112. doi:10.3389/fnhum.2016.00112.
- Guo, F., X. Wang, W. Liu, and Y. Ding. 2018. "Affective Preference Measurement of Product Appearance Based on Event-related Potentials." *Cognition, Technology & Work* 20 (2): 299–308. doi:10.1007/s10111-018-0463-5.
- Hagtvedt, H., and V.M. Patrick. 2014. "Consumer Response to Overstyling: Balancing Aesthetics and Functionality in Product Design." *Psychology & Marketing* 31 (7): 518–525. doi:10.1002/mar.20713.
- Hallihan, G.M., H. Cheong, and L.H. Shu. 2012. "Confirmation and Cognitive Bias in Design Cognition." In *International Design Engineering Technical Conferences and Computers and Information in Engineering Conference*, 913–924. USA: American Society of Mechanical Engineers.
- Han, J., H. Forbes, and D. Schaefer. 2019. "An Exploration of the Relations between Functionality, Aesthetics and

- Creativity in Design." In *Proceedings of the Design Society: International Conference on Engineering Design*, 259–268. USA: Cambridge University Press. doi:10.1017/dsi.2019.29.
- Han, J.-X., and M. Ma. 2018. "A Study on Developing the Kansei Engineering of Jewellery in Female Users: Take PANDORA Jewellery for Example." In *International Conference on Kansei Engineering & Emotion Research*, edited by H. Shoji, 94–103. Singapore: Springer.
- Han, Y.J., J.C. Nunes, and X. Drèze. 2010. "Signaling Status with Luxury Goods: The Role of Brand Prominence." *Journal of Marketing* 74 (4): 15–30. doi:10.1509/jmkg.74.4.15.
- Hancock, H.E., A.D. Fisk, and W.A. Rogers. 2001. "Everyday Products: Easy to Use ... or Not?" *Ergonomics in Design: The Quarterly of Human Factors Applications* 9 (4): 12–18. doi:10.1177/106480460100900404.
- Hartono, M., and T.K. Chuan. 2011. "How the Kano Model Contributes to Kansei Engineering in Services." *Ergonomics* 54 (11): 987–1004. doi:10.1080/00140139.2011.616229.
- Hashimoto, S., A. Yamada, and N. Nagata. 2019. "A Quantification Method of Composite Impression of Products by Externalized Evaluation Words of the Appraisal Dictionary with Review Text Data." *International Journal of Affective Engineering: IJAE-D* 2: 59–65.
- Haug, A. 2016. "A Framework for the Experience of Product Aesthetics." *The Design Journal* 19 (5): 809–826. doi:10.1080/14606925.2016.1200342.
- Hemonnet-Goujot, A., and P. Valette-Florence. 2022. "All You Need Is Love" from Product Design Value Perception to Luxury Brand Love: An Integrated Framework." *Journal of Business Research* 139: 1463–1475. doi:10.1016/j.jbusres.2021.10.066.
- Higgins, K.M. 2017. "Global Aesthetics—What Can We Do?" *The Journal of Aesthetics and Art Criticism* 75 (4): 339–349. doi:10.1111/jaac.12403.
- Hoegg, J., J.W. Alba, and D.W. Dahl. 2010. "The Good, the Bad, and the Ugly: Influence of Aesthetics on Product Feature Judgments." *Journal of Consumer Psychology* 20 (4): 419–430. doi:10.1016/j.jcps.2010.07.002.
- Homburg, C., M. Schwemmler, and C. Kuehn. 2015. "New Product Design: Concept, Measurement, and Consequences." *Journal of Marketing* 79 (3): 41–56. doi:10.1509/jm.14.0199.
- Horn, D., and G. Salvendy. 2009. "Measuring Consumer Perception of Product Creativity: Impact on Satisfaction and Purchasability." *Human Factors and Ergonomics in Manufacturing* 19 (3): 223–240. doi:10.1002/hfm.20150.
- Hotta, H., and M. Hagiwara. 2006. "A Fuzzy Rule Based Personal Kansei Modeling System." In 2006 IEEE International Conference on Fuzzy Systems, 1031–1037. USA: IEEE Xplore. doi:10.1109/FUZZY.2006.1681837.
- Huang, M., H. Chen, R. Luo, and P. Sun. 2018. "Assessing Appearance and Emotional Attributes of Coloured Metallic Paints." *Coloration Technology* 134 (1): 59–70. doi:10.1111/cote.12317.
- Ibrahim, D. 2016. "An Overview of Soft Computing." *Procedia Computer Science* 102: 34–38. doi:10.1016/j.procs.2016.09.366.
- Idemen, E., A.B. Elmadag, and M. Okan. 2021. "A Qualitative Approach to Designer as a Product Cue: Proposed Conceptual Model of Consumers Perceptions and Attitudes." *Review of Managerial Science* 15 (5): 1281–1309. doi:10.1007/s11846-020-00381-5.
- Ikeda, M. 2022. "History of Japanese Design." In *History of Design and Design Law*, edited by T. Aso, 3–17. Germany: Springer.
- Ireland, R., and A. Liu. 2018. "Application of Data Analytics for Product Design: Sentiment Analysis of Online Product Reviews." *CIRP Journal of Manufacturing Science and Technology* 23: 128–144. doi:10.1016/j.cirpj.2018.06.003.
- Ishihara, S., M. Nagamachi, S. Schütte, and J. Eklund. 2008. "Affective Meaning: The Kansei Engineering Approach." In *Product Experience*, edited by H.N.J. Schifferstein and P. Hekkert, 477–496. Elsevier.
- Ito, S., and T. Yamashita. 2014. "Applying Rough Set to Analyze Psychological Effect of Mascot Character Design." *International Journal of Affective Engineering* 13 (3): 159–165. doi:10.5057/ijae.13.159.
- James, Thomas W., G. Keith Humphrey, Joseph S. Gati, Philip Servos, Ravi S. Menon, and Melvyn A. Goodale. 2002. "Haptic Study of Three-dimensional Objects Activates Extrastriate Visual Areas." *Neuropsychologia* 40 (10): 1706–1714. doi:10.1016/s0028-3932(02)00017-9.
- Jiang, Q., L.-C. Chen, and J. Zhang. 2019. "Perception and Preference Analysis of Fashion Colors: Solid Color Shirts." *Sustainability* 11 (8): 2405. doi:10.3390/su11082405.
- Jiao, Y., and Q.-X. Qu. 2019. "A Proposal for Kansei Knowledge Extraction Method Based on Natural Language Processing Technology and Online Product Reviews." *Computers in Industry* 108: 1–11. doi:10.1016/j.compind.2019.02.011.
- Jin, J., Y. Liu, P. Ji, and C.K. Kwong. 2019. "Review on Recent Advances in Information Mining from Big Consumer Opinion Data for Product Design." *Journal of Computing and Information Science in Engineering* 19: 10801.
- Jylhä, H., and J. Hamari. 2019. "An Icon That Everyone Wants to Click: How Perceived Aesthetic Qualities Predict App Icon Successfulness." *International Journal of Human-Computer Studies* 130: 73–85. doi:10.1016/j.ijhcs.2019.04.004.
- Jylhä, H., and J. Hamari. 2021. "Demographic Factors Have Little Effect on Aesthetic Perceptions of Icons: A Study of Mobile Game Icons." *Internet Research* 32: 87–110.
- Kamil, M.J.M., S. Moi Li Shi, and M.N.A. Sani. 2020. "Re-assessing the Design Needs of Trans-radial Amputees in Product Design Innovation." *Wacana Seni Journal of Arts Discourse* 19: 61–72.
- Kang, N., Y. Ren, F. Feinberg, and P. Papalambros. 2019. *Form + Function: Optimizing Aesthetic Product Design via Adaptive, Geometrized Preference Elicitation*. arXiv Preprint arXiv:1912.05047. USA: Cornell University Arxiv.
- Kang, X. 2020. "Aesthetic Product Design Combining with Rough Set Theory and Fuzzy Quality Function Deployment." *Journal of Intelligent & Fuzzy Systems* 39 (1): 1131–1146. doi:10.3233/JIFS-192032.
- Kang, Y.-J., and S.-Y. Park. 2016. "The Perfection of the Narcissistic Self: A Qualitative Study on Luxury Consumption and Customer Equity." *Journal of Business Research* 69 (9): 3813–3819. doi:10.1016/j.jbusres.2015.12.073.
- Kapferer, J.-N. 2008. *The New Strategic Brand Management: Creating and Sustaining Brand Equity Long Term*. USA: Kogan Page Publishers.
- Karjalainen, T.-M. 2007. "It Looks like a Toyota: Educational Approaches to Designing for Visual Brand Recognition." *International Journal of Design* 1: 67–81.

- Karjalainen, T., and D. Snelders. 2010. "Designing Visual Recognition for the Brand." *Journal of Product Innovation Management* 27 (1): 6–22. doi:10.1111/j.1540-5885.2009.00696.x.
- Kaulio, M.A. 1998. "Customer, Consumer and User Involvement in Product Development: A Framework and a Review of Selected Methods." *Total Quality Management* 9 (1): 141–149. doi:10.1080/0954412989333.
- Kermavnar, Tjaša, Alice Shannon, and Leonard W. O'Sullivan. 2021. "The Application of Additive Manufacturing/3D Printing in Ergonomic Aspects of Product Design: A Systematic Review." *Applied Ergonomics* 97: 103528. doi:10.1016/j.apergo.2021.103528.
- Kesebir, S., and P. Kesebir. 2017. "A Growing Disconnection from Nature Is Evident in Cultural Products." *Perspectives on Psychological Science: A Journal of the Association for Psychological Science* 12 (2): 258–269. doi:10.1177/1745691616662473.
- Kharkongor, W.B., and D. Chakrabarti. 2019. "Developing a Framework That Can Assist Designers to Identify and Incorporate Notable Cultural Elements into Products Designed for Tourists." In *International Conference on Applied Human Factors and Ergonomics*, edited by T. Z. Ahram, 794–804. Germany: Springer.
- Knetsch, J.L., and W.-K. Wong. 2009. "The Endowment Effect and the Reference State: Evidence and Manipulations." *Journal of Economic Behavior & Organization* 71 (2): 407–413. doi:10.1016/j.jebo.2009.04.015.
- Kobayashi, M. 2020. *Multi-objective Aesthetic Design Optimization for Minimizing the Effect of Variation in Customer Kansei*. USA: Taylor and Francis.
- Kobayashi, M., S. Fujita, and T. Wada. 2022. *Aesthetic Design Based on the Analysis of Questionnaire Results Using Deep Learning Techniques*. USA: Taylor and Francis.
- Kobayashi, M., and T. Kinumura. 2017. "A Method of Gathering, Selecting and Hierarchizing Kansei Words for a Hierarchized Kansei Model." *Computer-Aided Design and Applications* 14 (4): 464–471. doi:10.1080/16864360.2016.1257188.
- Kobayashi, M., T. Kinumura, and M. Higashi. 2016. "A Method for Supporting Aesthetic Design Based on the Analysis of the Relationships between Customer Kansei and Aesthetic Element." *Computer-Aided Design and Applications* 13 (3): 281–288. doi:10.1080/16864360.2015.1114385.
- Kobayashi, M., and K. Niwa. 2018. "Method for Grouping of Customers and Aesthetic Design Based on Rough Set Theory." *Computer-Aided Design and Applications* 15 (4): 565–574. doi:10.1080/16864360.2017.1419644.
- Kobayashi, M., and T. Takeda. 2021. *Product Recommendation Based on Analysis of Aesthetic Elements Used to Customer's Favorite Products*. USA: Taylor and Francis.
- Kocabulut, Ö., and T. Albayrak. 2019. "The Effects of Mood and Personality Type on Service Quality Perception and Customer Satisfaction." *International Journal of Culture, Tourism, and Hospitality Research* 13: 98–112.
- Kodinariya, T.M., and P.R. Makwana. 2013. "Review on Determining Number of Cluster in K-Means Clustering." *International Journal* 1: 90–95.
- Kortum, P. 2021. "When Human Factors Fails: Intentional and Unintentional Bad Designs." *Ergonomics in Design* 3: 10648046211033900.
- Kriegel, H., P. Kröger, J. Sander, and A. Zimek. 2011. "Density-based Clustering." *WIREs Data Mining and Knowledge Discovery* 1 (3): 231–240. doi:10.1002/widm.30.
- Kruskal, J.B. 1964. "Nonmetric Multidimensional Scaling: A Numerical Method." *Psychometrika* 29 (2): 115–129. doi:10.1007/BF02289694.
- Kuhnert, B., M. Ragni, and F. Lindner. 2017. "The Gap between Human's Attitude towards Robots in General and Human's Expectation of an Ideal Everyday Life Robot." In *2017 26th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)*, 1102–1107. USA: IEEE Xplore. doi:10.1109/ROMAN.2017.8172441.
- Kumar, M., and C.H. Noble. 2016. "Beyond Form and Function: Why Do Consumers Value Product Design?" *Journal of Business Research* 69 (2): 613–620. doi:10.1016/j.jbusres.2015.05.017.
- Kuroda, S., T. Yoshikawa, and T. Furuhashi. 2006. "A Proposal for Comparison of Impression Evaluation Data among Individuals by Using Clustering Method Based on Distributed Structure of Data." In *International Conference on Rough Sets and Current Trends in Computing*, edited by W. Ziarko and Y. Yao, 891–898. Germany: Springer.
- Leder, H., B. Belke, A. Oeberst, and D. Augustin. 2004. "A Model of Aesthetic Appreciation and Aesthetic Judgments." *British Journal of Psychology* 95 (Pt 4): 489–508. doi:10.1348/0007126042369811.
- Lévy, P. 2013. "Beyond Kansei Engineering: The Emancipation of Kansei Design." *International Journal of Design* 7: 83–94.
- Li, Y., M.-D. Shieh, and C.-C. Yang. 2019. "A Posterior Preference Articulation Approach to Kansei Engineering System for Product Form Design." *Research in Engineering Design* 30 (1): 3–19. doi:10.1007/s00163-018-0297-4.
- Lin, M., C. Wang, S. Cheng, and S. Cheng. 2011. "An Event-related Potential Study of Semantic Style-match Judgments of Artistic Furniture." *International Journal of Psychophysiology: Official Journal of the International Organization of Psychophysiology* 82 (2): 188–195. doi:10.1016/j.ijpsycho.2011.08.007.
- Liu, S., and Y. Wu. 2020. "Research on the Model Differentiation of Baby Carriage Based on Multidimensional Scaling Method." *Academic Journal of Engineering and Technology Science* 3: 75–81.
- Liu, Y. 2003. "Engineering Aesthetics and Aesthetic Ergonomics: Theoretical Foundations and a Dual-process Research Methodology." *Ergonomics* 46 (13-14): 1273–1292. doi:10.1080/00140130310001610829.
- Liu, Y., F. Li, L.H. Tang, Z. Lan, J. Cui, O. Sourina, and C.-H. Chen. 2019. "Detection of Humanoid Robot Design Preferences Using EEG and Eye Tracker." In *2019 International Conference on Cyberworlds (CW)*, 219–224. USA: IEEE Xplore. doi:10.1109/CW.2019.00044.
- Liu, Y., and O. Sourina. 2014. "Real-time Subject-dependent EEG-based Emotion Recognition Algorithm." In *Transactions on Computational Science XXIII*, edited by M.L. Gavrilova, 99–223. Germany: Springer.
- Locher, P., J. Frens, and K. Overbeeke. 2008. "The Influence of Induced Positive Affect and Design Experience on Aesthetic Responses to New Product Designs." *Psychology of Aesthetics, Creativity, and the Arts* 2 (1): 1–7. doi:10.1037/1931-3896.2.1.1.

- Locher, P., C. Martindale, and L. Dorfman. 2020. *New Directions in Aesthetics, Creativity and the Arts*. United Kingdom: Routledge.
- Locher, P., K. Overbeeke, and S. Wensveen. 2010. "Aesthetic Interaction: A Framework." *Design Issues* 26 (2): 70–79. doi:10.1162/DESI_a_00017.
- Loewy, R. 2002. *Never Leave Well Enough Alone*. USA: JHU Press.
- Logkizidou, M., P. Bottomley, R. Angell, and H. Evanschitzky. 2019. "Why Museological Merchandise Displays Enhance Luxury Product Evaluations: An Extended Art Infusion Effect." *Journal of Retailing* 95 (1): 67–82. doi:10.1016/j.jretai.2018.11.001.
- López, Ó., C. Murillo, and A. González. 2021. "Systematic Literature Reviews in Kansei Engineering for Product Design—A Comparative Study from 1995 to 2020." *Sensors* 21 (19): 6532. doi:10.3390/s21196532.
- Lottridge, D., M. Chignell, and A. Jovicic. 2011. "Affective Interaction: Understanding, Evaluating, and Designing for Human Emotion." *Reviews of Human Factors and Ergonomics* 7 (1): 197–217. doi:10.1177/1557234X11410385.
- Luo, S.-J., and Y.-N. Dong. 2017. "Role of Cultural Inspiration with Different Types in Cultural Product Design Activities." *International Journal of Technology and Design Education* 27 (3): 499–515. doi:10.1007/s10798-016-9359-y.
- Ma, M., X. Jiang, W. Liu, X. Wang, C. Zhao, D. LIU, and G.-Z. Yang. 2020. *Emotional Fusion and Design Optimization Method Based on Kansei-AD: A Case Study of Laser Additive Manufacturing Equipment*. USA: Research square.
- Maki, T., and H. Yanagisawa. 2019. "A Methodology for Multisensory Product Experience Design Using Cross-modal Effect: A Case of SLR Camera." In *Proceedings of the Design Society: International Conference on Engineering Design*, 3801–3810. USA: Cambridge University Press. doi:10.1017/dsi.2019.387.
- Marco Almagro, L. 2011. *Statistical Methods in Kansei Engineering Studies*. Polytechnic University of Catalonia Sain.
- Marin, M.M., A. Lampatz, M. Wandl, and H. Leder. 2016. "Berlyne Revisited: Evidence for the Multifaceted Nature of Hedonic Tone in the Appreciation of Paintings and Music." *Frontiers in Human Neuroscience* 10: 536. doi:10.3389/fnhum.2016.00536.
- Mata, M.P., S. Ahmed-Kristensen, P.B. Brockhoff, and H. Yanagisawa. 2017. "Investigating the Influence of Product Perception and Geometric Features." *Research in Engineering Design* 28 (3): 357–379. doi:10.1007/s00163-016-0244-1.
- McCormack, J., and A. Lomas. 2021. "Deep Learning of Individual Aesthetics." *Neural Computing and Applications* 33 (1): 3–17. doi:10.1007/s00521-020-05376-7.
- Menninghaus, Winfried, Valentin Wagner, Eugen Wassiliwizky, Ines Schindler, Julian Hanich, Thomas Jacobsen, and Stefan Koelsch. 2019. "What Are Aesthetic Emotions?" *Psychological Review* 126 (2): 171–195. doi:10.1037/rev0000135.
- Miyamoto, M., and H. Yanagisawa. 2020. "Modeling Acceptable Novelty Using Information Theory." *International Symposium on Affective Science and Engineering* 2020 (0): 1–4. doi:10.5057/isase.2020-C000029.
- Mohammadi-Zarghan, S., and R. Afhami. 2019. "Memento Mori: The Influence of Personality and Individual Differences on Aesthetic Appreciation of Death-related Artworks by Damien Hirst." *Mortality* 24 (4): 467–485. doi:10.1080/13576275.2019.1567483.
- Morewedge, C.K., and C.E. Giblin. 2015. "Explanations of the Endowment Effect: An Integrative Review." *Trends in Cognitive Sciences* 19 (6): 339–348. doi:10.1016/j.tics.2015.04.004.
- Müezzinoğlu, M.K., M.L. Hidayetoğlu, and K. Yıldırım. 2021. "The Effects of Light Color Temperatures on Students' Perceptual Evaluations in Design Studios." *Color Research & Application* 46 (5): 1006–1018. doi:10.1002/col.22654.
- Murtagh, F., and P. Contreras. 2012. "Algorithms for Hierarchical Clustering: An Overview." *WIREs Data Mining and Knowledge Discovery* 2 (1): 86–97. doi:10.1002/widm.53.
- Myszkowski, N., P. Çelik, and M. Storme. 2018. "A Meta-analysis of the Relationship between Intelligence and Visual "Taste" Measures." *Psychology of Aesthetics, Creativity, and the Arts* 12 (1): 24–33. doi:10.1037/aca0000099.
- Myszkowski, N., and M. Storme. 2012. "How Personality Traits Predict Design-driven Consumer Choices." *European Journal of Psychology* 8: 641–650.
- Myszkowski, N., and M. Storme. 2017. "Measuring "Good Taste" with the Visual Aesthetic Sensitivity Test-revised (VAST-R)." *Personality and Individual Differences* 117: 91–100. doi:10.1016/j.paid.2017.05.041.
- Myszkowski, N., M. Storme, F. Zenasni, and T. Lubart. 2014. "Is Visual Aesthetic Sensitivity Independent from Intelligence, Personality and Creativity?" *Personality and Individual Differences* 59: 16–20. doi:10.1016/j.paid.2013.10.021.
- Nagamachi, M. 2002. "Kansei Engineering as a Powerful Consumer-oriented Technology for Product Development." *Applied Ergonomics* 33 (3): 289–294. doi:10.1016/s0003-6870(02)00019-4.
- Nagamachi, M., and A.M. Lokman. 2016. *Innovations of Kansei Engineering*. USA: CRC Press.
- Nagano, H., S. Okamoto, and Y. Yamada. 2018. "Modeling Semantically Multilayered Affective and Psychophysical Responses toward Tactile Textures." *IEEE Transactions on Haptics* 11 (4): 568–578. doi:10.1109/TOH.2018.2840703.
- Nguyen, H.T., and H. Feng. 2021. "Antecedents and Financial Impacts of Building Brand Love." *International Journal of Research in Marketing* 38 (3): 572–592. doi:10.1016/j.ijresmar.2020.10.001.
- Noble, W.S. 2006. "What Is a Support Vector Machine?" *Nature Biotechnology* 24 (12): 1565–1567. doi:10.1038/nbt1206-1565.
- Norman, D.A. 2004. *Emotional Design: Why We Love (or Hate) Everyday Things*. USA: American Psychological Association.
- O'Hagan, Adrian, Thomas Brendan Murphy, Isobel Claire Gormley, Paul D. McNicholas, and Dimitris Karlis. 2016. "Clustering with the Multivariate Normal Inverse Gaussian Distribution." *Computational Statistics and Data Analysis* 93: 18–30. doi:10.1016/j.csda.2014.09.006.
- Orne, M.T. 1962. "On the Social Psychology of the Psychological Experiment: With Particular Reference to Demand Characteristics and Their Implications." *American Psychologist* 17 (11): 776–783. doi:10.1037/h0043424.
- Osgood, C.E. 2009. "Semantic Differential Technique in the Comparative Study of Cultures 1." *American Anthropologist* 66 (3): 171–200. doi:10.1525/aa.1964.66.3.02a00880.

- Osgood, C.E., G.J. Suci, and P.H. Tannenbaum. 1957. *The Measurement of Meaning*. USA: Ninth printing.
- Othman, B.A., A. Harun, N.M. De Almeida, and Z.M. Sadq. 2020. "The Effects on Customer Satisfaction and Customer Loyalty by Integrating Marketing Communication and after Sale Service into the Traditional Marketing Mix Model of Umrah Travel Services in Malaysia." *Journal of Islamic Marketing* 12: 363–388.
- Ou, L., M.R. Luo, A. Woodcock, and A. Wright. 2004. "A Study of Colour Emotion and Colour Preference. Part I: Colour Emotions for Single Colours." *Color Research & Application* 29 (3): 232–240. doi:10.1002/col.20010.
- Palmer, S.E., and K.B. Schloss. 2010. "An Ecological Valence Theory of Human Color Preference." *Proceedings of the National Academy of Sciences of the United States of America* 107 (19): 8877–8882. doi:10.1073/pnas.0906172107.
- Palmer, S.E., K.B. Schloss, and J. Sammartino. 2013. "Visual Aesthetics and Human Preference." *Annual Review of Psychology* 64: 77–107. doi:10.1146/annurev-psych-120710-100504.
- Pan, Y., A. Burnap, J. Hartley, R. Gonzalez, and P. Y. Papalambros. 2017. "Deep Design: Product Aesthetics for Heterogeneous Markets." In *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, edited by S. Matwin, S. Yu, and F. Farooq, 1961–1970. USA: ACM Digital Library.
- Parisi, S., V. Rognoli, and M. Sonneveld. 2017. "Material Tinkering. An Inspirational Approach for Experiential Learning and Envisioning in Product Design Education." *The Design Journal* 20 (sup1): S1167–S1184. doi:10.1080/14606925.2017.1353059.
- Pawlak, Z., J. Grzymala-Busse, R. Slowinski, and W. Ziarko. 1995. "Rough Sets." *Communications of the ACM* 38 (11): 88–95. doi:10.1145/219717.219791.
- Pawlak, Z., L. Polkowski, and A. Skowron. 2001. "Rough Set Theory." *KI* 15: 38–39.
- Pearson, K. 1901. "LIII. On Lines and Planes of Closest Fit to Systems of Points in Space." *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science* 2 (11): 559–572. doi:10.1080/14786440109462720.
- Peck, J., and S.B. Shu. 2009. "The Effect of Mere Touch on Perceived Ownership." *Journal of Consumer Research* 36 (3): 434–447. doi:10.1086/598614.
- Pelowski, M., P.S. Markey, J.O. Luring, and H. Leder. 2016. "Visualizing the Impact of Art: An Update and Comparison of Current Psychological Models of Art Experience." *Frontiers in Human Neuroscience* 10: 160. doi:10.3389/fnhum.2016.00160.
- Pereira, M.J., L.M. Straker, T.A. Comans, and V. Johnston. 2016. "Inter-rater Reliability of an Observation-based Ergonomics Assessment Checklist for Office Workers." *Ergonomics* 59 (12): 1606–1612. doi:10.1080/00140139.2016.1157215.
- Plutchik, R., and H. Kellerman. 2013. *Theories of Emotion*. USA: Academic Press.
- Poels, K., and S. Dewitte. 2006. "How to Capture the Heart? Reviewing 20 Years of Emotion Measurement in Advertising." *Journal of Advertising Research* 46 (1): 18–37. doi:10.2501/S0021849906060041.
- Post, R.A.G., J. Blijlevens, and P. Hekkert. 2016. "'To Preserve Unity While Almost Allowing for Chaos': Testing the Aesthetic Principle of Unity-in-Variety in Product Design." *Acta Psychologica* 163: 142–152. doi:10.1016/j.actpsy.2015.11.013.
- Pouyanfar, Samira, Saad Sadiq, Yilin Yan, Haiman Tian, Yudong Tao, Maria Presa Reyes, Mei-Ling Shyu, Shu-Ching Chen, and S.S. Iyengar. 2019. "A Survey on Deep Learning: Algorithms, Techniques, and Applications." *ACM Computing Surveys* 51 (5): 1–36. doi:10.1145/3234150.
- Qiao, L., M. Efatmaneshnik, M. Ryan, and S. Shoval. 2017. "Product Modular Analysis with Design Structure Matrix Using a Hybrid Approach Based on MDS and Clustering." *Journal of Engineering Design* 28 (6): 433–456. doi:10.1080/09544828.2017.1325858.
- Qin, Z., and S. Ng. 2020. "Culture as Inspiration: A Metaphorical Framework for Designing Products with Traditional Cultural Properties (TCPs)." *Sustainability* 12 (17): 7171. doi:10.3390/su12177171.
- Qin, Z., Y. Song, and Y. Tian. 2019. "The Impact of Product Design with Traditional Cultural Properties (TCPs) on Consumer Behavior through Cultural Perceptions: Evidence from the Young Chinese Generation." *Sustainability* 11 (2): 426. doi:10.3390/su11020426.
- Quan, H., S. Li, C. Zeng, H. Wei, and J. Hu. 2021. *Big Data Driven Product Design: A Survey*. arXiv Prepr arXiv210911424. USA: Cornell university arxiv.
- Radford, S.K., and P.H. Bloch. 2011. "Linking Innovation to Design: Consumer Responses to Visual Product Newness." *Journal of Product Innovation Management* 28 (s1): 208–220. doi:10.1111/j.1540-5885.2011.00871.x.
- Rahman, Md. Mustafizur, Ajay Krishno Sarkar, Md. Amzad Hossain, Md. Selim Hossain, Md. Rabiul Islam, Md. Biplob Hossain, Julian M.W. Quinn, and Mohammad Ali Moni. 2021. "Recognition of Human Emotions Using EEG Signals: A Review." *Computers in Biology and Medicine* 136: 104696. doi:10.1016/j.combiomed.2021.104696.
- Ranaweera, A.T., B.A.S. Martin, and H.S. Jin. 2021. "What You Touch, Touches You: The Influence of Haptic Attributes on Consumer Product Impressions." *Psychology & Marketing* 38 (1): 183–195. doi:10.1002/mar.21433.
- Rasche, C., and C. Koch. 2002. "Recognizing the Gist of a Visual Scene: Possible Perceptual and Neural Mechanisms." *Neurocomputing* 44–46: 979–984. doi:10.1016/S0925-2312(02)00500-3.
- Razza, B., and L.C. Paschoarelli. 2015. "Affective Perception of Disposable Razors: A Kansei Engineering Approach." *Procedia Manufacturing* 3: 6228–6236. doi:10.1016/j.promfg.2015.07.750.
- Reynolds, F. 2016. *The Fight for Beauty: Our Path to a Better Future*. England: Simon and Schuster.
- Roh, Y., G. Heo, and S.E. Whang. 2019. "A Survey on Data Collection for Machine Learning: A Big Data-ai Integration Perspective." *IEEE Transactions on Knowledge and Data Engineering* 33: 1328–1347.
- Ruder, S. 2016. *An Overview of Gradient Descent Optimization Algorithms*. arXiv Prepr arXiv160904747. USA: Cornell university arxiv.
- Ruiz-Pastor, L., V. Chulvi, E. Mulet, and M. Royo. 2022. "The Relationship between Personal Intrinsic Factors towards a Design Problem and the Degree of Novelty and Circularity." *Research in Engineering Design* 33 (1): 7–30. doi:10.1007/s00163-021-00374-9.

- Sagnier, Camille, Emilie Loup-Escande, Domitile Lourdeaux, Indira Thouvenin, and Gérard Valléry. 2020. "User Acceptance of Virtual Reality: An Extended Technology Acceptance Model." *International Journal of Human-Computer Interaction* 36 (11): 993–1007. doi:10.1080/10447318.2019.1708612.
- Schindler, Ines, Georg Hosoya, Winfried Menninghaus, Ursula Beermann, Valentin Wagner, Michael Eid, and Klaus R. Scherer. 2017. "Measuring Aesthetic Emotions: A Review of the Literature and a New Assessment Tool." *PLoS One* 12 (6): e0178899. doi:10.1371/journal.pone.0178899.
- Schoen, K.L., and N. Crilly. 2012. *Implicit Methods for Testing Product Preference Exploratory Studies with the Affective Simon Task*. USA: Citeceer.
- Schütte, S. 2005. *Engineering Emotional Values in Product Design: Kansei Engineering in Development*. Sweden: Digitala Vetenskapliga Arkivet.
- Schütte, S.T.W., J. Eklund, J.R.C. Axelsson, and M. Nagamachi. 2004. "Concepts, Methods and Tools in Kansei Engineering." *Theoretical Issues in Ergonomics Science* 5 (3): 214–231. doi:10.1080/1463922021000049980.
- Sekoguchi, T., and H. Yanagisawa. 2019. "A Proposal of Mathematical Approach to Formulate Emotional Desensitization to Novelty." *International Symposium on Affective Science and Engineering* 2019: 1–5. doi:10.5057/isase.2019-C000036.
- Shapiro, L. 2019. *Embodied Cognition*. USA: Wiley.
- Shen, H.-C., and K.-C. Wang. 2016. "Affective Product Form Design Using Fuzzy Kansei Engineering and Creativity." *Journal of Ambient Intelligence and Humanized Computing* 7 (6): 875–888. doi:10.1007/s12652-016-0402-3.
- Shi, A., F. Huo, and G. Hou. 2021. "Effects of Design Aesthetics on the Perceived Value of a Product." *Frontiers in Psychology* 12:670800.
- Shieh, M.-D., Y. Li, and C.-C. Yang. 2018. "Comparison of Multi-objective Evolutionary Algorithms in Hybrid Kansei Engineering System for Product Form Design." *Advanced Engineering Informatics* 36: 31–42. doi:10.1016/j.aei.2018.02.002.
- Shieh, M.-D., and Y.-E. Yeh. 2013. "Developing a Design Support System for the Exterior Form of Running Shoes Using Partial Least Squares and Neural Networks." *Computers and Industrial Engineering* 65 (4): 704–718. doi:10.1016/j.cie.2013.05.008.
- Shieh, M.-D., Y.-E. Yeh, and C.-L. Huang. 2016. "Eliciting Design Knowledge from Affective Responses Using Rough Sets and Kansei Engineering System." *Journal of Ambient Intelligence and Humanized Computing* 7 (1): 107–120. doi:10.1007/s12652-015-0307-6.
- Shouse, E. 2005. "Feeling, Emotion, Affect." *M/C Journal* 8 (6). doi:10.5204/mcj.2443.
- Sierra-Pérez, J., J. Boschmonart-Rives, and J. Oliver-Solà. 2019. "Introducing Ergonomics Requirements in the Eco-design of Energy-related Products from Users' Behaviour Approach." *Ergonomics* 62 (7): 940–953. doi:10.1080/00140139.2019.1600049.
- Silvia, P.J., and C.M. Barona. 2009. "Do People Prefer Curved Objects? Angularity, Expertise, and Aesthetic Preference." *Empirical Studies of the Arts* 27 (1): 25–42. doi:10.2190/EM.27.1.b.
- Sirakaya, E., J. Petrick, and H.-S. Choi. 2004. "The Role of Mood on Tourism Product Evaluations." *Annals of Tourism Research* 31 (3): 517–539. doi:10.1016/j.annals.2004.01.009.
- Smith, K.M. 2015. "Conditions Influencing the Development of Design Expertise: As Identified in Interior Design Student Accounts." *Design Studies* 36: 77–98. doi:10.1016/j.destud.2014.09.001.
- Spangenberg, E.R., K.E. Voss, and A.E. Crowley. 1997. "Measuring the Hedonic and Utilitarian Dimensions of Attitude: A Generally Applicable Scale." *ACR North American Advances* 24.
- Spielholz, P., B. Silverstein, M. Morgan, H. Checkoway, and J. Kaufman. 2001. "Comparison of Self-report, Video Observation and Direct Measurement Methods for Upper Extremity Musculoskeletal Disorder Physical Risk Factors." *Ergonomics* 44 (6): 588–613. doi:10.1080/00140130118050.
- Summerfeldt, L.J., S.J. Gilbert, and M. Reynolds. 2015. "Incompleteness, Aesthetic Sensitivity, and the Obsessive-compulsive Need for Symmetry." *Journal of Behavior Therapy and Experimental Psychiatry* 49 (Pt B): 141–149. doi:10.1016/j.jbtep.2015.03.006.
- Sundar, A., E.S. Cao, and K.A. Machleit. 2020. "How Product Aesthetics Cues Efficacy Beliefs of Product Performance." *Psychology & Marketing* 37 (9): 1246–1262. doi:10.1002/mar.21355.
- Sutono, S.B. 2016. "Selection of Representative Kansei Adjectives Using Cluster Analysis: A Case Study on Car Design." *International Journal of Advanced Engineering, Management and Science* 2: 239691.
- Sutono, S.B. 2018. "Exploring the Relationship between Consumers' Emotional Perception and Product Forms: A Case Study on Car Design." *Simetris: Jurnal Teknik Mesin, Elektro dan Ilmu Komputer* 9: 395–402.
- Tang, P., G. Lawson, X. Sun, and S. Sharples. 2022. "Probing Cultural Differences in Product Design and Consumer Evaluation Using Repertory Grid Analysis." *International Journal of Technology and Design Education* 32 (3): 1875–1894. doi:10.1007/s10798-021-09663-9.
- Tavares, D.R., O. Cancigliieri Junior, L.B. de M. Guimarães, and M. Rudek. 2020. "A Systematic Literature Review of Consumers' Cognitive-affective Needs in Product Design from 1999 to 2019." *Frontiers in Neuroergonomics* 1: 5.
- Teknomo, K. 2006. "K-means Clustering Tutorial." *Medicine* 100: 3.
- Tomico, O., N. Mizutani, P. Levy, T. Yokoi, Y. Cho, and T. Yamanaka. 2008. "Kansei Physiological Measurements and Constructivist Psychological Explorations for Approaching User Subjective Experience." In *DS 48: Proceedings DESIGN 2008, the 10th International Design Conference, Dubrovnik, Croatia*, 529–536. USA: Design Society.
- Tsao, Y.-C., S.-Y. Huang, and C.-W. Hung. 2019. "Design for Product Usage: A Study on the Ambient Media Image of Product Packaging." *International Journal of Organizational Innovation* 12: 165–187.
- Tseng, M.M., R.J. Jiao, and C. Wang. 2010. "Design for Mass Personalization." *CIRP Annals* 59 (1): 175–178. doi:10.1016/j.cirp.2010.03.097.
- Tynan, C., S. McKechnie, and C. Chhuon. 2010. "Co-creating Value for Luxury Brands." *Journal of Business Research* 63 (11): 1156–1163. doi:10.1016/j.jbusres.2009.10.012.

- Ueda, K., T. Sekoguchi, and H. Yanagisawa. 2021. "How Predictability Affects Habituation to Novelty." *PLoS One* 16 (6): e0237278. doi:10.1371/journal.pone.0237278.
- Ulusoy, B., N. Olguntürk, and R. Aslanoglu. 2021. "Pairing Colours in Residential Architecture for Different Interior Types." *Color Research & Application* 46 (5): 1079–1090. doi:10.1002/col.22640.
- Van Geert, E., and J. Wagemans. 2019. "Order, Complexity, and Aesthetic Preferences for Neatly Organized Compositions." *Psychology of Aesthetics, Creativity, and the Arts* 15: 484–504.
- Van Geert, E., and J. Wagemans. 2020. "Order, Complexity, and Aesthetic Appreciation." *Psychology of Aesthetics, Creativity, and the Arts* 14 (2): 135–154. doi:10.1037/aca0000224.
- van Ooijen, I., M.L. Fransen, P.W.J. Verlegh, and E.G. Smit. 2017. "Packaging Design as an Implicit Communicator: Effects on Product Quality Inferences in the Presence of Explicit Quality Cues." *Food Quality and Preference* 62: 71–79. doi:10.1016/j.foodqual.2017.06.007.
- Van Rompay, T., and G. Ludden. 2015. "Types of Embodiment in Design: The Embodied Foundations of Meaning and Affect in Product Design." *International Journal of Design* 9: 1–11.
- Vazquez, M.M., and T. Yamanaka. 2014. "Product Novelty Impact on User Kansei." In *KEER2014. Proceedings of the 5th Kansei Engineering and Emotion Research; International Conference; Linköping, Sweden, June 11–13*, edited by S. Schütte and P. Levy, 503–516. Sweden: Linköping University Electronic Press.
- Veelaert, L., E. Du Bois, I. Moons, and E. Karana. 2020. "Experiential Characterization of Materials in Product Design: A Literature Review." *Materials and Design* 190: 108543. doi:10.1016/j.matdes.2020.108543.
- Vlah, D., and R. Žavbi. 2020. "An Investigation into 2D and 3D Shapes Perception." *Tehnički Vjesnik* 27: 37–45.
- Vrána, J., and S. Mokry. 2020. "Haptics and Its Effect on Consumers Intentions Using Neuroscientific Methods: Literature Review." *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis* 68 (2): 451–457. doi:10.11118/actaun202068020451.
- Walker, S., M. Evans, T. Cassidy, A. T. Holroyd, and J. Jung. 2018. *Design Roots: Culturally Significant Designs, Products and Practices*. USA: Bloomsbury Academic.
- Wang, C.-A., T. Baird, J. Huang, J.D. Coutinho, D.C. Brien, and D.P. Munoz. 2018. "Arousal Effects on Pupil Size, Heart Rate, and Skin Conductance in an Emotional Face Task." *Frontiers in Neurology* 9: 1029.
- Wang, F., J. Xu, H. Zhang, and J. Yin. 2021. "Emotion Analysis of Personalized Color of Beauty Package Based on NCD Image Positioning." *Frontiers in Psychology* 12.
- Wang, K.-C. 2011. "A Hybrid Kansei Engineering Design Expert System Based on Grey System Theory and Support Vector Regression." *Expert Systems with Applications* 38 (7): 8738–8750. doi:10.1016/j.eswa.2011.01.083.
- Wang, Y., D.Y. Mo, and M.M. Tseng. 2018. "Mapping Customer Needs to Design Parameters in the Front End of Product Design by Applying Deep Learning." *CIRP Annals* 67 (1): 145–148. doi:10.1016/j.cirp.2018.04.018.
- Wang, Yahui, Suihuai Yu, Ning Ma, Jinlei Wang, Zhigang Hu, Zhuo Liu, and Jibo He. 2020. "Prediction of Product Design Decision Making: An Investigation of Eye Movements and EEG Features." *Advanced Engineering Informatics* 45: 101095. doi:10.1016/j.aei.2020.101095.
- Weichselbaum, H., H. Leder, and U. Ansorge. 2018. "Implicit and Explicit Evaluation of Visual Symmetry as a Function of Art Expertise." *i-Perception* 9 (2): 2041669518761464. doi:10.1177/2041669518761464.
- Wensveen, S.A.G. 2005. *A Tangibility Approach to Affective Interaction*. USA: Citeseer.
- Wu, Jianfeng, Baixi Xing, Huahao Si, Jian Dou, Jin Wang, Yuning Zhu, and Xiaojian Liu. 2020. "Product Design Award Prediction Modeling: Design Visual Aesthetic Quality Assessment via DCNNs." *IEEE Access* 8: 211028–211047. doi:10.1109/ACCESS.2020.3039715.
- Xiong, Y., Y. Li, P. Pan, and Y. Chen. 2016. "A Regression-based Kansei Engineering System Based on Form Feature Lines for Product Form Design." *Advances in Mechanical Engineering* 8 (7): 168781401665610. doi:10.1177/1687814016656107.
- Xue, H., P.M.A. Desmet, and S.F. Fokkinga. 2020. "Mood Granularity for Design: Introducing a Holistic Typology of 20 Mood States." *International Journal of Design* 14: 1–18.
- Yamagishi, K., K. Seki, and H. Nishimura. 2018. "Requirement Analysis Considering Uncertain Customer Preference for Kansei Quality of Product." *Journal of Advanced Mechanical Design, Systems, and Manufacturing* 12 (1): JAMDSM0034–JAMDSM0034. doi:10.1299/jamdsm.2018jamdsm0034.
- Yamamoto, K., T. Yoshikawa, and T. Furuhashi. 2005. "A Proposal of Clustering Method for Subjects by Individuality Based on Kansei Data Structure." *Journal of Japan Society of Kansei Engineering* 6.
- Yan, Jie, Bing Lv, Jianqiang Wang, Derong Duan, Mengjia Chen, and Zequn Li. 2018. "Design and Evaluation of Silage Equipment Control Panel Based on the Theory of Emotional Design and Kansei Engineering." *MATEC Web of Conferences* 176: 01004. doi:10.1051/mateconf/201817601004.
- Yanagisawa, H. 2019. "How Does Expectation Affect Sensory Experience?—A Theory of Relativity in Perception." *International Symposium on Affective Science and Engineering* 2019 (0): 1–4. doi:10.5057/isase.2019-C000014.
- Yanagisawa, H., C. Miyazaki, and C. Bouchard. 2017. "Kansei Modeling Methodology for Multisensory UX Design." In *DS 87-8 Proceedings of the 21st International Conference on Engineering Design (ICED 17) Vol 8: Human Behaviour in Design, Vancouver, Canada, August 21–25*, edited by A. Maier, 159–168. USA: Design Society.
- Yanagisawa, H., S. Nakano, and T. Murakami. 2017. "A Kansei Database Framework for the Delight Design Platform." In *Advances in Affective and Pleasurable Design*, edited by W. Chung and C.S. Shin, 511–518. Germany: Springer.
- Yanagisawa, H., and K. Takatsuji. 2015. "Effects of Visual Expectation on Perceived Tactile Perception: An Evaluation Method of Surface Texture with Expectation Effect." *International Journal of Design* 9: 39–51.
- Yang, Cheng, Lingang Wu, Kun Tan, Chunyang Yu, Yuliang Zhou, Ye Tao, and Yu Song. 2021. "Online User Review Analysis for Product Evaluation and Improvement." *Journal of Theoretical and Applied Electronic Commerce Research* 16 (5): 1598–1611. doi:10.3390/jtaer16050090.
- Yang, M., L. Lin, and S. Milekic. 2018. "Affective Image Classification Based on User Eye Movement and EEG

- Experience Information." *Interacting with Computers* 30 (5): 417–432. doi:[10.1093/iwc/iwy018](https://doi.org/10.1093/iwc/iwy018).
- Yeh, Y.-E. 2020. "Prediction of Optimized Color Design for Sports Shoes Using an Artificial Neural Network and Genetic Algorithm." *Applied Sciences* 10 (5): 1560. doi:[10.3390/app10051560](https://doi.org/10.3390/app10051560).
- Yu, H.-C., C.-J. Chou, and D.-B. Luh. 2018. "The Design Application of Behavior Observation to the User's Experience Drop—An Exemplar of the Warning System Planned to Prevent the Collision Door." In *2018 IEEE International Conference on Applied System Invention (ICASI)*, 694–698. USA: IEEE Xplore. <https://ieeexplore.ieee.org/xpl/conhome/8379737/proceeding>.
- Yu, X., and W. Qi. 2018. "A User Study of Wearable EEG Headset Products for Emotion Analysis." In *Proceedings of the 2018 International Conference on Algorithms, Computing and Artificial Intelligence*, 1–7. USA: ACM Digital Library.
- Yun, M.H., S.H. Han, S.W. Hong, and J. Kim. 2003. "Incorporating User Satisfaction into the Look-and-Feel of Mobile Phone Design." *Ergonomics* 46 (13–14): 1423–1440. doi:[10.1080/00140130310001610919](https://doi.org/10.1080/00140130310001610919).
- Zhou, A., H. Liu, S. Zhang, and J. Ouyang. 2021. "Evaluation and Design Method for Product Form Aesthetics Based on Deep Learning." *IEEE Access* 9: 108992–109003. doi:[10.1109/ACCESS.2021.3101619](https://doi.org/10.1109/ACCESS.2021.3101619).
- Zhou, F., J. Ayoub, Q. Xu, and X. Jessie Yang. 2020. "A Machine Learning Approach to Customer Needs Analysis for Product Ecosystems." *Journal of Mechanical Design* 142:13.
- Zhou, F., Y. Ji, and R. Jiao. 2020. *Emotional Design: An Overview*. USA: The University of Michigan Library. <https://deepblue.lib.umich.edu/handle/2027.42/163319?show=full>
- Zhou, X., P.-L.P. Rau, M. Ohkura, T. Laohakangvalvit, and B. Wang. 2022. "A Deep Learning-based Approach to Facilitate Cross-cultural Kansei Design." In *International Conference on Human-computer Interaction*, edited by R. Nugent, 145–160. Germany: Springer. doi:[10.1007/978-3-031-06038-0_11](https://doi.org/10.1007/978-3-031-06038-0_11)