

Name: Josina Fontes

Student ID: 2514550

Module Code: LCHS4008

Module: Introduction to Public Health, CERTHE

Lecturer: petronella Ganza

Submitted on: 20th April 2026

Stroke: Causes, Impact, Prevention and Support Services

Introduction

A stroke is a serious medical condition that happens when the blood supply to part of the brain is

stopped or reduced, stopping brain tissue from receiving oxygen and nutrients. This means that the brain cells become damaged or die, making stroke a medical emergency requiring immediate attention and intervention.

The more frequent symptoms of stroke can include facial weakness (drooping of the face), arm weakness, and speech difficulties, often known as the FAST test (Face, Arms, Speech, Time). Other known symptoms can include sudden vision loss, dizziness, confusion, and loss of balance.

Stroke is a major global and national health issue. Worldwide, at least 11.9 million new cases occur each year, and stroke is still one of the leading causes of death and disability globally. In the UK, approximately 100,000 people experience a stroke annually, making it one of the leading causes of disability and death. The high number of cases demonstrates the seriousness of this condition and its significant effects on healthcare.

1. Measuring and Monitoring Stroke

Stroke is measured and monitored using different clinical and public health techniques.

One of the main methods, is epidemiological surveillance, which monitors incidence (new cases), prevalence (total number of people living with stroke), mortality rates, and disability-adjusted life years (DALYs). Global organisations such as the World Health Organization (WHO) collect data on stroke trends to identify risk patterns and guide prevention mechanisms.

In the UK, stroke monitoring is carried out through systems such as the Sentinel Stroke National Audit Programme (SSNAP). This programme monitors the quality of stroke care, including response times, how effective treatments are and rehabilitation outcomes. Hospitals are evaluated based on how quickly patients are admitted to specialist stroke units and whether they receive prompt treatment.

Another important method is clinical imaging and diagnosis, including CT and MRI scans, which confirm which type and where the stroke is located. This helps medical professionals identify strokes as ischaemic (blockage) or haemorrhagic (bleeding), which is essential for how the treatment is going to be performed.

Public health monitoring also includes risk factor tracking, such as blood pressure, smoking rates, obesity levels, and diabetes prevalence, as these drastically increase stroke risk. Monitoring these factors helps governments planning on prevention programmes.

Lastly, patient-reported outcomes and rehabilitation assessments are used to support with long-term disability and quality of life after stroke.

2. How Stroke is Controlled

Stroke control focuses on prevention, emergency treatment, and long-term management.

Primary Prevention

Prevention is the most effective approach of stroke control. Several strokes are linked to reversible risk factors such as hypertension, smoking, poor diet, physical inactivity, and excessive alcohol consumption. Public health campaigns promote lifestyle changes such as healthy eating, exercise, and smoking cessation.

Medical prevention also includes controlling high blood pressure using antihypertensive medications and well managed cholesterol and diabetes. For high-risk patients, anticoagulant or antiplatelet medications are prescribed to minimise clot formation.

Secondary Prevention

After a stroke or transient ischaemic attack (TIA), patients are prescribed long-term medication and assessed regularly to prevent recurrence. This includes blood thinners, statins, and regular cardiovascular assessments.

Emergency Treatment

Stroke is a time-critical emergency. In ischaemic stroke, clot-busting drugs (thrombolysis) or mechanical clot removal (thrombectomy) can be used if given promptly. Haemorrhagic strokes require blood pressure control and surgery in some cases.

Rehabilitation

After the initial treatment, rehabilitation is required. This can include physiotherapy, occupational therapy, speech and language therapy, and psychological support. Promote and early admission to a specialist stroke unit drastically improves the outcome of recovery.

3. Consequences of Stroke on Individuals and the Community

Stroke has wide-ranging consequences that affect individuals, families, and society.

For individuals, stroke may be the cause of long-term disability, including paralysis, speech difficulties, memory loss, and emotional changes. Several survivors experience reduced independence and require ongoing care. Roughly, 1.2 million people in the UK live with the consequences of stroke.

Emotionally, stroke survivors can experience depression, anxiety, and frustration due to unexpected lifestyle changes. Recovery can take many months or sometimes years, and some individuals never fully recover.

For families, stroke often creates caregiver burden, as relatives may need to provide different types of support such as physical, emotional and financial. This can lead to stress and a limited quality of life for carers.

In the wider community, stroke places a significant burden on medical services. It is one of the main causes of long-term disability in the UK, requiring major rehabilitation services and long-term social care assistance. Stroke also has an economic impact due to a reduction in productivity and increased healthcare costs.

4. Health and Social Care Support Services

Different types of services are required to support stroke patients within the community.

Hospital and Acute Care Services

Stroke units in hospitals provide prompt assessment, imaging, and treatment. These units are staffed by multidisciplinary teams that include neurologists, nurses, and therapists.

Rehabilitation Services

After hospital discharge, patients receive rehabilitation through NHS community services. The services include physiotherapy to improve movement, occupational therapy to improve day to day living skills, and speech therapy for communication difficulties.

Social Care Services

Several stroke survivors need social care support including home care assistance, meal delivery services, and adaptations to housing (e.g., ramps, handrails). Social workers help organise care plans and access financial support.

Voluntary Organisations

Charities such as the Stroke Association support with emotional support, rehabilitation programmes, and information for families. They also help the survivors with reintegration into society through support groups.

Psychological Support

Mental health services are important as stroke survivors often experience depression and anxiety. Counselling and cognitive behavioural therapy (CBT) can also be offered.

Conclusion (≈150 words)

Stroke is a life-threatening condition caused by interruption of blood flow to the brain, causing brain cell damage and potentially long-term disability. It is one of the main causes of death and disability worldwide and causes a significant impact on healthcare systems, especially in the UK, where around 100,000 people are affected every year.

The condition is monitored through epidemiological data, clinical imaging, and national audit programmes, which help improve care quality. Stroke can be controlled through prevention measures that include lifestyle changes, medication, and emergency medical treatment. However, despite advances in healthcare, stroke continues to have a massive impact on individuals, families, and communities.

Effective treatment and support require a multidisciplinary approach, including hospital care, rehabilitation, social services, and voluntary organisations. Early intervention and coordinated care are essential to improving chances of recovery and reducing long-term disability. Continued investment on how to prevent cases, treatment, and support services is essential to minimise the impact of stroke on society.

References

- NHS (2026) *Stroke*. Available at: <https://www.nhs.uk/conditions/stroke/>
- WHO (2025) *Stroke Fact Sheet*. Available at: <https://www.who.int/news-room/fact-sheets/detail/stroke>
- British Heart Foundation (2025) *Stroke Information*.
- Stroke Association (2025) *State of the Nation: Stroke Statistics UK*.
- Brain Research UK (2025) *Stroke Overview*.

