

The Ecological History of Ynys Dewi/Ramsey Island

Coastal, Marine & Wildlife Conservation

ACNA5001

Rowan Moses (2203230)

Table of Contents

1. Introduction	2
2. About Ramsey Island	2
3. Situating Ramsey Island	4
4. Ramsey Island Biodiversity Losses and Restoration	5
4.1 Rats and Island Ecosystems	5
4.2 On Ramsey Island	6
5. Effects of the Rat Eradication	7
6. Ramsey Island and the Future	8
6.1 The Wales Wide Approach	8
6.2 Ramsey's Plans	8
6.3 Vulnerable Islands	8
7. Conclusion	9
8. Reference List	9

1. Introduction

Islands have long been identified as unique and important ecosystems in environmental and ecological studies, from over 90% of Madagascar's flora and fauna (see figure 1) being endemic (Antonelli *et al*, 2022), to the Galápagos Islands being instrumental in Charles Darwin's development of the theory of evolution (Galápagos Island Trust, n.d). Despite the fact that less than 5% of the terrestrial area worldwide consists of islands, more than 20% of both terrestrial plants and vertebrates are located on them. However, islands are also at high risk from climate change and species extinction (Courchamp, 2014).



Figure 1: Brown mouse lemur (*Microcebus rufus*), only found on Madagascar (Lee, 2023)

As well as having extremely high levels of biodiversity, islands have also been described as 'paradigmatic' examples of the interactions between humans and the environment, leading to both positive and negative outcomes for ecosystems. Unique topography and ecology shape the communities that live on and near islands, and cultural knowledge is suggested to be an underutilised resource in conservation efforts (Kueffer & Kinney, 2017). Standing in contrast to this, however, are the lasting environmental damages caused by colonisation of many island nations by Europeans from the 15th century onwards, which frequently destroyed traditional, sustainable methods of interacting with the environment (Wallmen *et al*, 2017). This history still influences the environmental practices of many island nations today (Manglou, 2022).

2. About Ramsey Island

Turning now to the primary subject of this report, Ramsey Island (see figure 2), a small island located off the coast of Pembrokeshire, about one kilometre from St. David's Head at the northern end of St. Brides Bay (Bluestone Resorts, 2023). It is owned and managed by the Royal Society for the Protection of Birds (RSPB) as a nature reserve, with cliffs and maritime heathlands providing habitat for a variety of seabirds such as chough (*Pyrrhocorax pyrrhocorax*), and is uninhabited by humans apart from two RSPB staff who reside there year round (RSPB, n.d). As well as being habitat for endangered or rare seabirds, rare plants are found in maritime heathland pools on the island, such as floating water plantain (*Luronium latans*) (Countryside Council for Wales, 2008).

Despite being mostly uninhabited today, the island has a long history of human-environment interactions, with surveys finding remains of settlement thought to date to the Bronze Age, around 4,500 years old (Coflein, 2021). In the 13th century, the island was owned by the Bishops of St. David, and cows and sheep were farmed there up to the 1960s (Pembrokeshire Coast National Park, 2023a).




Figure 2: Ynys Dewi/Ramsey Island (Google My Maps, 2023a).

While Ramsey Island is currently owned and managed by the RSPB, it also falls under the territory of the Parc Cenedlaethol Arfordir Penfro/Pembrokeshire Coast National Park (PCNP). This is one of the three national parks in Wales, with Eryri National Park being the first to be designated in 1951, followed by the PCNP in 1952, and lastly the Bannau Brycheiniog National Park in 1957. In England and Wales, the goals of national parks as set out by law are to promote public enjoyment and understanding of the area, while at the same time conserving natural beauty, cultural significance and wildlife (National Parks UK, 2023).

The PCNP also highlights in their management goals their responsibility towards communities that live within the area designated as the national park, with an aim to encourage social and economic wellbeing (Pembrokeshire National Park, 2023b). The RSPB, in their statement of

governance, include public education about nature as one of their primary goals, and describe how their intentions are to conserve nature for the specific purpose of benefit to the public (RSPB, 2023). Both of the organisations involved in the running of Ramsey Island have social and community aims listed as priorities for their operation alongside ecological goals, which is important because of how community involvement is regularly identified as a vital part of creating long lasting, sustainable conservation areas (Ancrenaz *et al*, 2007, and Raycraft, 2019), especially in the context of local communities often being excluded from island management, as discussed in the introduction.

3. Situating Ramsey Island

Ramsey Island is not the only island that is part of the PNCP (see figure 3).




Figure 3: Pembrokeshire Islands (Google My Maps, 2023b).

As a site of international importance for many seabirds, Skomer Island is perhaps the most well known of the islands in this area. With the largest colony of Manx shearwaters (*Puffinus puffinus*) in the world, the island is also home to puffins (*Fratercula artica*), guillemots (*Uria*

aalge), and the endemic Skomer vole (*Clethrionomys glareolus skomerensis*) (Wildlife Trust of South and West Wales, n.d.a). It is also noted that despite the presence of the Skomer vole, rabbits and shrews, there are no rats on Skomer Island. In 2022, 255 grey seal pups (*Halichoerus grypus*) were born on the island, demonstrating the importance of the area to the species (Buche & Blockley, 2022).

Skokholm, although smaller than Skomer, is also known for seabirds, including puffin, Manx shearwater (Wildlife Trust of South and West Wales, n.d.b) and storm petrel (*Hydrobates pelagicus*) (Wood et al, 2022). Grassholm Island is home to the 3rd largest colony of gannets (*Morus bassanus*) in the UK (Visit Pembrokeshire, 2023).

In summary, despite the biodiversity of its neighbouring islands, and coming under management strategies with conservation focuses, Ramsey Island itself has a complex ecological history, especially compared to nearby islands. To this day, puffins do not reside on Ramsey, and many of the seabirds that are found there today have returned within the last 15-20 years (Voyages of Discovery, 2023). In the section following, this history will be explored in more depth.

4. Ramsey Island Biodiversity Losses and Restoration

There are a few key sources that provide insights into the history of Ramsey Island, and one of these is the series of blogs written by Ramsey Island staff on the RSPB website. Greg Morgan, who was the resident warden of Ramsey Island for eighteen years and current site manager, describes the cause of the wildlife losses on Ramsey as he sees it - rats, presumed to be introduced via shipwrecks on the island in the 1800s (Morgan, 2011).

4.1 Rats and Island Ecosystems

Rats are a factor often closely associated with biodiversity loss in island habitats (Moors *et al*, 2010 & Micheletti *et al*, 2020) and there is evidence to suggest that people have been aware of this relationship since as early as the 1940s, if not earlier (Atkinson, 1977). The black rat (*Rattus rattus*), brown rat (*R. norvegicus*) and Pacific rat (*R. exulans*) are three of the primary species identified in the literature as frequently becoming invasive, and the house mouse (*Mus musculus*) can also become an issue (see figure 4). Smaller seabirds that nest in burrows or on the ground have been shown to be particularly vulnerable to predation by invasive rats (Jones *et al*, 2008, Ratcliffe *et al*, 2009), but endemic island




Figure 4: The four main rodent species to become invasive (Innes et al, 2023)

rodents are also vulnerable to being out-competed by invasive rodent species (Amori & Clout, 2003).

In addition to damaging population numbers of rare seabirds, it has been shown that when invasive rat populations are present, the ways nutrients move through the ecosystem can be greatly altered, as there are fewer birds returning from feeding at sea to deposit guano on land, which effects the whole ecosystem (Benkwitt et al, 2021).

4.2 On Ramsey Island

As the literature has demonstrated, invasive rat species are capable of harming populations of seabirds, by predating on them directly or altering the island habitat they require. One of the first successful recorded rat eradications to be carried out in the UK took place on Ynys Aberteifi/Cardigan Island in the 1960s, where the brown rat was causing topsoil erosion and damage to bird populations. Following the eradication, birds such as the razorbill (*Alca torda*) began to nest on the island again (The Wildlife Trust of South and West Wales, n.d.c). This case is not unlike Ramsey Island, which was also affected by invasive brown rat populations.

The rat eradication project on Ramsey was undertaken over the 1999-2000 period, and was the first rat eradication programme that the company Wildlife Management International had undertaken in the UK, as they are based in Aotearoa/New Zealand (Wildlife Management International Limited, 2016). It was carried out using ground-based bait stations, made from lengths of pipe (see figure 5), placed at regular intervals depending on the species targeted. As brown rats were the target on Ramsey, bait stations were placed at distances between every 25m x 25m and 100m x 100m, with a denser placing around higher risk locations such as existing bird nesting sites, and then baited with cereal blocks containing 'Neosorex', an anticoagulant containing difenacoum made by Sorex LTD, a pest control company (Bell, 2019a).



Figure 5: An example of the rodent bait stations used (Bell, 2019b).

Another of the key sources that is highly informative about the Ramsey rat eradication is the paper written about the process in 2019 (Bell & Bell *et al*). Here, it is described how in addition to the bait stations, monitoring stations were also set up immediately after baiting had taken place, containing wax blocks which would show rodent teeth marks, and ink pads that would show footprints, and these were checked daily. After 41 days, no more bait was taken and there were no signs of rats appearing in the monitoring stations. However, it is noted that some corvids (*Corvus* spp.) were able to access the poisoned bait at first, and several bird deaths were recorded until the bait station sizes were increased. This paper also notes the fact that the

rabbit population on Ramsey Island may continue to affect Manx shearwater distribution even after rat eradication, but does not expand further on this point. Ramsey was declared officially rat free in 2002.

5. Effects of the Rat Eradication

Today, it has been over 2 decades since the rat eradication was completed. Population surveys of Manx shearwater are carried out on the island every 5 years, and the most recent one was completed in 2022. It found that there were over 6,000 breeding pairs of shearwaters present on the island, which is significantly higher than the roughly 800 breeding pairs recorded in 1998, pre rat eradication (Bird Guides, 2022). Surveys are carried out using playback, where bird calls are played in each of the given survey squares and responses back are measured, and while this is a common method for surveying bird populations (Clewley et al, 2016), the accuracy has been questioned in more recent studies (Orlando et al, 2021), and knowledge gaps about the behaviours, distributions, and population numbers of bird species such as the Manx shearwater have also been identified (Baker et al, 2022). However, Manx shearwater numbers have been steadily increasing in the years since the eradication, and birds that were ringed as fledglings on the island have been recorded returning as mature adults to breed (Morgan, 2016).

Despite the success of the Manx shearwaters, puffins have not returned to the island since the rat eradication. It is also important to keep in mind that rats are not the only invasive mammal that can impact an island ecosystem, rabbits, amongst others, also can become invasive (Courchamp, 2001 & Duerwald, 2018). It does not appear that the potential effects of rabbits on seabird populations on Ramsey have been studied. Armstrong (1982) describes rabbits as having been 'exterminated' from Ramsey by rats, but more recently a volunteer blogging about their visit to the island notes a large rabbit population (Ramsey, 2022). This area would benefit from further study.

Overall, however, it appears that the rat eradication has succeeded in its goal of restoring seabird populations to Ramsey Island. In Aotearoa/New Zealand, where many islands have suffered from invasive rat populations and eradications carried out, the need for thorough, consistent biosecurity is highlighted, and the adoption of new techniques to improve the biosecurity currently in place is also recommended to ensure the long term success of rat eradications (Russell et al, 2008).

6. Ramsey Island and the Future

6.1 The Wales Wide Approach

In Wales, the Wellbeing of Future Generations (Wales) Act 2015 identifies seven wellbeing goals (see figure 6), and outlines the need for public bodies, such as national park authorities, to participate in sustainable development (Llywodraeth Cymru/Welsh Government, 2021). In addition to this, resilience is emphasised as a goal of national parks in Wales specifically, both in practices undertaken and in communities formed, as a response to the worsening effects of the climate crisis, especially biodiversity loss (Llywodraeth Cymru/Welsh Government, 2018). The PCNP identifies focus areas in their management plan for 2020-2024 under this legislation, aiming to manage light pollution, restoring hedgerows and monitoring plant pathogens on their site (PCNP, 2019).




Figure 6: Wellbeing goals (WCVA, 2023)

6.2 Ramsey's Plans

On Ramsey Island, biosecurity methods have been passive monitoring, with ink, wax and camera traps to detect any invasive species, especially rats. However, in the past few years, they have been working on an active form of biosecurity, which is using specially trained dogs to sniff out rats, stoats or other target animals (Biosecurity for Life, 2021). In 2022, a small fishing vessel ran aground on nearby Skomer, and a full incursion response had to be undertaken (Newman *et al*, 2022), and Jinx, the conservation detection dog being trained on Ramsey (see figure 7) was brought in as part of this response (Morgan, 2023).



Figure 7: Jinx (Morris, 2023)

6.3 Vulnerable Islands

While the PCNP's management plan discusses preventing biodiversity loss in general terms, there does not appear to be specific information available to the public regarding Ramsey Island's plans for climate change mitigation. However, the rising sea levels, changing temperatures and unusual weather patterns caused by climate change leave islands uniquely vulnerable, and increased erosion of sea cliffs due to these factors could be particularly

damaging on Ramsey, as many of the seabirds nest in the tall cliffs (Veron *et al*, 2019). Many islands take adaptive actions, but without documentation of what was done and the effects it has had so far, it can be hard to plan effectively (Klock & Nunn, 2019).

The Pacific Islands are an instance of islands that are highly vulnerable to climate change, where the work of local leaders and community members is often disregarded, leading to the islands being described as lacking options for adaptation. However, local community members have a strong understanding of their environment, and push for both local change and global policy change (McLeod *et al*, 2019), an example which could be followed by the community around Ramsey Island. To be most effective, climate change adaptation and mitigation efforts need to be just and equitable, focusing on sustainable and consistent processes (Johnson & Wilkinson, 2020, Loach, 2023)

7. Conclusion

Island ecosystems frequently play important roles in human understandings of the environment, and have been sites of both conflict and conservation efforts throughout the years. In the past, the ecological status of Ramsey Island has been different from neighbouring islands, and the literature investigated in this report concludes that this is because of the presence of invasive brown rats on Ramsey, whereas the other islands nearby have not had this issue. Nonetheless, there are gaps in the research, especially about the impact that other invasive mammals may have, and the behaviour and habitat requirements of seabirds. The rat eradication programme carried out in 1999/2000 was successful meaning that Ramsey Island has been rat free since 2002, and many seabirds such as the Manx shearwater have been increasing in population on the island since that time. Adaptive actions will need to be taken against the effects of the climate crisis, however, and despite differences between islands globally, there is useful information available about continued community involvement and mitigation documentation for Ramsey Island to take in the future.

8. Reference List

- Amori, G. and Clout, M. (2003) 'Rodents on islands: a conservation challenge', in Singleton, G., Hinds, L., Krebs, C. and Spratt, D. (ed.) *Rats, mice and people: rodent biology and management*. Canberra: Aciar Monograph Series 96, pp. 63-68.
- Ancrenaz, M., Dabek, L. and O'Neil, S. (2007) 'The Costs of Exclusion: Recognizing a Role for Local Communities in Biodiversity Conservation', *PLOS Biology*, 5(11), pp. 289 [Online]. Available at: [DOI:10.1371/journal.pbio.0050289](https://doi.org/10.1371/journal.pbio.0050289) (Accessed: 13th December 2023).
- Antonelli, A., Smith, R., Perrigo, A., Crottini, A., Hackel, J., Testo, W., Farooq, H., Jimenez, M., Andela, N., Anderman, T., Andriamanohera, A., Andriambololonera, S.,

- Bachman, S., Bacon, C., Baker, W., Belluardo, F., Birkinshaw, C., Borrell, J., Cable, S., Canales, N., Carrillo, J., Clegg, R., Clubbe, C., Cooke, R., Damasco, G., Dhanda, S., Edler, D., Faurby, S., Ferreira, P., Fisher, B., Forest, F., Gardiner, L., Goodman, S., Grace, O., Guedes, T., Henniges, M., Hill, R., Lehmann, C., Lowry, P., Marline, L., Matos-Maravi, P., Moat, J., Neves, B., Nogueira, M., Onstein, R., Papadopoulos, A., Perez-Escobar, O., Phelps, L., Phillipson, P., Pironon, S., Przelomska, N., Rabarimanarivo, M., Ravehevitra, D., Raharimampionona, J., Rajaonah, M., Rajaonary, F., Rajaovelona, L., Rakotoarinivo, M., Rakotoarisoa, A., Rakotoarisoa, S., Rakotomalala, H., Rakotonasolo, F., Ralaiveloarisoa, B., Ramirez-Herranz, M., Randriamamonjy, J., Randriamboavonjy, T., Randrianasolo, V., Razanatsoa, E., Rivers, M., Sayol, F., Silvestro, D., Vorontsova, M., Walker, K., Walker, B., Wilkin, P., Williams, J., Ziegler, T., Zizka, A. and Ralimanana (2022) 'Madagascar's extraordinary biodiversity: Evolution, distribution, and use', *Science*, 378(6623), [Online]. Available at: [DOI: 10.1126/science.abf0869](https://doi.org/10.1126/science.abf0869) (Accessed: 11th December 2023).
- Armstrong, P. (1982) 'Rabbits (*Oryctolagus cuniculus*) on Islands: A Case-Study of Successful Colonization', *Journal of Biogeography*, 9(4), pp. 353-362 [Online]. Available at: <https://doi.org/10.2307/2844722> (Accessed: 17th December 2023).
 - Atkinson, I. (1977) 'A Reassessment of Factors, Particularly *Rattus rattus* L., That Influenced the Decline of Endemic Forest Birds in the Hawaiian Islands', *Pacific Science*, 31(2), pp. 109-133 [Online]. Available at: <http://hdl.handle.net/10125/1186> (Accessed: 15th December 2023).
 - Baker, B., Meadows, M., Ruffino, L. & Anderson, O. (2022) *JNCC Report No. 719 Towards better estimates of Manx shearwater and European storm-petrel population abundance and trends, demographic rates and at-sea distribution and behaviour*, Peterborough: JNCC.
 - Bell, E. (2019) 'It's not all up in the air: the development and use of ground-based rat eradication techniques in the UK', in Veitch, C., Clout, M., Martin, A., Russell, J. and West, C. (ed.) *Island invasives: scaling up to meet the challenge*. Switzerland: IUCN, pp. 79-87.
 - Bell, E., Bell, M., Morgan, G. and Morgan, L. (2019) 'The recovery of seabird populations on Ramsey Island, Pembrokeshire, Wales, following the 1999/2000 rat eradication', in Veitch, C., Clout, M., Martin, A., Russell, J. and West, C. (ed.) *Island invasives: scaling up to meet the challenge*. Switzerland: IUCN, pp. 539-544.
 - Benkwitt, C., Gunn, R., Le Corre, M., Carr, P. and Graham, N. (2021) 'Rat eradication restores nutrient subsidies from seabirds across terrestrial and marine ecosystems', *Current Biology*, 31, pp. 2704-2711 [Online]. Available at: <https://doi.org/10.1016/j.cub.2021.03.104> (Accessed: 15th December 2023).
 - Biosecurity for Life (2021) *Who Let The Dogs Out?!: A nose for island biosecurity*, Available at: <https://biosecurityforlife.org.uk/blog/2021-12-03-who-let-the-dogs-out-a-nose-for-island-biosecurity> (Accessed: 17th December 2023).
 - Bird Guides (2022) *Manx Shearwater population hits new high on Ramsey Island*, Available at:

<https://www.birdguides.com/news/manx-shearwater-population-hits-new-high-on-ramsey-island/> (Accessed: 16th December 2023).

- Bluestone Resorts (2023) *Ynys Dewi/Ramsey Island: Everything you need to know*, Available at: <https://www.bluestonewales.com/discover/pembrokeshire/islands/ramsey-island-guide> (Accessed: 11th December 2023).
- Buche, B. and Blockley, F (2022) *Grey Seal Breeding Census Skomer Island 2022*, United Kingdom: Natural Resources Wales & The Wildlife Trust of South and West Wales.
- Clewley, G., Norfolk, D., Leech, D. and Balmer, D. (2016) 'Playback survey trial for the Little Owl *Athene noctua* in the UK', *Bird Survey*, 63(2), pp. 268-272 [Online]. Available at: [DOI: 10.1080/00063657.2016.1180344](https://doi.org/10.1080/00063657.2016.1180344) (Accessed: 16th December 2023).
- Coflein (2021) *Ramsey Island*, Available at: <https://coflein.gov.uk/en/site/404188/> (Accessed: 11th December 2023).
- Countryside Council for Wales (2008) *CORE MANAGEMENT PLAN INCLUDING CONSERVATION OBJECTIVES FOR ST DAVID'S SAC (SPECIAL AREA OF CONSERVATION)*, Wales: Countryside Council for Wales.
- Courchamp, F., Hoffmann, B., Russell, J., Leclerc, C. and Bellard, C. (2014) 'Climate change, sea-level rise, and conservation: keeping island biodiversity afloat', *Trends in Ecology & Evolution*, 29(3), pp. 127-130 [Online]. Available at: <https://doi.org/10.1016/j.tree.2014.01.001> (Accessed: 11th December 2023).
- Courchamp, F., Langlais, M. and Sugihara, G. (2001) 'Rabbits killing birds: modelling the hyperpredation process', *Journal of Animal Ecology*, 69(1), pp. 154-164 [Online]. Available at: <https://doi.org/10.1046/j.1365-2656.2000.00383.x> (Accessed: 16th December 2023).
- Duerwald, N. (2018) *Remote Island Ecosystem Needs Relief from Invasive Rabbits*, Available at: <https://www.islandconservation.org/island-ecosystem-needs-relief-invasive-rabbits/> (Accessed: 16th December 2023).
- Galapagos Conservation Trust (n.d) *Historical Significance*, Available at: <https://galapagosconservation.org.uk/about-galapagos/historical-significance/> (Accessed: 11th December 2023).
- Google My Maps (2023a) *Ramsey Island*, Available at: https://www.google.com/maps/d/u/0/edit?mid=118AtqlbSi_pOcx-QJAnfekq86ilkYA8&ll=51.86600268239414%2C-5.3404961666316515&z=13 (Accessed: 17th December 2023).
- Google My Maps (2023b) *Pembrokeshire Coast Islands*, Available at: <https://www.google.com/maps/d/u/0/edit?mid=1R-W5Ajrt4wC4PbVVLbrHr4k81v2t5k&ll=51.782191788556766%2C-5.3787106999999991&z=11> (Accessed: 17th December 2023).
- Innes, J., Norbury, G., Samaniego, A., Walker, S. and Wilson, D. (2023) 'Rodent management in Aotearoa New Zealand: approaches and challenges to landscape-scale control', *Integrative Zoology*, pp. 1-19 [Online]. Available at: <https://doi.org/10.1111/1749-4877.12719> (Accessed: 15th December 2023).

- Johnson, A. and Wilkinson, K. (2020) *All We Can Save: Truth, Courage, and Solutions for the Climate Crisis*, USA: Penguin Random House.
- Jones, H., Tershy, B., Zavaleta, E., Croll, D., Keitt, B., Finkelstein, M. and Howald, G. (2008) 'Severity of the Effects of Invasive Rats on Seabirds: A Global Review', *Conservation Biology*, 22(1), pp. 16-26 [Online]. Available at: <https://doi.org/10.1111/j.1523-1739.2007.00859.x> (Accessed: 15th December 2023).
- Klock, C. and Nunn, P. (2019) 'Adaptation to Climate Change in Small Island Developing States: A Systematic Literature Review of Academic Research', *The Journal of Environment & Development*, 28(2), pp. 196-218 [Online]. Available at: <https://doi.org/10.1177/1070496519835895> (Accessed: 17th December 2023).
- Kueffer, C. and Kinney, K. (2017) 'What is the importance of islands to environmental conservation?', *Environmental Conservation*, 44(4), pp. 311-322 [Online]. Available at: [doi: 10.1017/S0376892917000479](https://doi.org/10.1017/S0376892917000479) (Accessed: 11th December 2023).
- Lee, C. (2023) *A brown mouse lemur, Microcebus rufus, which is unique to Madagascar and threatened with extinction.*, Available at: <https://www.theguardian.com/environment/2023/jan/10/madagascar-unique-wildlife-extinction-aoe> (Accessed: 11th December 2023).
- Loach, M. (2023) *It's Not That Radical: Climate Action to Transform Our World*, UK: Dorling Kindersley Ltd.
- Manglou, M., Rocher, L. and Bahers, J. (2022) 'Waste colonialism and metabolic flows in island territories', *Journal of Political Ecology*, 29(1), pp. 1-19 [Online]. Available at: [DOI:10.2458/jpe.2836](https://doi.org/10.2458/jpe.2836) (Accessed: 11th December 2023).
- Mcleod, E., Bruton-Adams, M., Forster, J., Franco, C., Gaines, G., Gorong, B., James, R., Posing-Kulwaum, G., Tara, M. and Terk, E. (2019) 'Lessons From the Pacific Islands: Adapting to Climate Change by Supporting Social and Ecological Resilience', *Frontiers in Marine Science*, 6(289), [Online]. Available at: [doi: 10.3389/fmars.2019.00289](https://doi.org/10.3389/fmars.2019.00289) (Accessed: 17th December 2023).
- Micheletti, T., Fonseca, F., Mangini, P., Serafini, P., Krul, R., Mello, T., Freitas, M., Dias, R., Silva, J., Marvulo, M., Araujo, R., Gasparotto, V., Abrahao, C., Reboucas, R., Toledo, L., Siqueira, P., Duarte, H., Moura, M., Fernandes-Santos, R. and Russell, J. (2020) 'Terrestrial invasive species on Fernando de Noronha Archipelago: what we know and the way forward', in Vinicius Londe (ed.) *Invasive species: ecology, impacts, and potential uses*. New York: Nova Science Publishers, pp. 51-94.
- Moors, P., Atkinson, I. and Sherley, G. (2010) 'Reducing the rat threat to island birds', *Bird Conservation International*, 2(2), pp. 93-114 [Online]. Available at: [doi: 10.1017/S0959270900002331](https://doi.org/10.1017/S0959270900002331) (Accessed: 15th December 2023).
- Morgan, G. (2011) *Island Predators*, Available at: <https://community.rspb.org.uk/placestovisit/ramseyisland/b/ramseyisland-blog/posts/island-predators> (Accessed: 14th December 2023).
- Morgan, G. (2016) *The Rise of the Shearwater!*, Available at: <https://community.rspb.org.uk/placestovisit/ramseyisland/b/ramseyisland-blog/posts/the-rise-of-the-shearwater> (Accessed: 16th December 2023).

- Morgan, L. (2023) *Skomer Biosecurity Incursion Response*, Available at: <https://biosecurityforlife.org.uk/blog/2023-04-12-skomer-biosecurity-incursion-response> (Accessed: 17th December 2023).
- Morris, S. (2023) *Meet Jinx, the dog on a mission to protect Welsh bird colonies from rats*, Available at: <https://www.theguardian.com/uk-news/2023/feb/08/meet-jinx-the-dog-on-a-mission-to-protect-welsh-bird-colonies-from-rats> (Accessed: 17th December 2023).
- National Parks UK (2023) *What is a National Park?*, Available at: <https://www.nationalparks.uk/what-is-a-national-park/> (Accessed: 13th December 2023).
- Newman, L., Thompson, B., Aston, C. and Morgan, L. (2022) *SKOMER ISLAND NNR ANNUAL REPORT 2022*, Wales: Wildlife Trust of South and West Wales, Ynys Sgomer/Skomer Island.
- Orlando, G., Varesio, A. and Chamberlain, D. (2021) 'Field evaluation for playback surveys: species-specific detection probabilities and distance estimation errors in a nocturnal bird community', *Bird Study*, 68(1), pp. 78-87 [Online]. Available at: <https://doi.org/10.1080/00063657.2021.1968790> (Accessed: 16th December 2023).
- Pembrokeshire Coast National Park (2023a) *Ramsey*, Available at: <https://www.pembrokeshirecoast.wales/things-to-do/pembrokeshires-islands/ramsey/> (Accessed: 11th December 2023).
- Pembrokeshire Coast National Park (2023b) *About the National Park Authority*, Available at: <https://www.pembrokeshirecoast.wales/about-the-national-park-authority/> (Accessed: 13th December 2023).
- Pembrokeshire Coast National Park Authority (2019) *Management Plan 2020-2024*, Wales: Pembrokeshire Coast National Park Authority.
- Ramsey, P. (2022) *Letting Ramsey back in*, Available at: <https://daftmumblings.com/2022/09/02/letting-ramsey-back-in/> (Accessed: 16th December 2023).
- Ratcliffe, N., Mitchell, I., Varnham, K., Verboven, N. and Higson, P. (2009) 'How to prioritize rat management for the benefit of petrels: a case study of the UK, Channel Islands and Isle of Man', *Ibis*, 151(4), pp. 699-708 [Online]. Available at: <https://doi.org/10.1111/j.1474-919X.2009.00949.x> (Accessed: 16th December 2023).
- Raycraft, J. (2019) 'Circumscribing communities: Marine conservation and territorialization in southeastern Tanzania', *Geoforum*, 100, pp. 128-143 [Online]. Available at: <https://doi.org/10.1016/j.geoforum.2018.12.011> (Accessed: 13th December 2023).
- Royal Society for the Protection of Birds (2023) *RSPB Statement of Governance*, United Kingdom: Royal Society for the Protection of Birds.
- Royal Society for the Protection of Birds (n.d) *Ramsey Island*, Available at: <https://www.rspb.org.uk/days-out/reserves/ramsey-island> (Accessed: 11th December 2023).
- Russell, J., Towns, D. and Clout, M. (2008) 'Review of rat invasion biology', *Science for Conservation*, 1(53), pp. [Online]. Available at: <https://hdl.handle.net/2292/58348> (Accessed: 17th December 2023).

- Vernon, S., Mouchet, M., Govaerts, R., Haevermans, T. and Pellens, R. (2019) 'Vulnerability to climate change of islands worldwide and its impact on the tree of life', *Scientific Reports*, 9, [Online]. Available at: <https://doi.org/10.1038/s41598-019-51107-x> (Accessed: 17th December 2023).
- Visit Pembrokeshire (2023) *Grassholm Island, Pembrokeshire, Wales*, Available at: <https://www.visitpembrokeshire.com/explore-pembrokeshire/wildlife-and-nature/grassholm-island> (Accessed: 14th December 2023).
- Voyages of Discovery (2023) *Birds*, Available at: <https://www.ramseyisland.co.uk/wildlife/birds/> (Accessed: 14th December 2023).
- Wales Council for Voluntary Action (2023) *The Wellbeing of Future Generations Act*, Available at: <https://wcva.cymru/influencing/legislation/the-wellbeing-of-future-generations-act/> (Accessed: 17th December 2023).
- Wallman, D., Wells, E. and Rivera-Collazo, I. (2017) 'The Environmental Legacies of Colonialism in the Northern Neotropics: Introduction to the Special Issue', *Environmental Archaeology*, 23(1), pp. 1-3 [Online]. Available at: <https://doi.org/10.1080/14614103.2017.1370857> (Accessed: 11th December 2023).
- Welsh Government (2018) *Valued and Resilient: The Welsh Government's Priorities for Areas of Outstanding Natural Beauty and National Parks*, Wales: Welsh Government.
- Welsh Government (2021) *Well-being of Future Generations (Wales) Act 2015: the essentials*, Available at: <https://www.gov.wales/well-being-future-generations-act-essentials-html#60668> (Accessed: 17th December 2023).
- Wildlife Management International Limited (2016) *About Us*, Available at: <https://www.wmil.co.nz/> (Accessed: 15th December 2023).
- Wildlife Trust of South and West Wales (n.d.a) *Wildlife And History Of Skomer Island*, Available at: <https://www.welshwildlife.org/wildlife-and-history-skomer-island> (Accessed: 14th December 2023).
- Wildlife Trust of South and West Wales (n.d.c) *Cardigan Island, Gwbert, Ceredigion*, Available at: <https://www.welshwildlife.org/nature-reserves/cardigan-island-gwbert-ceredigion> (Accessed: 15th December 2023).
- Wildlife Trust of South and West Wales (n.d.b) *Skokholm Island*, Available at: <https://www.welshwildlife.org/nature-reserves/skokholm-island> (Accessed: 14th December 2023).
- Wood, M., Padgett, O., Baker, B., Sutcliffe, S.J., Lindley, P. & Murphy, M. (2022) *A reanalysis of historical population estimates of breeding European Storm Petrels *Hydrobates pelagicus* on Skokholm Island, Wales, United Kingdom*: Natural Resources Wales.