

Programme: Msc In Public Health and Social Care In Practice

Student Name: Pinalkumari Dhansukhbhai Patel

Student Numbers: 2529442

Module: Quality Assurance and Service Improvements

Module Code: LCHS7006

Lecturer: Dilhara Mampitiya

Assignment Title: Component 2 Service Improvement Report

Table of Contents

1. Introduction	3
Background	4
Quality problem	4
Why it matters	4
2. Main Body	5
2.1 Root Cause Analysis – Fishbone	5
2.3 Donabedian Model	7
2.4 SWOT Analysis.....	8
2.5 Critical Analysis	8
3. Recommendations	9
4. Conclusion	11
5. References	13

List of Abbreviations

Abbreviations	Meaning
NHS	National health service
PDSA	Plan – Do – Study – AcT
SWOT	Strengths, weaknesses, opportunities, threats
NICE	National Institute for Health and Care Excellence
RN	Registered Nurse

1. Introduction

Background

Mid Staffordshire NHS Foundation Trust including Stafford Hospital was linked to serious failures in quality of care between 2005 and 2009. In their investigation, the Francis Inquiry found cases of basic patient care, staffing, leadership, governance, communication and information use (The Health Foundation, 2023). The Francis Inquiry showed that these problems did not result from one lone clinical error. They evolved instead through organization-wide weaknesses and weaknesses in the wider governance system. The Mid Staffordshire trust was at the centre of one of the biggest scandals to hit the NHS when it emerged that an estimated 400-1,200 patients had died as a result of poor care between January 2005 and March 2009 at Stafford hospital (The Guardian, 2015).

Quality problem

The major issue can thus be defined as a systemic failure in quality assurance and patient safety. The matter at hand was caused by weaknesses at many levels, not just poor individual performance. The Francis Inquiry produced 290 recommendations, covering patient-care standards, organisational culture, leadership, information use, openness and compassionate nursing (Nursing and Midwifery Council, 2015). According to researchers, the case exhibited severe inadequacies in governance and leadership. Significantly, there was a caution before the last inquiry. During the period of 2007–2008, a national study which involved monitoring the mortality surveillance system of Imperial College generated six mortality alerts for Mid Staffordshire. These alerts prompted additional exploration regarding emergency treatment (Cecil et al., 2019). The issue was not merely a lack of information; there were difficulties in the organisation and system as a whole in seeing, sensing and responding to warning signals.

Why it matters

The significance of the Mid Staffordshire case lay in the fact that it demonstrated how a failure in quality assurance might lead directly to patient safety and quality of care issues. Patients were not treated with dignity, communication and compassion, the basics of good care. (Saunders, 2013) The Francis Inquiry conducted by Robert Francis found failures at various levels within the organisation and made 290 recommendations for better patient care along with improving leadership, openness and governance (Powell, 2013).

The mortality and contra-indications were also a major concern in the case. Previous investigations found particularly high death rates. Later evidence contributed to broader concerns about the safety of care at the Trust. The excess mortality figures should not be

taken to mean that every additional death was due to bad care. However, the case shows why mortality data requires scrutiny along with patient experience, staffing and clinical-quality data.

Staff experience and organisational culture also suffered due to the crisis. The failure of leadership and communication made it difficult to recognise and act on concerns. Chambers et al. (2019) characterize the case as a significant failure of governance and leadership. Ultimately, the scandal hurt public trust and organisational accountability. Patients and families should feel confident that their concerns will be taken seriously and acted upon. Consequently, going through Mid Staffordshire shows that quality assurance with regard to care requires strong leadership, honest reporting, patient involvement and continuous monitoring.

2. Main Body

2.1 Root Cause Analysis – Fishbone




2.2 5 Whys


WHY 1	WHY 2	WHY 3	WHY 4	WHY 5
Why did patients experience unsafe and inadequate	Why was essential care missed or inadequate?	Why were staffing and care processes inadequate?	Why did management priorities compete with patient safety?	Why did the organisation fail to correct deteriorating quality?
Essential care was sometimes missed, delayed or delivered below expected standards. Evidence examined by the Francis Inquiry identified failures in fundamental care, patient-centredness and compassion. The problem therefore affected both clinical safety and patients' dignity and experience, rather than being limited to isolated clinical incidents (The Kings Fund, 2024).	Staffing pressures, workload, supervision and care processes reduced the organisation's capacity to deliver consistent care (Wei et al., 2024). The issue should not be attributed simply to individual nurses. Workforce pressures interacted with management and organisational systems, creating conditions in which poor standards could persist and frontline staff had limited ability to correct wider problems (Catalyst, 2024).	Management decisions and resource allocation did not sufficiently protect patient safety. Financial and operational pressures competed with quality priorities. Mid Staffordshire was clinically and financially unsustainable in its existing form, demonstrating that resource problems and quality problems were closely connected.	Organisational performance, financial pressures and Foundation Trust objectives influenced decision-making. This created a risk that measurable organisational targets received greater attention than patient experience and safety. The critical issue was therefore not policy alone, but how organisational leaders interpreted and balanced competing priorities.	Governance, monitoring and organisational culture were insufficiently strong to identify, escalate and correct risks. The Francis Inquiry made 290 recommendations, including stronger accountability, performance oversight, complaints handling, information, leadership and openness (Rafferty and Leary, 2023).

2.3 Donabedian Model

Donabedian's model analyzes structure process and outcome for health care quality. The organisation will ensure the delivery of care to patients in an environment that enables them to do so effectively. In a study involving 386 hospital departments, strong relationships were found between structure and process ($r=0.72$) and structure and outcome ($r=0.60$) (Kunkel et al., 2007).



2.4 SWOT Analysis



2.5 Critical Analysis

The combined analysis of the four models depicts that the Mid Staffordshire incident failed in systemic quality assurance rather than an individual health worker failure. Fishbone analysis identifies the interacting causes of staffing, leadership, communication, governance, financial pressures and care environment. Organisational conditions and frontline practice are crucial to the quality of health care, which is key. The result of the Francis Inquiry was 290 recommendations indicating the problems were systemic, being at multiple organisational levels.

The 5 Whys analysis strengthens this finding by moving from unsafe care to deeper organisational causes. Missed or inadequate care can be linked to staffing and supervision problems, which were influenced by management and resource decisions. These were then connected to wider organisational priorities and weaknesses in governance and safety culture. Therefore, the analysis avoids the simplistic conclusion that individual nurses were

responsible for poor care. Instead, it identifies a chain in which weaknesses reinforced each other.

The Donabedian Model delivers another perspective on quality by linking structure, process and outcome. The term 'structure' encompasses aspects such as staffing, leadership, resources and governance; 'process' refers to communication, monitoring and care delivery; and 'outcomes' refer to safety, experience and health outcomes. Donabedian's framework which remains widely used to measure health care quality, and systematic research shows structurally and process indicator can affect the outcome (Tossaint-Schoenmakers et al., 2021). Mid Staffordshire fits this as flaws in organisational constructs could create conditions for poor care processes and then further poorer outcomes.

A systematic review identified a very high number of indicators of quality in care. There were 175 structure indicators, 84 process indicators and 88 outcome indicators. This shows the complexity of quality in care, as well as the great number of interactions between those indicators (Tossaint-Schoenmakers et al., 2021). Consequently, the existence of mortality or dissatisfaction among patients is not primarily due to one deficient structure.

The SWOT analysis takes the report from diagnosis to strategic planning. The existing governance arrangements, professional standards and quality-monitoring systems of the NHS, perform strength whereas weak leadership, staffing pressures and inadequate communications represent a weakness. Enhanced participation of patients, strengthening mechanism for staff to speak up, and integrated quality dashboards all present opportunities. The dangers include not having enough money or workers and people not wanting to change. Importantly, SWOT cannot be relied upon to ascertain causation. The main value is strategic, as it identifies where current strengths can be applied to address weaknesses and threats. SWOT was recently subjected to methodological criticism, which argued that it was too simple and static for the complex environment of organisations (Mun Yao, 2026).

3. Recommendations

Recommendation 1: Strengthen safe staffing and workforce governance

The Mid Staffordshire case showed that staffing pressures can impact patient care. The recommendation is to deploy an evidence-based approach to staffing assessment using patient acuity, dependency, turnover and skill mix, not fixed staffing numbers. There is an unique nurse to patient ratio (1:3) which is suitable for all acute wards, the staffing need has to be assessed based on patients' needs (Sharma and Rani, 2020). It also advises assessment and escalation on the same day when there are inadequate staff. Therefore, organisations ought to monitor vacancies, sickness, turnover, agency use, overtime and

missed care indicators on a monthly basis. If staffing falls below the assessed requirements, swift action needs to take place formal escalation process. More than 25% or more than eight registered-nurse hours on a shift is identified as a red-flag event (Ford, 2014). This recommendation responds to the Fishbone findings on people, resources and management.

Recommendation 2: Strengthen leadership and safety culture

A significant system-level discovery was weak leadership and poor communication. The introduction of structured leadership development, multidisciplinary safety meetings on a regular basis and visible executive responsibility for quality should be implemented by the Trust. Leaders at all levels should examine patient-safety trends and interact with staff and patients. This supports existing guidance from NHS England, which states that psychological safety, the ability to learn, and the ability to speak up are foundational positive safety culture (NHS England, 2024). According to Delpino et al (2023), staff should have a Safe Working Environment route to report safety concerns without fear of reprisal. According to NHS England (2026), NHS England aims to enable staff to feel safe and confident to speak up, and leaders to view concerns as opportunities for learning.

Recommendation 3: Strengthen patient and family voice

The Francis case highlighted the need to listen to patients and their families. It is important that the Trust has a systematic way of collecting, analysing and escalating complaints, compliments, patient-experience surveys and family concerns. A dashboard showing patient experience must be consulted with clinical measures at board and ward level. The analysis of complaints must not just involve their tallying; it must also focus on common themes that aid in determining trends and root causes of risks. Patients and their families ought to be involved in service reviews, safety committees and improvement projects. This approach helps to create a more encompassing safety culture where patients, service users, families and carers are recognised as contributors to safer care. NHS England outlines that a positive safety culture is created through involvement of the patient and family and importantly learning, not blaming (NHS England, 2025). This effectively responds to the desire to strengthen complaint handling, communication, dignity and patient-centred care.

Recommendation 4: Improve quality monitoring and early-warning systems

The Trust should provide an integrated dashboard for quality and safety that includes pertinent information. Staffing, falls, pressure ulcers, medication incidents, infections, complaints, missed care, patient experience and mortality should be included as indicators. The thresholds for escalation should be defined and there should be a regular review of these measures at ward level, executive level and board level. When too much importance is placed on one

performance measure, deterioration elsewhere can be hidden. For example, NICE's safe-staffing guidance recommends monitoring staffing requirements and nursing red-flag events, rather than establishment numbers alone. Thus, the evidence dashboard should combine hard data with staff and patient intelligence.

PDSA Evaluation of the Recommendations

PLAN	Select one ward and establish baseline data for staffing, missed care, complaints, falls and patient experience. Set measurable improvement targets and define responsibilities.
DO	Implement the staffing assessment, safety meetings, patient-feedback dashboard and integrated quality dashboard on the pilot ward for a defined period.
STUDY	Compare results with baseline. Examine whether staffing adequacy, missed care, complaints, patient experience and safety indicators improved. Include staff and patient feedback to understand unintended effects.
ACT	If improvement is demonstrated, adapt the intervention and expand it to other wards. If results are weak, identify barriers, modify the intervention and begin another PDSA cycle. This supports continuous learning rather than one-off implementation .

4. Conclusion

The Mid Staffordshire case shows the failure was systemic rather than simply due to individual clinical errors. The Fishbone assessment revealed problems that link together staffing, workload, leadership, communication, financial pressures, governance and the care environment. The 5 Whys analysis revealed that underlying causes of weaknesses in organisational priorities and safety culture allowed the provision of poor care to continue. The Francis Inquiry found that there were failures at different levels of the health system and produced 290 recommendations. This interpretation is consistent with this finding.

Current quality-assurance mechanisms were not robust enough, the analysis found. Even when information and warning signals were available, they were not always linked to escalation and corrective action. In light of weak leadership, organisation insufficient response, insufficient books, poor communication and little patient engagement, the capacity to detect and respond to deterioration was reduced. The Donabedian Model furthermore showed how weak organisation structures led to poor care processes and consequences. Then SWOT analysis pinpointed the internal strengths and opportunities of the organisation that could facilitate improvements, as well as such threats caused by finances and workforce.

This means that merely implementing policies or setting new targets will not contribute to sustainable improvement. It needs continuous observation, learning and accountability. By implementing stronger leadership, safe staffing, improved quality intelligence, patient and family engagement, and protected mechanisms for staff to raise concerns, problems can be identified earlier. Measures introduced through the post-Francis response included transparent staffing reporting, complaints reporting, stronger incident reporting and a national patient-safety programme.

In conclusion, rather than being a recommendation, PDSA is a practicable way of assessing recommendations and making improvements. Testing, measuring, learning and adapting on a small scale can help ensure improvements actually work and are sustainable. The core message that one can take away from Mid Staffordshire is that quality assurance must be continuous, patient-centred and advocated by strong leadership, reliable information and a culture that hears and acts on concern.

5. References

- Campbell, D. (2013). *Mid Staffs hospital scandal: the essential guide*. [online] Available at: <https://www.theguardian.com/society/2013/feb/06/mid-staffs-hospital-scandal-guide>.
- Catalyst (2024). *Front line: Managers and organizations key to retention*. [online] Catalyst.org. Available at: <https://www.catalyst.org/insights/2024/frontline-employee-team-dynamics> [Accessed 12 Aug. 2026].
- Cecil, E., Bottle, A., Esmail, A., Vincent, C. and Aylin, P. (2019). What is the relationship between mortality alerts and other indicators of quality of care? A national cross-sectional study. *Journal of Health Services Research & Policy*, [online] 25(1), pp.13–21. doi:10.1177/1355819619847689.
- Chambers, N., Smith, J., Proudlove, N., Thorlby, R., Kendrick, H. and Mannion, R. (2019). Roles and behaviours of diligent and dynamic healthcare boards. *Health Services Management Research*, 33(2), pp.96–108. doi:10.1177/0951484819887507.
- Delpino, R., Lees-Deutsch, L. and Solanki, B. (2023). ‘Speaking up’ for patient safety and staff well-being: A qualitative study. *BMJ Open Quality*, [online] 12(2), p.e002047. doi:10.1136/bmj-oq-2022-002047.
- Ford, S. (2014). *NICE sets out guidance on safe nurse staffing levels for hospitals | nursing times*. [online] Nursing Times. Available at: <https://www.nursingtimes.net/leadership/nice-sets-out-guidance-on-safe-nurse-staffing-levels-for-hospitals-15-07-2014/> [Accessed 12 Aug. 2026].
- GOV.UK (2013). *Francis report on mid staffs: Government accepts recommendations*. [online] GOV.UK. Available at: <https://www.gov.uk/government/news/francis-report-on-mid-staffs-government-accepts-recommendations> [Accessed 12 Aug. 2026].
- Healthwatch (2026). *Our views on the government’s response to the Francis Inquiry*. [online] Healthwatch.co.uk. Available at: <https://www.healthwatch.co.uk/response/2013-11-19/our-views-governments-response-francis-inquiry> [Accessed 12 Aug. 2026].
- Kunkel, S., Rosenqvist, U. and Westerling, R. (2007). The structure of quality systems is important to the process and outcome, an empirical study of 386 hospital departments in Sweden. *BMC Health Services Research*, 7(1). doi:10.1186/1472-6963-7-104.
- Lynas, K. (2015). The leadership response to the francis report. *Future Hospital Journal*, [online] 2(3), pp.203–208. doi:10.7861/futurehosp.2-3-203.

Munyao, J.M. (2026). Criticisms of the SWOT analysis model: A strategic planning approach. *International Journal of Research in Social Science and Humanities (IJRSS)* ISSN:2582-6220, DOI: 10.47505/IJRSS, [online] 7(3), pp.40–47. doi:10.47505/IJRSS.2026.3.5.

Nantsupawat, A., Poghosyan, L., Wichaikhum, O.A., Kunaviktikul, W., Fang, Y., Kueakomoldej, S., Thienthong, H. and Turale, S. (2021). Nurse staffing, missed care, quality of care and adverse events: A cross-sectional study. *Journal of Nursing Management*, 30(2), pp.447–454. doi:10.1111/jonm.13501.

NHS England (2024). *NHS England » Safety culture*. [online] www.england.nhs.uk. Available at: <https://www.england.nhs.uk/patient-safety/patient-safety-culture/safety-culture/> [Accessed 12 Aug. 2026].

NHS England (2025). *Improving patient safety culture – A practical guide*. [online] *NHS England*. NHS. Available at: <https://www.england.nhs.uk/long-read/improving-patient-safety-culture-a-practical-guide/> [Accessed 12 Aug. 2026].

NHS England (2026). *NHS England » freedom to speak up development and support*. [online] *England.nhs.uk*. Available at: <https://www.england.nhs.uk/ourwork/freedom-to-speak-up/freedom-to-speak-up-development-and-support/> [Accessed 12 Aug. 2026].

Nursing and Midwifery Council (2015). *Francis report - our position*. [online] *Nursing and Midwifery Council*. Available at: <https://www.nmc.org.uk/about-us/policy/position-statements/francis-report/> [Accessed 12 Aug. 2026].

Powell, T. (2013). The francis report (report of the mid-staffordshire NHS Foundation Trust Public Inquiry) and the government's response. *commonslibrary.parliament.uk*, [online] 1(1). Available at: <https://commonslibrary.parliament.uk/research-briefings/sn06690/> [Accessed 12 Aug. 2026].

Rafferty, A.M. and Leary, A. (2023). Nursing notes on a scandal. *Future Healthcare Journal*, 10(1), pp.3–6. doi:10.7861/fhj.2023-FR102.

Saunders, J. (2013). Doctors and others: Reflections on the first francis report. *Clinical Medicine*, [online] 13(2), pp.132–135. doi:10.7861/clinmedicine.13-2-132.

Sharma, S.K. and Rani, R. (2020). Nurse-to-patient ratio and nurse staffing norms for hospitals in India: A critical analysis of national benchmarks. *Journal of Family Medicine and Primary Care*, [online] 9(6), pp.2631–2637. doi:10.4103/jfmpc.jfmpc_248_20.

The Guardian (2015). *The problem with the figures on deaths at Stafford hospital* | Chris Elliott. [online] *the Guardian*. Available at:

<https://www.theguardian.com/commentisfree/2015/nov/01/the-problem-with-the-figures-on-deaths-at-stafford-hospital> [Accessed 12 Aug. 2026].

The Health Foundation (2023). *About the Francis Inquiry*. [online] *The Health Foundation*. Available at: <https://www.health.org.uk/reports-and-analysis/briefings/about-the-francis-inquiry> [Accessed 12 Aug. 2026].

The Kings Fund (2024). *The francis inquiry: Creating the right culture of care*. [online] *The King's Fund*. Available at: <https://www.kingsfund.org.uk/insight-and-analysis/projects/francis-inquiry-creating-right-culture-care> [Accessed 12 Aug. 2026].

Tossaint-Schoenmakers, R., Versluis, A., Chavannes, N., Talboom-Kamp, E. and Kasteleyn, M. (2021). The challenge of integrating eHealth into health care: Systematic literature review of the Donabedian model of structure, process, and outcome. *Journal of Medical Internet Research*, [online] 23(5), p.e27180. doi:10.2196/27180.

Wei, N., Wang, Z., Li, X., Zhang, Y., Zhang, J., Huang, Z. and Wang, X. (2024). Improved staffing policies and practices in healthcare based on a conceptual model. *Frontiers in Public Health*, 12. doi:10.3389/fpubh.2024.1431017.

While, A. (2015). Can we learn from the mid-staffordshire inquiry or is it always someone else's problem? *London Journal of Primary Care*, [online] 7(2), pp.23–24. doi:10.1080/17571472.2015.11493431.