

Mental disorders and psychopathology

BMHP6006

Assessment 1

Supporting paper

By: ELizabeth Molineros

Student Number: 2020078

What is ADHD

Attention-Deficit/Hyperactivity Disorder, commonly known as ADHD. ADHD is a neurodevelopmental condition that affects a person's ability to focus, control their impulses, and remain still for extended periods. This condition can significantly impact an individual's

daily life, making it difficult to stay on task, regulate behavior, and manage their energy levels.

People with ADHD often struggle with maintaining focus on activities or tasks, particularly those that are repetitive or require sustained mental effort. They may find themselves easily distracted, frequently shifting from one activity to another without completing any of them. Additionally, impulsivity is a common challenge, leading individuals to act on impulses without fully considering the consequences. This impulsivity, coupled with high energy levels, can make it difficult for them to remain still or calm in situations where it is expected.

The symptoms of ADHD can be particularly challenging in environments like school or work, where focus, organization, and self-discipline are essential for success. Children with ADHD may find it hard to concentrate in class, complete assignments, or sit still during lessons, which can affect their academic performance. Similarly, adults with ADHD might struggle with meeting deadlines, staying organized, or maintaining consistent work performance, all of which can impact their careers. Relationships with others can also be strained, as the impulsive behavior and difficulty in paying attention can lead to misunderstandings or conflicts.

ADHD is often diagnosed in childhood, as the symptoms typically become noticeable when a child begins school and faces the demands of the classroom. However, it is important to note that ADHD is not something that individuals simply "grow out of." Many people continue to experience symptoms well into adulthood, requiring ongoing management and support.

Understanding ADHD as a real and impactful condition is crucial for those who have it and for those around them. With the right support, including therapy, medication, and accommodations at school or work, individuals with ADHD can learn strategies to manage their symptoms more effectively. It's important for society to recognize the challenges of ADHD and to offer the empathy and assistance needed to help those affected navigate their lives more successfully.

ICD-10

ADHD is officially recognized as a medical condition in the International Classification of Diseases, 10th Revision (ICD-10), a global system used by healthcare professionals to identify and classify various health issues. This recognition ensures that ADHD is acknowledged worldwide as a legitimate disorder, allowing for consistent diagnosis and treatment across different countries and medical systems.

Within the ICD-10, ADHD is grouped with other conditions that involve excessive activity and impulsivity, collectively known as hyperkinetic disorders. This classification highlights the core symptoms of ADHD, such as hyperactivity and impulsiveness, which can significantly impact an individual's ability to function in daily life.

ADHD is assigned a specific code in the ICD-10 system—F90. This code serves as a label that healthcare providers use to accurately identify and document the condition in medical

records. The use of this code ensures that ADHD is consistently recognized and treated according to established medical guidelines.

Within the broader category of ADHD, the ICD-10 further differentiates between types of the disorder. For example, the code F90.0 is used to describe the type of ADHD that involves difficulties with attention and excessive activity. This level of detail helps doctors pinpoint the specific nature of a person's ADHD, allowing for more tailored and effective treatment plans.

Causes for the development of ADHD

ADHD, or Attention Deficit Hyperactivity Disorder, is influenced by a range of factors, with genetics being a key component. It frequently runs in families, suggesting that if a parent or close relative has ADHD, there is a higher chance that others in the family may also have the condition.

People with ADHD often have brains that work differently, particularly in regions that manage attention, behavior, and impulse control. These neurological differences can make it harder for individuals with ADHD to focus, regulate their impulses, and stay organized.

Chemical imbalances in the brain, especially with dopamine, are also linked to ADHD. Dopamine is a neurotransmitter that plays a crucial role in attention, motivation, and reward. When its levels are out of balance, it can lead to the challenges with focus and self-control that are common in ADHD.

Environmental factors also play a role in the development of ADHD. For example, exposure to substances like tobacco or alcohol during pregnancy, or high levels of stress, can increase the risk of a child developing ADHD. Additionally, difficult experiences during childhood, such as family problems or significant stress, can sometimes trigger or intensify ADHD symptoms, making it harder to manage the condition.

Recognizing these factors helps in understanding ADHD better and highlights the importance of a comprehensive approach to treatment and support for those affected.

How ADHD is diagnosed

Diagnosing ADHD is a detailed process that requires a thorough evaluation by healthcare professionals, following established guidelines from organizations like NICE (National Institute for Health and Care Excellence). This process ensures that the diagnosis is accurate and tailored to the individual's needs.

The evaluation typically includes interviews with the individual and their family to gather detailed information about behaviors, challenges, and any history of similar issues. Standardized assessment tools are used during this process to objectively measure symptoms and their impact.

A multidisciplinary team of experts, which may include doctors, teachers, and psychologists, collaborates to gain a comprehensive understanding of the person's behavior and needs. This team approach ensures that all aspects of the individual's life are considered.

Insights from observations and questionnaires filled out by teachers and family members provide valuable information about the individual's behavior in different settings, such as at home and in school. These observations are crucial for understanding how ADHD affects the person across various environments.

Reviewing the individual's educational history is also an important part of the diagnostic process, as it helps identify any previous interventions or patterns that might indicate ADHD. This review can reveal how the individual has coped with challenges over time.

It's essential to consider environmental and cultural factors during the diagnosis to ensure that the evaluation is culturally sensitive and relevant to the individual's background. This helps avoid misunderstandings or misdiagnoses that might arise from cultural differences in behaviour or expectations.

In summary, diagnosing ADHD requires a comprehensive approach that takes into account the individual's entire life and experiences, ensuring a well-rounded and accurate diagnosis.

History of ADHD

Historically, ADHD was widely misunderstood and often attributed to moral failings, with individuals being unfairly labeled as lazy or undisciplined. This misconception led to a lack of proper support and treatment for those affected, as their behavior was seen as a character flaw rather than a medical issue.

It wasn't until the mid-20th century that experts began to recognize that these behaviors were actually linked to underlying brain issues. At that time, the condition was referred to as "Minimal Brain Dysfunction," marking the beginning of a shift toward understanding ADHD as a neurological disorder rather than a behavioral problem.

In the 1950s, stimulant medications that were initially developed for other conditions began to be used to treat symptoms of ADHD. These medications helped to manage the difficulties with attention and hyperactivity, providing a new and effective approach to treatment.

Today, ADHD is recognized as a legitimate disorder, and our understanding has evolved significantly. Treatments are now specifically targeted to address the challenges associated with attention, impulsivity, and hyperactivity, allowing for more effective management of the condition. This modern understanding underscores the importance of viewing ADHD through a medical lens, rather than as a simple issue of willpower or discipline.

The NHS and ADHD

ADHD treatments provided by the NHS include a combination of medication and therapy to help manage symptoms. Medications, often in the form of pills, are commonly prescribed to improve focus and impulse control, making it easier for individuals with ADHD to manage their daily tasks and responsibilities.

In addition to medication, therapy sessions are an important part of treatment. These sessions can help individuals develop strategies for coping with their symptoms and improving their behavior. For parents, the NHS offers training programs designed to help them manage their child's behavior more effectively. These programs teach techniques for reinforcing positive actions and addressing challenging behaviors in a constructive way.

Schools also play a crucial role in supporting children with ADHD. They can provide accommodations such as extra time for tests, which can help students manage their symptoms in an academic setting and perform to the best of their abilities.

Lifestyle changes are another important aspect of managing ADHD. Regular physical activity, such as playing outside, getting sufficient sleep, and maintaining a healthy diet, can all contribute to better focus and behavior. Additionally, some families explore alternative therapies, like music therapy, which can offer additional support and help in managing the condition.

Overall, ADHD treatment through the NHS is comprehensive, combining medical, therapeutic, and lifestyle approaches to provide the best possible support for individuals with ADHD and their families.

ADHD treatments

When working with individuals with ADHD, it's essential to recognize that the condition is rooted in brain differences, making empathy a vital part of any approach. Understanding that ADHD is not a matter of willpower but a neurological challenge helps in offering the appropriate support.

Tailoring interventions to each person's unique needs and strengths is crucial for ensuring that these strategies are effective. What works for one individual might not work for another, so customizing approaches helps in addressing specific challenges while also leveraging the person's inherent strengths.

Encouraging positive behaviors through positive reinforcement is another key strategy. By recognizing and rewarding good actions, you can help boost the individual's confidence and motivation, which are often impacted by the struggles associated with ADHD.

It's also important to be patient and adaptable, as ADHD symptoms can vary widely from person to person and even from day to day. Involving individuals in decision-making and goal-setting not only helps tailor interventions but also fosters a sense of empowerment and ownership over their progress.

Lastly, staying informed about the latest ADHD research and continuously updating strategies ensures that the support provided is both current and effective. This commitment to ongoing learning is essential in offering the best possible care and assistance to those with ADHD.

Eight slide

My Recommendations

To enhance ADHD management, raising public awareness through targeted campaigns is essential for reducing stigma and promoting a better understanding of the condition. These efforts help create a more informed and compassionate society, where individuals with ADHD are supported rather than judged.

Implementing collaborative care models that involve various professionals, such as doctors, therapists, educators, and social workers, ensures that individuals with ADHD receive comprehensive and coordinated support. This team-based approach addresses the diverse needs of those with ADHD, providing more effective and holistic care.

Expanding the availability of evidence-based treatments, including medication and therapy, is also crucial. Making these treatments more accessible allows individuals to manage their symptoms more effectively and improve their quality of life.

Tailoring accommodations in schools and workplaces is another important step. Providing extended test times, flexible schedules, and other tailored support helps individuals with ADHD succeed in academic and professional environments by addressing the specific challenges they face.

Finally, increasing access to community-based support services, such as counseling and support groups, offers valuable resources and emotional support. These services create a sense of community and provide individuals and their families with the tools they need to navigate the challenges of ADHD.

Together, these recommendations aim to empower individuals with ADHD and their families, fostering a more supportive and inclusive environment that recognizes and addresses the unique needs of those living with ADHD.

Conclusion

In conclusion, by implementing recommendations such as awareness campaigns, early diagnosis, collaborative care, treatment accessibility, tailored accommodations, and community support services, we can work towards improving the management of ADHD. These efforts aim to empower individuals with ADHD and their families, reduce stigma, and foster a more supportive and inclusive environment for all. Together, we can enhance understanding, access to resources, and overall well-being for those affected by ADHD.

References

<https://www.nhs.uk/conditions/attention-deficit-hyperactivity-disorder-adhd/>

<https://adhduk.co.uk/about-adhd/>

<https://kidshealth.org>

<https://www.nimh.nih.gov/health/statistics/attention-deficit-hyperactivity-disorder-adhd>