



Student name: Nicola Ferguson

Student ID: 2334635

Module Name: Introduction to Physiology

Component: 1

Module Code: BMHP5023

Lecturer Name: Bianca Sanfilippo

Table of Contents

Introduction	3
Blood Sugar Regulation	3,4,5
Cell Metabolism: How Oxygen and Glucose Produce Energy	5,6
Importance of Recording and Tracking Blood Sugar Levels	6
Lifestyle Recommendations	7,8
Conclusion	8
References	9

Supporting Patients with Type 2 Diabetes in Primary Care.

Introduction

Diabetes is a long-term health condition that affects how the body controls blood sugar levels. It occurs when the body either does not produce enough insulin or cannot use insulin properly. Insulin is a hormone that helps glucose move from the blood into the body's cells, where it is used for energy. When this process does not work correctly, blood sugar levels can become too high, which can lead to serious health problems over time.

There are different types of diabetes, but Type 2 diabetes is the most common, especially in adults. It is often linked to lifestyle factors and can develop gradually. Common risk factors include being overweight, having a poor diet, lack of physical activity, smoking, and a family history of the condition (NHS, 2023). Age and ethnicity can also increase the risk, with some groups being more at risk than others (Diabetes UK, 2023).

As a practice nurse, it is important to support patients in understanding their condition so they can manage it effectively. Many patients benefit from education about how their lifestyle choices affect their blood sugar levels. By improving their understanding, patients are more likely to engage with their care plans and make positive changes to their health (NICE, 2022).

This report will explain how blood sugar levels are controlled in the body, how glucose and oxygen are used to produce energy, and why monitoring blood sugar levels is important. It will also provide evidence-based recommendations on how lifestyle changes can help patients manage Type 2 diabetes more effectively.

Blood Sugar Regulation

Blood sugar levels in the body are controlled by insulin, a hormone produced by the pancreas. Insulin allows glucose to move from the bloodstream into the body's cells, where it is used for energy. After eating, blood sugar levels rise, and the pancreas releases insulin to bring these levels back down to normal (NHS, 2023).

In people with Type 2 diabetes, this process does not work properly. The body may not produce enough insulin, or the cells may not respond to it effectively. This is known as insulin resistance. As a result, glucose stays in the bloodstream, leading to high blood sugar levels (Diabetes UK, 2023).

Maintaining safe blood sugar levels is very important. High blood sugar (hyperglycaemia) can cause symptoms such as tiredness, increased thirst, and blurred vision. If it continues over time, it can lead to serious complications, including heart disease, kidney damage, and nerve damage (NHS, 2023; World Health Organisation, 2023).

Low blood sugar (hypoglycaemia) can also be dangerous. It can cause dizziness, confusion, and weakness, and in severe cases may lead to loss of consciousness (NICE, 2022).

Another hormone involved is glucagon, which acts in opposition to insulin. When blood sugar levels are too low, glucagon is released to increase them by causing the liver to release stored glucose. This balance between insulin and glucagon helps keep blood sugar levels within a safe range (British Heart Foundation, 2023).

For individuals with Type 2 diabetes, managing this balance often requires medication, along with lifestyle changes such as improving diet and increasing physical activity (NICE, 2022).

When blood sugar levels are not controlled properly over time, it can lead to serious complications such as cardiovascular disease, kidney failure, and vision loss. This is why long-term management is important. Patients also need to understand that factors such as stress, illness, and medication can affect blood sugar levels, so regular monitoring and awareness are essential (NHS, 2023).

In addition, insulin resistance in Type 2 diabetes develops gradually over time. This means the body's cells become less responsive to insulin, so the pancreas must produce more insulin to compensate. Eventually, the pancreas may struggle to keep up with demand, leading to consistently high blood glucose levels. This is why Type 2 diabetes is often progressive and may worsen if not managed effectively (Diabetes UK, 2023).

Long-term high blood glucose levels can also damage blood vessels. This happens because excess glucose can cause inflammation and narrowing of blood vessels, reducing blood flow to vital organs. This increases the risk of complications such as stroke, heart disease, and peripheral neuropathy. Because of this, early diagnosis and lifestyle management are very important in reducing long-term risks (World Health Organisation, 2023).

Healthcare professionals also play a key role in supporting patients through education and regular monitoring. This includes explaining how medication works, encouraging lifestyle changes, and helping patients understand their own blood sugar patterns.

Cell Metabolism: How Oxygen and Glucose Produce Energy

The body needs energy to function, and this energy comes from glucose. Glucose is taken from the food we eat and carried in the bloodstream to the cells. Once inside the cells, glucose is used in a process called cellular respiration.

Cellular respiration is the process by which glucose reacts with oxygen to produce energy. This energy is stored in a molecule called ATP, which the body uses for everyday functions such as movement, breathing, and maintaining body temperature (BBC Bitesize, 2023).

The process can be explained simply as:

Glucose + Oxygen → Energy (ATP) + Carbon Dioxide + Water

Oxygen plays an important role because it allows the body to release energy from glucose effectively. Oxygen is transported around the body in the blood after being inhaled through the lungs.

In people with Type 2 diabetes, this process can be affected because glucose cannot enter the cells properly due to insulin resistance. This means that even though there is glucose in the blood, the cells may not receive enough energy. This can lead to tiredness and reduced physical activity (NHS, 2023).

Over time, high blood sugar levels can damage blood vessels and organs, which is why it is important to manage glucose levels effectively (World Health Organisation, 2023).

In people with Type 2 diabetes, reduced insulin sensitivity means glucose is not efficiently transported into cells. As a result, the body may not be able to produce energy effectively at a cellular level, even when there is plenty of glucose in the bloodstream. This can contribute to symptoms such as fatigue, reduced stamina, and difficulty concentrating.

If glucose is not used effectively for energy, the body may start breaking down fat for energy instead. This can lead to weight loss in some cases, but also an imbalance in metabolism. Over time, consistently high glucose levels can also affect the function of mitochondria, which are responsible for producing ATP. This shows how uncontrolled diabetes can impact energy production at a cellular level (BBC Bitesize, 2023).

Importance of Recording and Tracking Blood Sugar Levels

Monitoring blood sugar levels is an important part of managing Type 2 diabetes. It helps individuals understand how their body responds to food, exercise, and medication (NICE, 2022).

Recording blood sugar levels regularly allows patients to identify patterns. For example, they may notice that their levels increase after certain foods or decrease after physical activity. This helps them make informed decisions about their lifestyle.

Tracking blood sugar levels also helps prevent complications. Keeping levels within a safe range reduces the risk of long-term health problems such as heart disease and kidney damage (Diabetes UK, 2023).

Monitoring also supports healthcare professionals in adjusting treatment plans. If blood sugar levels are consistently too high or too low, medication or lifestyle advice can be changed (NHS, 2023).

Self-monitoring can also improve confidence and independence. Patients who understand their condition are more likely to take control of their health and follow their care plans (NICE, 2022).

Monitoring blood sugar also helps individuals recognise early warning signs. For example, high levels may cause thirst and tiredness, while low levels may cause dizziness. Recognising these signs early allows patients to act quickly.

In addition, keeping records improves communication between patients and healthcare professionals. It supports a more person-centred approach to care, where patients are involved in managing their own condition (SCIE, 2024).

Lifestyle Recommendations

Lifestyle changes are very important in managing Type 2 diabetes. Many risk factors are linked to lifestyle, so making changes can improve health outcomes (NHS, 2023).

A balanced diet is essential. Eating foods such as whole grains, vegetables, and lean protein can help control blood sugar levels. Reducing sugar and processed foods is also important (Diabetes UK, 2023).

Physical activity helps the body use insulin more effectively. Regular exercise can lower blood sugar levels and help with weight management. Activities such as walking or swimming are recommended (British Heart Foundation, 2023).

Smoking increases the risk of complications such as heart disease. Stopping smoking can improve overall health and reduce these risks.

Weight management is also important. Losing weight can improve how the body uses insulin and help control blood sugar levels (NICE, 2022).

Reducing alcohol intake and managing stress can also help. Stress can increase blood sugar levels, so managing it is important for overall health.

Education and support are also key. Patients who understand their condition are more likely to manage it effectively. Support from healthcare professionals and family can help individuals stay motivated (Diabetes UK, 2023).

In addition to diet and exercise, structured diabetes education programmes can significantly improve patient outcomes. These programmes help individuals understand how to self-manage their condition, including how to adjust food choices, monitor symptoms, and respond to changes in blood sugar levels. Research shows that patients who attend structured education programmes are more likely to achieve better blood glucose control (NICE, 2022).

Technology can also support lifestyle management. Many patients now use blood glucose monitors or digital apps to track their readings over time. This makes it easier to identify patterns and share information with healthcare professionals during appointments. It also supports a more proactive approach to managing diabetes.

Social support is another important factor. Patients who feel supported by family, friends, or healthcare professionals are more likely to stick to lifestyle changes. Emotional well-being can also affect physical health, as stress can increase blood glucose levels through hormone changes such as cortisol release. This highlights the importance of a holistic approach to diabetes care (NHS, 2023).

Conclusion

In conclusion, Type 2 diabetes is a common condition that affects how the body controls blood sugar levels. It is often linked to lifestyle factors and can lead to serious complications if not managed properly.

Understanding how blood sugar is regulated, how energy is produced, and the importance of monitoring levels is essential. Recording blood sugar levels helps patients manage their condition safely.

Lifestyle changes such as improving diet, increasing exercise, and stopping smoking can significantly improve health outcomes. By supporting patients with education and guidance, healthcare professionals can help them manage their condition effectively and improve their quality of life.

References

NHS (2023) *Type 2 diabetes*. Available at: <https://www.nhs.uk/conditions/type-2-diabetes/> (Accessed: 21 March 2026).

Diabetes UK (2023) *Diabetes management*. Available at: <https://www.diabetes.org.uk/> (Accessed: 21 March 2026).

NICE (2022) *Type 2 diabetes in adults*. Available at: <https://www.nice.org.uk/guidance/ng28> (Accessed: 21 March 2026).

World Health Organization (2023) *Diabetes*. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes> (Accessed 22 March 2026).

British Heart Foundation (2023) *Diabetes and heart health*. Available at: <https://www.bhf.org.uk/> (Accessed 22 March 2026).

BBC Bitesize (2023) *Cellular respiration*. Available at: <https://www.bbc.co.uk/bitesize> (Accessed: 22 March 2026).

SCIE (2024) *Integrated care*. Available at: <https://www.scie.org.uk/integrated-care/> (Accessed: 22 March 2026).