

A case for humanistic
therapies to be used by the
NHS in the treatment of
adult outpatients with
moderate anorexia nervosa

Research proposal

Research proposal contents

1

OVERVIEW

2

BACKGROUND & CONTEXT

3

AIMS & OBJECTIVES

4

METHODOLOGY / ETHICAL CONSIDERATIONS

5

PROPOSED PLAN OF WORK

6

REFERENCES

Background & context

WHAT IS ANOREXIA?

A severe psychiatric illness; challenging to treat

(W Frank & Shott, 2016; Zipfel et al., 2015)

SIGNS & SYMPTOMS

Behavioural, psychological & physical; co-morbidity of mental health issues

(BEAT, 2017; American Psychiatric Association, 2013; Academy for Eating Disorders, 2016; NHS, 2020a; World Health Organisation, 2019)

WHO IT AFFECTS

More females than males; no 'typical' demographic

(Pilgrim, 2019; O'Neill, 2018)



Background & context

ASSUMPTIONS & PERCEPTIONS

Media is to blame, anorexia is voluntary/self-inflicted - stigma

(O'Neill, 2018; Bannatyne & Stapleton, 2018; Blodgett Salafia et al., 2015)

EFFECTS

Starvation; emaciation; life-threatening health problems

(Pilgrim, 2019; Harding, 2017; NHS 2020b)

TREATMENT

Psychoeducation; monitoring weight, mental and physical health

(NICE, 2017)

Background & context

TREATMENT

Focus on weight gain being key to recovery as a whole – essential to reduce physical effects of starvation

(NICE, 2017; Murray, Loeb & Le Grange, 2018)

Psychotherapy on an outpatient basis – CBT-ED recommended as sole intervention for mild to moderate anorexia as part of 'universal approach' to service delivery

(NICE, 2017; Matrics Cymru, 2017, pp. 6)

EFFICACY

Widely investigated with RCTs (Linardon et al., 2017)

Gap identified between research and 'real world' settings, so studies have also explored CBT-ED effectiveness for adult outpatients to support trial findings

(Rose & Waller, 2017)

Background & context

(Jenkins, Morgan & Houlihan, 2019) (Frostad et al., 2018)

Percentage completing treatment



Percentage that dropped out



Main reason given for dropout



CURRENT LITERATURE

Good outcomes from therapy for adults with anorexia inconsistent (Byrne et al., 2017)

None of the psychological therapies endorsed by NICE (2017) are superior to the other, highlighting a need for other treatment options to be explored (Le Grange, 2016; Byrne et al., 2017)

A new generation of treatments could reach a larger cohort of patients (Munro, Randell & Lawrie, 2017)

Background & context

CURRENT LITERATURE

Interest growing in more holistic approaches to recovery in eating disorders (de Vos et al., 2017)

Supported by recommendations for more person-centred, relationship-based treatment

(Welsh Government Eating Disorder Service Review, 2018)

Highlighted by service users through their own experiences of CBT-ED (Rance, Moller & Clarke, 2015)

CRITICISMS OF CBT-ED

Approach is 'overly focused on and driven by food and weight' - 'Eating disorders are not about food, they're about life'

Participants wanted to be seen as a 'whole' person

Participants wanted to have a 'real' relationship with their therapist

Participants wanted to be able to explore the factors underlying their condition

(Rance, Moller & Clarke, 2015)

SIGNIFICANCE & IMPORTANCE

Impact of Covid-19 on eating disorders – symptoms may have worsened for many as a means of providing control or safety over the situation

(Schlegl et al., 2020; Hempel, Vanderbleek & Lynch, 2018)

Changes to the DSM-V – criteria for diagnosis has been relaxed so it is likely more people are being diagnosed (Mustelin et al., 2016)



- To use the research previously discussed as a platform to explore the suitability of person-centred and emotion focused therapy as alternative approaches to CBT-ED for treating adults with moderate anorexia on the NHS
- Highlight how they could meet the needs of many patients for whom current treatment methods may be unsuitable, as indicated by high dropout levels
- Discuss the feasibility of these approaches being introduced (evidence bases, funding for future research opportunities)

PERSON-CENTRED THERAPY

The concept of being seen as a 'whole' person, having a 'real' relationship with the therapist – discussed in terms of person-centred therapy: the importance of the therapeutic relationship, incongruence and how it relates to anorexia, conditions of worth, I-Thou principles

Being seen as 'whole' and not just 'anorexic' - links to how diagnosis can be stigmatising

PERSON-CENTRED THERAPY

The value of personal experience and the patient being the expert rather than the therapist or medical professional

Despite strong evidence, the likely outcome is that person-centred therapy will remain marginalised in mainstream health services because it is not evidence based



EMOTION FOCUSED THERAPY

EFT has a strong evidence base, which is what policy makers favour

Meets demand for more holistic, humanistic therapies

Helps clients access core pain, or deep underlying issues, which was identified as missing from current treatment options

Emotions are central to the development and maintenance of anorexia so a therapeutic approach that focuses on emotions could be a good fit

(Lavender et al., 2015; Blodgett Salafia et al., 2015)

EMOTION FOCUSED THERAPY

People with anorexia lack the ability to access and identify healthy emotions

Leads to perception that emotional experience is aversive and overwhelming

Results in a need for the eating disorder as a way of avoiding 'feeling'

(Dolhanty & Greenberg, 2009)

Anorexia is due to a lost sense of emotional self which can emerge and be integrated through EFT (Oldershaw, Startup & Lavender, 2019)

EMOTION FOCUSED THERAPY

Two-chair work for the critical 'anorexic voice' and to overcome self-interruptive splits which see the client blocking the experiencing or expression of emotion

(Dolhanty & Greenberg, 2009)

ANTICIPATED OUTCOMES

EFT is more likely than person-centred therapy to be adopted by the NHS for the treatment of moderate anorexia in adults, if only because of its evidence base

More money needs to be made available for studies on eating disorders if there are to be new developments in treatments, which have been highlighted as sorely needed – studies on depression and anxiety receive the lion's share of funding (MQ, 2015)

Integrative literature review - using existing research to explore the future

(Torraco, 2016)

Library or online-based research

Being overly critical of CBT-ED could be seen as biased, especially given that I am a humanistic counselling student – literature review will need to be balanced

Critically evaluate the Rance, Moller & Clarke study to demonstrate awareness of its limitations, achieve balance and avoid bias

Lends more credibility to the work

Proposed plan of work

	Sept	Oct	Nov	Dec	Jan	Feb	Mar
INTRODUCTION							
CHAPTER 1							
CHAPTER 2							
CHAPTER 3							
CHAPTER 4							

Academy for Eating Disorders, (2016). *Eating disorders: A guide to medical care* (3rd ed.), Reston, VA: Johns Hopkins University Press.

American Psychiatric Association, (2013). *Diagnostic and Statistical Manual of Mental Disorders: DSM-V* (5th ed.). Arlington, VA: American Psychiatric Publishing.

Bannatyne, A. & Stapleton, P., (2018). Eating Disorder Patient Experiences of Volitional Stigma Within the Healthcare System and Views on Biogenetic Framing: A Qualitative Perspective. *Australian psychologist*, 53(4), pp.325-338.

BEAT Eating Disorders, (2017). Signs of Anorexia. Available at: <https://www.beateatingdisorders.org.uk/types/anorexia/signs> (Accessed March 7. 2021).

Blodgett Salafia, E. H., Jones, M. E., Haugen, E. C. & Schaefer, M. K., (2015). Perceptions of the causes of eating disorders: a

comparison of individuals with and without eating disorders. *Journal of eating disorders; J Eat Disord*, 3(1), pp. 32.

Byrne, S., Wade, T., Hay, P., Touyz, S., Fairburn, C. G., Treasure, J., Schmidt, U., McIntosh, V., Allen, K., Fursland, A. & Crosby, R. D., (2017). A randomised controlled trial of three psychological treatments for anorexia nervosa. *Psychological medicine; Psychol.Med*, 47(16), pp. 2823-2833.

de Vos, J.A., LaMarre, A., Radstaak, M., Bijkerk, C.A., Bohlmeijer, E. T. and Westerhof, G. J., (2017). Identifying fundamental criteria for eating disorder recovery: a systematic review and qualitative meta-analysis. *Journal of eating disorders; J Eat Disord*, 5(1), pp. 34.

Dolhanty, J., & Greenberg, L. S., (2009). Emotion-focused therapy in a case of anorexia nervosa. *Clinical Psychology and Psychotherapy*, 16(4), 336-382.

Frostad, S., Danielsen, Y. S., Rekkedal, G. Å, Jevne, C., Dalle Grave, R., Rø, Ø. & Kessler, U., (2018). Implementation of enhanced

cognitive behaviour therapy (CBT-E) for adults with anorexia nervosa in an outpatient eating-disorder unit at a public hospital. *Journal of eating disorders; J Eat Disord*, **6**(1), pp. 12.

Harding, M., (2017). Anorexia. What is Anorexia Nervosa? Available at: <https://patient.info/pdf/1806.pdf> (Accessed March 8, 2021).

Hempel, R., Vanderbleek, E., & Lynch, T. R., (2018). Radically open DBT: Targeting emotional loneliness in anorexia nervosa. *Eating disorders*, **26**(1), pp. 92-104.

Jenkins, P., Morgan, C. & Houlihan, C., (2019). Outpatient CBT for Underweight Patients with Eating Disorders: Effectiveness Within a National Health Service (NHS) Eating Disorders Service. *Behavioural and Cognitive Psychotherapy*, **47**(2), pp. 217-229.

Lavender, J., Wonderlich, S., Engel, S., Gordon, K., Kaye, W., & Mitchell, J., (2015). Dimensions of emotion dysregulation in

in anorexia nervosa and bulimia nervosa: A conceptual review of the empirical literature. *Clinical Psychology Review*, **40**, pp. 111-122.

Le Grange, D., (2016). *Anorexia nervosa in adults: The urgent need for novel outpatient treatments that work*. Educational Publishing Foundation.

Linardon, J., Wade, T. D., de la Piedad Garcia, X. & Brennan, L., (2017). The Efficacy of Cognitive-Behavioral Therapy for Eating Disorders: A Systematic Review and Meta-Analysis. *Journal of consulting and clinical psychology; J Consult Clin Psychol*, **85**(11), pp. 1080-1094.

Matrics Cymru, (2017). *Guidance for Delivering Evidence-based Psychological Therapy in Wales*. Available at: <http://www.1000livesplus.wales.nhs.uk/psychological-therapies> (Accessed March 11, 2020).

MQ, (2015). MQ Landscape analysis. Available at: http://b.3cdn.net/joinmq/1f731755e4183d5337_apm6b0g

II.pdf (Accessed March 14, 2021).

Munro, C., Randell, L. and Lawrie, S. M., (2017). An Integrative Bio-Psycho-Social Theory of Anorexia Nervosa. *Clinical Psychology and Psychotherapy*, 24(1), pp. 1-21.

Murray, S. B., Loeb, K. L. & Le Grange, D., (2018). Treatment outcome reporting in anorexia nervosa: time for a paradigm shift? *Journal of eating disorders*, 6(1), pp.10.

Mustelin, L., Silén, Y., Raevuori, A., MD, PhD, Hoek, H. W., Kaprio, J., MD, PhD, & Keski-Rahkonen, A., (2016). The DSM-5 Diagnostic criteria for anorexia nervosa may change its population prevalence and prognostic value. *Journal of Psychiatric Research*, 77, pp. 85-91.

National Institute for Health and Care Excellence (NICE), (2017). Eating disorders: recognition and treatment. Available at: <https://www.nice.org.uk/guidance/ng69/>

resources/eating-disorders-recognition-and-treatment-pdf-1837582159813 (Accessed March 10, 2021).

NHS, (2020a). Overview: Anorexia nervosa. Available at: <https://www.nhs.uk/conditions/anorexia/> (Accessed March 8, 2021).

NHS, (2020b). Treatment: Anorexia nervosa. Available at: <https://www.nhs.uk/conditions/anorexia/treatment/> (Accessed March 8, 2021).

O'Neill, K., (2018). Eating disorders: is inaction tantamount to negligence? *Healthcare Counselling and Psychotherapy Journal*, (18) 1. Available at: <https://www.bacp.co.uk/bacp-journals/healthcare-counselling-and-psychotherapy-journal/january-2018/eating-disorders/> (Accessed March 9, 2021).

Pilgrim, D., (2019). *Key concepts in mental health*. SAGE Publications Limited.

Rance, N., Moller, N.P. and Clarke, V., (2015). 'Eating disorders are not about food, they're about life': Client perspectives on anorexia nervosa treatment. *Journal of Health Psychology*, **22**(5), pp. 582-594.

Rose, C. and Waller, G., (2017). Cognitive-behavioral therapy for eating disorders in primary care settings: Does it work, and does a greater dose make it more effective? *International Journal of Eating Disorders*, 50, pp. 1350-1355.

Schlegl, S., Maier, J., Meule, A., & Voderholzer, U., (2020). Eating disorders in times of the COVID-19 pandemic - Results from an online survey of patients with anorexia nervosa. *The International Journal of Eating Disorders*, **53**(11), pp. 1791-1800.

Torraco, R. J., (2016). Writing Integrative Literature Reviews. *Human Resource Development Review*, **15**(4), pp.404–428.

W Frank, G. K. and Shott, M. E., (2016). The Role of Psychotropic Medications in the Management of Anorexia Nervosa: Rationale, Evidence and Future Prospects. *CNS Drugs*, 30(5), pp. 419-442.

Welsh Government Eating Disorder Service Review, (2018). Available at: <https://gov.wales/sites/default/files/publications/2019-09/welsh-government-eating-disorder-service-review-november-2018.pdf> (Accessed March 9, 2021).

World Health Organisation, (2019). Adolescent mental health: Eating disorders. Available at: <https://www.who.int/news-room/fact-sheets/detail/adolescent-mental-health> (Accessed March 8, 2021).

Zipfel, S., Giel, K. E., Bulik, C. M., Hay, P. & Schmidt, U., (2015). Anorexia nervosa: aetiology, assessment and treatment. *Lancet Psychiatry*, **2**, pp. 1099-1111.