

Name: Maymunah Akhtar

Student Number: 2433756

Module Title: Introduction to Public Health

Module Code: LCHS4008

Lecturer: Gillian Weaver

Assignment Title: The Impact of Heart
Disease on Communities and the NHS

The Impact of Heart Disease on Communities and the NHS

Introduction

Heart disease refers to several conditions that affect how the heart works. The most common type is coronary heart disease, which happens when the blood vessels that supply the heart become narrowed or blocked by fat buildup. This reduces blood flow and oxygen to the heart, which can lead to chest pain, heart attacks, and long-term heart problems. Common symptoms include chest pain, shortness of breath, dizziness, extreme tiredness, and sometimes pain in the arms, back, or jaw.

Heart disease is a massive health issue worldwide. It is responsible for around one in three deaths globally. In the UK, about seven million people are living with heart or circulatory diseases. Because of this high number, heart disease causes a significant impact on individuals, families, communities, and the NHS. It also creates large healthcare costs and requires long-term treatment and support, making it a major public health concern.

1. Consequences of Heart Disease for the Community and the NHS

Impact on individuals and families

Heart disease affects people in ways that can change their daily lives. Many people experience symptoms such as tiredness, breathlessness, or chest pain, which can make normal activities difficult. Some may have to stop working or reduce their physical activity. This can lead to a loss of independence and confidence as they find it difficult doing activities that they once enjoyed doing.

Heart disease also affects mental health. People may feel fear, stress, anxiety, or depression after being diagnosed. A heart attack or hospital stay can be traumatic, and many patients worry about the disease getting worse. These emotional effects can reduce quality of life and make recovery slower.

Families and carers are also impacted. They may have to support the person with appointments, medication, lifestyle changes, or daily activities. This can be stressful and time-consuming. Family members may feel worried about the patient's health or the risk of another heart attack. This creates emotional and financial pressure within the household.

Impact on communities

Heart disease affects communities by increasing the number of people who need healthcare, support services, and long-term care. In some areas, particularly those with high levels of poverty, rates of heart disease are much higher. This can widen health inequalities, as disadvantaged communities often have fewer resources, less access to healthcare, and more exposure to health risks such as smoking, stress, and poor-quality housing.

Communities with high levels of heart disease may see higher levels of sickness, early retirement, and reduced participation in work or community activities. This can weaken community wellbeing and place extra pressure on social and health services.

Impact on the NHS

Heart disease is one of the biggest causes of hospital admissions in the UK. Many people require emergency care for heart attacks, chest pain, or heart failure. These conditions often result in long hospital stays, repeated admissions, and regular follow-up appointments.

Heart failure alone affects around **920,000** people in the UK and leads to repeated hospital stays. This uses many NHS beds and increases waiting times for other patients.

Heart disease is also expensive. The NHS spends billions of pounds each year on diagnosing, treating, and managing conditions such as high blood pressure, heart attacks, heart failure, and high cholesterol. People with heart disease often need lifelong medication, regular check-ups, and ongoing monitoring, increasing long-term healthcare costs. Because of its impact, the NHS identifies cardiovascular disease as a top priority in the NHS Long Term Plan. Reducing heart disease would help improve public health overall and reduce pressure on NHS services.

2. How Heart Disease Is Controlled

Lifestyle and prevention

Preventing heart disease is one of the most effective ways to reduce the number of people affected. Many of the risk factors for heart disease can be managed through lifestyle changes. These include:

- ★ Stopping smoking
- ★ Eating a healthier diet, with less saturated fat and salt
- ★ Exercising regularly
- ★ Reducing alcohol intake
- ★ Maintaining a healthy weight

The NHS offers a free NHS Health Check to people aged 40–74. This check looks for early signs of high blood pressure, high cholesterol, diabetes, and other risk factors. By identifying risks early, people can get support to make changes before the disease develops or worsens.

Medical treatments

Many people need medicines to control their heart disease. These treatments help reduce symptoms, prevent complications, and lower the chance of a heart attack. Common medicines include:

- ★ Statins to lower cholesterol
- ★ Blood pressure medicines like ACE inhibitors or beta blockers
- ★ Blood-thinning medicines to prevent clots
- ★ Nitrates to ease chest pain

More serious cases may need hospital treatment. Procedures like angioplasty, where a balloon and stent are inserted to open blocked arteries, help restore blood flow. Some people need coronary bypass surgery, where surgeons create a new route for blood to reach the heart.

health actions and policies

Public health organisations play an important role in reducing heart disease across the population.

Government and NHS actions include:

- ★ Reducing salt, sugar, and unhealthy fats in food
- ★ Running public campaigns to reduce smoking
- ★ Encouraging physical activity

Public

Public health

- ★ Improving early diagnosis through screening
- ★ Ensuring people at higher risk receive support

These actions aim to reduce the number of new cases and help people already affected with the disease.

Monitoring and research

The UK uses health records, surveys, and medical data to track heart disease trends. This helps identify which groups are most at risk and what types of treatment are most effective. Research also helps improve new medicines, prevent complications, and better understand how lifestyle factors influence heart disease.

3. Factors Affecting the Health and Well-being of People with Heart Disease

Biological Factors

Some people are more at risk because of age, genetics, or other health conditions. Heart disease becomes more common as people get older, especially after age 60. People with a family history of heart disease at a young age have a higher chance of developing it themselves.

Other medical conditions, such as obesity, high blood pressure, diabetes, and kidney disease, also increase risk. These conditions often occur together, which makes managing heart disease more complicated.

Lifestyle factors

Lifestyle has a major influence on heart health. Smoking, lack of exercise, and unhealthy diet all increased risk. People with heart disease often need to change their lifestyle to prevent further problems. This can be challenging, especially if someone has been smoking for many years or lacks access to healthy food.

Social and economic factors

Where a person lives and their financial situation can affect their heart health. People in deprived areas often have higher rates of heart disease due to:

- ★ Higher smoking rates
- ★ Limited access to healthcare
- ★ Less opportunity for exercise
- ★ Higher levels of stress
- ★ Poor-quality housing
- ★ Limited access to healthy food

These issues create barriers to prevention and treatment. They also contribute to health inequalities between different groups in society.

Environmental factors

Air pollution is linked to a higher risk of heart disease. People living near busy roads or industrial areas may be more exposed to pollution, increasing their risk over time.

Emotional and social well-being

A diagnosis of heart disease can affect mental health. Many patients experience stress,

anxiety, or depression. These feelings can reduce motivation to follow lifestyle advice or take medication. Social isolation reduced physical activity, and financial pressure can also affect well-being.

Family members and carers may feel stressed or worried as they support their loved one. This can affect their own health and emotional well-being.

Conclusion

Heart disease remains a major public health issue in both the UK and across the world. It affects millions of people and has a large impact on communities, families, and the NHS. Individuals may experience physical symptoms, emotional stress, and lifestyle changes that affect their quality of life. The NHS faces high levels of hospital admissions, long-term treatment needs, and significant financial costs due to heart disease.

However, many cases can be prevented through healthier lifestyles, early detection, and appropriate medical treatment. Public health campaigns, NHS Health Checks, and government policies all help to reduce risks. Addressing social factors such as poverty, housing, and access to healthcare is also essential.

By focusing on prevention, early treatment, and support for patients and families, the NHS and communities can work together to reduce the burden of heart disease and improve health and well-being.

Effective management and treatment, including medications and regular check-ups, are essential to avoid serious complications and reduce number of deaths. Promoting education about heart health and ensuring fair treatment in access to care can help all individuals lead longer, healthier lives. By addressing both personal and systemic factors, we can work toward closing the health gaps and improving outcomes for everyone.

References (Harvard Style)

British Heart Foundation (2023) *BHF Statistics Compendium 2023*. <https://www.bhf.org.uk>
<https://www.bhf.org.uk/informationsupport/treatments/medicine>

Conrad, N. et al. (2024) 'Trends in cardiovascular disease incidence among 22 million people in the UK', *BMJ*, 385, p. e078523.
<https://pmc.ncbi.nlm.nih.gov/articles/PMC11203392/>

Cardiovascular diseases (CVDs)

Gov.uk (2024) *Health Matters: Preventing Cardiovascular Disease*. <https://www.gov.uk>
<https://www.england.nhs.uk/ourwork/clinical-policy/cvd/>

NHS coronary heart disease. <https://www.nhs.uk/conditions/coronary-heart-disease>

NICE (2010) *PH25 Cardiovascular Disease Prevention*.
<https://www.nice.org.uk/guidance/ph25>

Tower Hamlets Public Health *Heart Failure JSNA Factsheet*.
<https://www.towerhamlets.gov.uk>