



Name: Khalifah Alkhatib

Student ID: 2530104

Module Code: LCH4008

Module: Introduction To Public Health

Lecturer: Dr Patronella Ganza

Component 2 – Report on a Health Issue

: Approximately 1,500 words

Introduction

Depression is a common mental health condition that can affect a person's mood, thoughts, behaviour and daily life. It is more than just temporary feelings of sadness and can have a serious impact on a person's wellbeing and their ability to manage everyday activities. Common signs and symptoms include a persistent low mood, losing interest or pleasure in activities, feeling tired, having difficulty concentrating, and experiencing changes in sleep or appetite. Depression is a major public health concern worldwide, affecting millions of people and contributing to high levels of disability. In the United Kingdom, depression also affects a significant number of people and puts pressure on health and social care services. The high prevalence of depression both internationally and within the UK highlights the importance of effective prevention, monitoring, treatment and community support for people living with the condition.

Measuring and Monitoring Depression

Depression can be measured and monitored in several ways within public health and healthcare services. One important method is collecting and analysing health data, which can help show how common depression is within a population and whether the number of cases is changing over time. Healthcare professionals can use information from consultations, diagnoses and health records to monitor people experiencing depression. Population surveys can also provide useful information about how common depression is and help identify patterns between different groups. Monitoring these patterns is important because it allows health and social care organisations to recognise areas where there is a greater need for support and plan suitable services.

Another way of monitoring depression is by looking at the use of mental health services. Information about referrals, treatment and access to psychological support can show the level of demand for these services. These methods allow public health professionals to compare levels of depression across different populations and identify changes over time. UK data is particularly useful because it shows the overall scale of depression across the country and can help inform decisions about how mental health services should be provided.

How Depression Is Controlled

Depression can be managed through a combination of prevention, early identification, treatment and ongoing support. Health promotion can play an important role by raising awareness of mental health and encouraging people to seek help when they notice symptoms. Early identification is also important because recognising symptoms sooner can help individuals access the right support before their difficulties become more serious.

Treatment for depression can include psychological therapies and, when clinically appropriate, medication. Psychological support can help people understand and manage some of the difficulties linked to depression, while medication may be used as part of treatment for some individuals. The most suitable approach will depend on the person's circumstances and individual needs. Community-based support can also help people manage their condition and maintain their overall wellbeing. Therefore, managing depression requires more than one type of intervention and should include support that is suitable for each person's needs.

Consequences of Depression in the Community

Depression can have a significant impact on individuals, families and the wider community. For individuals, symptoms such as persistent low mood, low motivation and a loss of interest can affect everyday activities and quality of life. Depression can also make it more difficult

for a person to take part in education, employment and social activities. This may lead to social isolation and make it harder to maintain relationships with others.

The effects can also extend to family members and carers, especially when someone needs regular or ongoing support. Families may experience emotional and practical pressures when helping a person who is living with depression. On a wider level, depression can increase demand for health and social care services because people may need assessment, treatment and continued support. The condition can therefore affect not only the individual experiencing depression, but also the people around them and the services available in the community.

Health and Social Care Support

A range of health and social care professionals can be involved in supporting people experiencing depression. GPs can play an important role in recognising symptoms, assessing individuals and helping them access suitable treatment or specialist services. Mental health professionals can provide psychological interventions and ongoing support depending on the individual's needs and circumstances.

Community mental health services can also support people who need more specialised or continued assistance. Social workers may support individuals who are experiencing difficulties with their social circumstances and can work alongside other professionals to organise appropriate support. Voluntary and community organisations can also provide additional social support and help people stay connected with their communities.

Effective support should be person-centred and take into account the individual's physical, psychological and social needs. Professionals should work together when appropriate to make sure people receive suitable support and that their needs are reviewed over time. This practical, multi-professional approach can help people manage depression and improve their ability to take part in everyday life within their community.

Conclusion

In conclusion, depression is a major public health issue that can have a significant impact on individuals, families and communities. Its effects can influence emotional wellbeing, everyday activities, relationships, education and employment, while also increasing the demand for health and social care services. Measuring and monitoring depression through healthcare data, population surveys and information about service use is important for

identifying levels of need and changes in the condition over time. Depression can be managed through suitable prevention, early identification, psychological interventions, treatment and ongoing support, depending on the individual's needs. Effective health and social care support is therefore important in helping people manage their condition and maintain their quality of life. A coordinated approach involving healthcare professionals, mental health services and community support can help ensure that individuals receive appropriate and person-centred care. Overall, effective monitoring, treatment and community support are essential for reducing the impact of depression and improving outcomes for people affected by the condition.

References

National Institute for Health and Care Excellence (NICE) (2022) *Depression in adults: treatment and management (NG222)*. London: NICE. Available at: <https://www.nice.org.uk/guidance/ng222> (Accessed: 14 August 2026).

NHS (2024) *Depression in adults: overview*. Available at: <https://www.nhs.uk/mental-health/conditions/depression-in-adults/overview/> (Accessed: 14 August 2026).

NHS (2024) *Depression in adults: symptoms*. Available at: <https://www.nhs.uk/mental-health/conditions/depression-in-adults/symptoms/> (Accessed: 14 August 2026).

Office for National Statistics (2024) *Health in England: depression and anxiety*. Newport: Office for National Statistics.

World Health Organization (2025) *Depressive disorder (depression)*. Geneva: World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/depression> (Accessed: 14 August 2026).

World Health Organization (2025) *Mental disorders*. Geneva: World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/mental-disorders> (Accessed: 14 August 2026).

National Institute for Health and Care Excellence (NICE) (2022) *Depression in adults: treatment and management – evidence reviews*. London: NICE. Available at: <https://www.nice.org.uk/guidance/ng222/evidence> (Accessed: 14 August 2026).

Institute for Health Metrics and Evaluation (IHME) (2024) *GBD Results*. Seattle: University of Washington. Available at: <https://vizhub.healthdata.org/gbd-results/> (Accessed: 14 August 2026).