



Prifysgol Cymru
Y Drindod Dewi Sant
University of Wales
Trinity Saint David

Examination Answer Books

12 Pages

Instructions to Candidates

1. Please give the information requested in the boxes below.
2. Enter your name in the space provided to the right, fold over and seal down (using the label provided) to hide your name.
3. The answers must be legibly written. The Examiners can either ignore illegible script or have it typed and the expense of typing charged to the candidate.
4. Write your answers in ink.
5. Begin each answer on a fresh page. Do all rough work in the answer book and cross it through.
6. No part of this book is to be torn out; it must be handed in complete.
7. If more books than one are used, fasten them together using the tags available from the invigilator(s).
8. **Every book must be handed in. In no circumstances may answer books, used or unused, be taken out of the examination venue.**

Complete, fold and seal

(see note 2 below)

SURNAME: LAYTON

FORENAME(S): MORGAN
WILLIAM OWEN

1	Student Number	1500361/1 172325
2	Title of Examination Paper	TCA2
3	Module Code	PLCE 4000
4	Date and Time of Examination	19/05/21 2:00pm
5	Examination Venue	Pembroke WMA
6	Seat Number	
7	Number of Answer Books handed in	1

List the numbers of the questions you have attempted	Office Use
1	22
2	7
3	16
4	14
5	8
6	10
7	8
Office Use	85 ✓

Second Marker
SDH
25/05/21

1. a) $y = \frac{1}{3}x^{-4} - 2x^5 - \sqrt{x}$

$$\frac{dy}{dx} = -\frac{4}{3}x^{-5} - 10x^4 - \frac{1}{2}x^{-\frac{1}{2}} \checkmark$$

$$\frac{dy}{dx} = -\frac{4}{3x^5} - 10x^4 - \frac{1}{2\sqrt{x}} \checkmark$$

(4) ✓

b) $y = \frac{5 \cos 2x}{x^4}$ Quotient

$$v = x^4 \quad u = 5 \cos 2x$$

$$dv = 4x^3 \checkmark \quad du = -10 \sin 2x \checkmark$$

$$\frac{dy}{dx} = \frac{x^4 \cdot (-10 \sin 2x) - 4x^3 \cdot 5 \cos 2x}{(x^4)^2} \checkmark$$

$$\frac{dy}{dx} = \frac{-10x^4 \sin 2x - 20x^3 \cos 2x}{(x^4)^2} \checkmark$$

$$\frac{dy}{dx} = \frac{-10x^3 (x \sin 2x + 2 \cos 2x)}{(x^4)^2} \checkmark$$

(b) ✓

c) $y = 2 \cos(4x^2)$ Chain

$$y = 2 \cos u \quad u = 4x^2$$

$$dy = -2 \sin u \quad du = 8x \checkmark$$

$$\frac{dy}{du} = -16x \sin u \checkmark$$

$$\frac{dy}{dx} = -16x \sin(4x^2) \checkmark$$

(b) ✓

$$d) y = 5x^2 e^{4x}$$

product

$$u = 5x^2$$

$$v = e^{4x}$$

$$du = 10x$$

$$dv/dx = 4e^{4x}$$

$$\frac{dy}{dx} = 5x^2 4e^{4x} + 10x e^{4x}$$

$$\frac{dy}{dx} = 20x^2 e^{4x} + 10x e^{4x}$$

$$\frac{dy}{dx} = 10x e^{4x} (2x + 1)$$

(6) ✓

$$2. v = 10(2 - 3e^{-4t}) \text{ find initial}$$

$$v = 20 - 30e^{-4t}$$

$$\frac{dv}{dt} = 120e^{-4t}$$

$$t = 0 \quad \text{Initial } v = 120 \text{ v/s}$$

(7) ✓

$$3. a) \int_3^4 (20 + 5x^2 - 2x^3) dx$$

$$\frac{20x^{0+1}}{0+1} + \frac{5x^{2+1}}{2+1} - \frac{2x^{3+1}}{3+1} + C$$

$$x = 4 = 58.6666$$

$$x = 3 = 64.5$$

$$58.6667 - 64.5$$

$$\text{Area} = -5.8333$$

(8) ✓

$$b) \int_0^{\pi} \left(3 \sin \frac{x}{2} - \cos \frac{x}{4} \right) dx$$

$$- \frac{3}{\frac{1}{2}} \cos \frac{x}{2} - \frac{1}{\frac{1}{4}} \sin \frac{x}{4} + C$$

$$x = \pi = -2.8284 \quad \checkmark$$

$$x = 0 = -6 \quad \checkmark$$

$$-2.8284 - (-6) = 3.1716^2$$

$$\text{Area} = 3.1716^2 \quad \checkmark$$

⑧ $\checkmark$

$$4. \int_1^3 \frac{2x+1}{4x(x+2)} \quad A \int \frac{1}{4x+0} + B \int \frac{1}{x+2}$$

$$2x+1 = A(x+2) + B(4x) \quad \checkmark$$

$$x = -2$$

$$-3 = B(-8)$$

$$B = \frac{3}{8} \quad \checkmark$$

$$x = 0$$

$$1 = A(2)$$

$$A = \frac{1}{2} \quad \checkmark$$

$$\left[\frac{1}{2} \times \frac{1}{4} \ln(4x+0) + \frac{3}{8} \times \frac{1}{1} \ln(x+2) \right]_1^3 \quad \checkmark$$

⑭ $\checkmark$

$$x=3 = 0.9242^2$$

$$x=1 = 0.6132^2 \quad \times$$

$$0.9242 - 0.6132 = 0.311^2 \quad \times$$


5.

$\frac{2x+1}{4x(x+2)}$	y_0	y_1	y_2	y_3	y_n
	1	1.5	2	2.5	3 ✓
	$\frac{1}{4}$	$\frac{4}{21}$	$\frac{5}{32}$	$\frac{2}{15}$	$\frac{7}{60}$ ✓

$$\frac{1}{3} \times 0.5 \left| \left(\frac{1}{4} + \frac{7}{60} \right) + 4 \left(\frac{4}{21} + \frac{2}{15} \right) + 2 \left(\frac{5}{32} + \frac{2}{15} \right) \right| \checkmark$$

$$\text{Area} = \cancel{0.322} \quad 0.3082 \quad \times$$

8 ✓



$$\% \text{ error} = \cancel{5.2878\%}$$

$$\frac{0.311 - 0.3082}{0.311} \times 100 = 0.9003 \quad \times$$

$$\% \text{ error} = 0.9003\%$$

6.

x	f	x	fx	$f(x-\bar{x})^2$
0 — 2	3	1 ✓	3 ✓	42.813
2 — 4	19	3 ✓	57 ✓	60.0441
4 — 6	24	5 ✓	120 ✓	1.1860
6 — 8	10	7 ✓	70 ✓	49.3862
8 — 10	4	9 ✓	36 ✓	71.3113

$$\bar{x} = \frac{\sum fx}{\sum f}$$

$$\frac{286}{60} \checkmark = \cancel{4.7777} \quad 4.7777 \text{ rounding}$$

$$s = \sqrt{\frac{\sum f(x-\bar{x})^2}{\sum f}}$$

$$s = \sqrt{\frac{224.7406}{60}}$$

$$S = 1.935$$

10 ✓

7. Series

$$0.77 \times 0.81 = 0.6237 \quad \checkmark$$

$$100 \times 0.6237 = 62.37\%$$

Parallel

$$(1 - 0.77) \times (1 - 0.81) = 0.0437 \quad \checkmark$$

$$1 - 0.0437 = 0.9563 \quad \checkmark$$

$$100 \times 0.9563 = 95.63\%$$

8 ✓