



12 Pages

1. Please give the information requested in the boxes
2. Enter your name in the space provided to the right and seal down (using the label provided) to hide your name
3. The answers must be legibly written. The Examiners can either ignore illegible script or have it typed and the expense of typing charged to the candidate.
4. Write your answers in ink.
5. Begin each answer on a fresh page. Do all rough work in the answer book and cross it through.
6. No part of this book is to be torn out; it must be handed in complete.
7. If more books than one are used, fasten them together using the tags available from the invigilator(s).
8. **Every book must be handed in. In no circumstances may answer books, used or unused, be taken out of the examination venue.**

1	Student Number	1708461
2	Title of Examination Paper	EMERGIA web TECHNOLOGY
3	Module Code	M6X01096
4	Date and Time of Examination	09/05/18 12 pm
5	Examination Venue	Swansea gym
6	Seat Number	G058
7	Number of Answer Books handed in	1

List the numbers of the questions you have attempted	Office Use
~~1-8~~ 9 1	3
2	~~1/2~~
Total	5 1/2

(Gweler yr ochr arall am y fersiwn Cymraeg)

Q1

(C)

Example for JSON

```
{
  Employees: [
    { "FirstName": "Mustafa", "LastName": "Ahmed" },
    { "FirstName": "Kamal", "LastName": "Khalid" },
    { "FirstName": "Sami", "LastName": "Nader" }
  ]
}
```

Example for XML

```
<? XML version = "1.0" encoding = "UTF-8" ?>
<note>
  <to> Mustafa </to>
  <from> Ahmed </from>
  <heading> Reminder </heading>
  <body> Don't forget me this weekend </body>
</note>
```

Example of JSON

{

Employee {

"FirstName": "Mustafa", "LastName": "Ahmed",

"Department": "Engineering",

"Role": "Designer",

"email": "mustafawh@google.com"

"telephone": "01210121421" }

}

Example of XML

<?XML version ?>

Question 2

REST using HTTP, stateless.)

REST is simple for implementation.

REST is easy for integrated. ~~on the~~

AJAX is good for loaded page ~~and~~, because if you request

Requester



Server



0.5

when using AJAX you don't need to wait to see blank. it page ~~a~~ first, but in AJAX it will give you ~~a~~ respond from the server straight away.

poor answer.