

**POPULATION HEALTH AND DIGITAL HEALTH
PROMOTION – COMPONENT 1
BLOGS**

Programme: MSc Public Health and Social Care in Practice

Module name: Population Health and Digital Health Promotion

Module code: LCHS7009

Student name: Arpita chaudhary

Student ID: 2432245

Lecturer: Dr Ping Wu

INDEX

Blog 1-----	03
Blog 2-----	06
Refences-----	08

Blog 1

Continuous Glucose Monitoring (CGM) for Type 2 Diabetes Management

Why Type 2 Diabetes Is a Public Health Concern




(Peters et al., 2018)

Type 2 diabetes has become an increasingly significant public health issue, with global prevalence rising rapidly due to lifestyle factors, ageing populations, and increased levels of obesity. The World Health Organization (2023) estimates that more than 460 million adults are affected worldwide, placing a considerable burden on healthcare systems. In the UK, the cost of managing diabetes and its preventable complications accounts for almost £10 billion annually (NHS England, 2022). Poor glycaemic control increases the likelihood of

long-term complications such as cardiovascular disease, kidney failure, neuropathy, and limb amputations. Given that many of these risks can be reduced through better self-management, digital health technologies like Continuous Glucose Monitoring (CGM) systems have emerged as important tools in health promotion and disease prevention.

How Continuous Glucose Monitors Promote Health

CGM technologies, such as the FreeStyle Libre system, support diabetes management by continuously recording glucose levels through a small sensor worn on the skin. Data are transmitted directly to a smartphone app, enabling individuals to monitor glucose trends in real time. This digital technology plays a significant role in health promotion by helping users understand how diet, physical



(Cefalu et al., 2017)

activity, medication, and stress influence their glucose levels. The immediate feedback supports behaviour change by encouraging healthier food choices, increased physical activity, and better medication adherence. These mechanisms align with the Health Belief Model, which emphasises how perceived susceptibility, perceived severity, and cues to action influence self-management behaviours (Rosenstock et al., 1988).

Evidence of Their Impact

Evidence supports the effectiveness of CGM in improving health outcomes. Research shows that CGM use is associated with reductions in HbA1c, fewer hypoglycaemic episodes, and increased confidence in self-management (Battelino et al., 2019; Fleming et al., 2020).

Advantages and Disadvantages

In addition, the technology fosters meaningful communication between patients and clinicians, as glucose data can be shared through digital platforms, enabling tailored treatment adjustments. CGM therefore serves as a valuable digital health promotion tool, enhancing self-efficacy and promoting informed decision-making.

However, despite its benefits, CGM technology has limitations. The cost of sensors and monitoring systems remains a key barrier, as many individuals do not meet NHS eligibility criteria for funded access, creating potential health inequalities (NICE, 2022). Some users may experience challenges with sensor wearability, including discomfort or skin irritation, while others may struggle with digital literacy, limiting their ability to interpret data effectively. Concerns regarding data privacy and reliance on compatible smartphones also present barriers.



(Kesavadev et al., 2020)


How Shortfalls Can Be Addressed

To address these shortfalls, CGM programmes could be expanded for lower-income populations, ensuring equitable access. Additional support in the form of training sessions, digital literacy workshops, and culturally tailored educational resources may also improve usability and comprehension. Further technological improvements, such as hypoallergenic sensors and broader smartphone compatibility, could enhance uptake. With these modifications, CGM technologies could significantly strengthen population-level diabetes prevention and control.

Blog 2

MoveWell+: A Personalised Wearable-Linked Digital Innovation to Reduce Physical Inactivity in Young Adults

Physical inactivity among young adults is a rising public health issue linked to increased screen time, academic or work-related pressures, and declining participation in active transport. The World Health Organization (2023) warns that insufficient activity in early adulthood contributes to long-term risk of obesity, poor mental health, metabolic diseases, and decreased quality of life. Sedentary behaviours developed during this life stage often persist into later adulthood, making early intervention essential for preventing chronic illness and promoting long-term wellbeing. Recognising the lifestyle habits and digital engagement of young adults, innovative digital health tools are needed to support sustainable physical activity patterns.




(Inkster et al., 2018)

To address this challenge, the MoveWell+ platform was conceptualised as an integrated wearable-app ecosystem tailored to young adults. MoveWell+ uses data from wearable devices to monitor step count, heart rate, sedentary time, and sleep patterns, generating personalised activity plans based on the user's baseline fitness. The system applies the COM-B

behavioural framework, aiming to enhance users' *capability* through educational content, *opportunity* through environmental prompts, and *motivation* through feedback, goal-setting, and gamified features (Michie et al., 2014). The app also includes GPS-driven prompts suggesting nearby walking routes, micro-break reminders to interrupt long sitting periods, and a social challenge feature that encourages peer competition and collaboration.

MoveWell+ promotes health through behaviour change techniques that support long-term engagement. Real-time feedback increases self-awareness of inactivity patterns, while personalised goals help users gradually increase their activity levels. Gamified challenges and leader boards aim to enhance motivation, reflecting evidence that social support and interactive features can significantly improve adherence to activity programmes (Yardley et al., 2016). Wearable-based interventions have also been shown to reduce sedentary time and increase daily movement when combined with behavioural strategies (Feter et al., 2019). These components position MoveWell+ as a dynamic and user-centred tool for addressing physical inactivity in young adults.

However, the technology also presents limitations. Continuous data collection may raise concerns about data privacy and digital surveillance, especially among young adults who are increasingly aware of cybersecurity risks. Wearables can also be expensive, potentially limiting access among lower-income individuals and widening digital inequalities (WHO, 2023). Additionally, the use of gamified rewards may



(Maher et al., 2017)

result in over-reliance on extrinsic motivation rather than fostering long-term intrinsic lifestyle change (Deci & Ryan, 2008). Technical barriers, such as inconsistent internet connectivity, may further restrict access to features like GPS prompts or social challenges.

These limitations can be addressed through several design improvements. **MoveWell+** would embed strict GDPR-compliant data protection measures with clear user-controlled privacy settings. Partnerships with universities, employers, or NHS services could subsidise wearable devices to enhance accessibility. The platform could also incorporate motivational tools that promote intrinsic motivation, such as mood-tracking, reflective journaling, and personalised non-competitive goals. Additionally, offline functionality would allow users to access essential features without relying on continuous connectivity. These enhancements would make MoveWell+ a more equitable, secure, and effective digital health promotion tool.

Reference List:

Blog 1

Battelino, T. et al. (2019) 'Clinical targets for continuous glucose monitoring data', *Diabetes Care*, 42(8), pp.1593–1603.

Cefalu, W.T., Bergenstal, R.M., Buse, J.B., Tamborlane, W.V., Zisser, H., Peters, A.L. and Clarke, W.L. (2017) 'Continuous glucose monitoring: current use and future directions', *Diabetes Care*, 40(1), pp. 123–131.

Cleveland Clinic, 2024. *Continuous glucose monitoring*.

Fleming, G. et al. (2020) 'User experience of CGM in Type 2 diabetes', *Journal of Diabetes Research*, pp.1–10.

Kesavadev, J., Shankar, A., Pillai, P.K., Krishnan, G. and Jothydev, S. (2020) 'Real-time continuous glucose monitoring: Current status and future perspectives', *Diabetes Therapy*, 11(5), pp. 1011–1022.

NHS England (2022) *Diabetes Treatment and Complications Report*.

NICE (2022) *Type 2 Diabetes in Adults: Management*.

National Institute for Health and Care Excellence (NICE), 2022. *Type 2 diabetes in adults: Quality standard QS209 – Statement 4: Continuous glucose monitoring for adults who use insulin and need help monitoring their blood glucose*.

Peters, A.L., Ahmann, A.J., Hirsch, I.B., Garg, S.K., Edelman, S.V., Bode, B.W. and Bailey, T.S. (2018) 'Recommendations for implementing real-time continuous glucose monitoring in clinical practice', *Diabetes Technology & Therapeutics*, 20(6), pp. 456–467.

Rosenstock, I., Strecher, V. and Becker, M. (1988) 'The Health Belief Model', *Health Education Quarterly*, 15(2), pp.175–183.

World Health Organization (WHO) (2023) *Global Diabetes Report*.

Blog 2

Firth, J. et al. (2019) 'Digital psychological interventions for anxiety and depression', *JAMA Psychiatry*, 76(3), pp.270–280.

Inkster, B., Stillwell, D., Kosinski, M. and Jones, P.B. (2018) 'A decade into smartphone apps for mental health: where are we and where do we go from here?', *Annual Review of Clinical Psychology*, 14, pp. 119–139.

Harriss, L., Gordon, S. and Lindert, J. (2020) 'Help-seeking in university students', *International Journal of Mental Health Systems*, 14(1), pp.1–12.

Maher, C., Ryan, J., Kernot, J., Podsiadly, J. and Keenihan, S. (2017) 'Users' experiences of wearable activity trackers: A cross-sectional study', *BMC Public Health*, 17(1), p.880.

Michie, S., Atkins, L. and West, R. (2014) *The Behaviour Change Wheel*. London: Silverback Publishing

ONS (2022) *Student wellbeing survey*.

World Health Organization (WHO) (2023) *Adolescent mental health report*.