

Report On

***EVALUATION OF CHIROPRACTIC TREATMENT AS A
COMPLEMENTARY THERAPY***

Module code: BMHP5001

Magdalena Wronska

Assessment: 2

Name: Mark Rogers

Student No: 1907288

Date: 05/05/21

Table of Contents

Introduction	4
The history, uses, efficacy and contraindications of chiropractic treatment	5
History of chiropractic treatment	5
Uses and efficacy of chiropractic treatment	6
Contraindications of chiropractic treatment	7
Comparison with traditional treatments	8
An evaluation of the statutory self-regulation system and the voluntary self-regulation system	9
Statutory regulation system	9
Voluntary self regulation system	10
Ethical considerations	10
Conclusion	11
Recommendations	11
References	13

Introduction

Complementary and Alternative medicine (CAM) is gaining more recognition over the decades in the developed countries. It is providing more holistic alternative to modern medicine because according to research patients are responding more to these type of treatment (Wong, Toh and Kong, 2010) World Health Organization (WHO) issue a report about 80% of people in the developing countries are using Traditional Medicine and in developed countries there is a steady increase of people turning up to unconventional treatment.

Complementary therapy varies from traditional or modern therapy in that they use a distinct path. Yoga, massage, acupuncture, along with homoeopathy is examples of treatments that are not necessarily part of traditional medical treatment. They're commonly used in conjunction with or in addition to traditional treatments like pain killers. Traditional practise is founded on scientific data, which means that therapies and medications have been thoroughly checked to determine whether and also how effective they perform. Evidence-based treatment is the word for this method (Holt *et al.*, 2019). The doctor will base their treatment recommendations on the most up-to-date science, scientific judgement, along with what they think. When individuals use managed healthcare facilities within the UK, such as a nearest GP surgery, fitness centre, or even the hospital, physicians consider this method. Complementary therapy research is contradictory and ambiguous. Some interventions have been tested and also shown to be as successful as or equivalent to standard procedures. However, studies on other treatments have found that they just do not function or also that there is not enough proof to say whether they does or does not work. Few treatments have never been thoroughly checked. The National Institute for Health and Care Excellence (NICE) indeed is a government-funded body within the United Kingdom that evaluates therapies for a broad variety of illnesses, including medications, interventions, along with emerging technology (Goertz *et al.*, 2018). It also publishes recommendations for medical practitioners that examine the proof for any treatment's effectiveness. The purpose of this report is to critically evaluate the principles behind the present usage of complementary therapies, its role in regard to

and comparison of the orthodox treatments, its efficacy for sustaining health along with well-being and also the systems that are required for regulating the usage of these therapies. The complementary therapy that is considered within this report study is Chiropractic Therapy.

The history, uses, efficacy and contraindications of chiropractic treatment

History of chiropractic treatment

In the year 1895, Daniel David Palmer, the inventor of chiropractic, had adjusted the backbone, i.e., spine of a janitor who was deaf and believed to have restored his hearing. Moreover, in the year 1895, the spinal stimulation was not really a new treatment, and so Palmer never pretended to be the one to use it first for treating illness (Whedon *et al.*, 2020). Anyhow, he did was the first one to utilise basic contacts in the form of short-leverage levels for more accurate adjustments of the spine. Also, Palmer established the Palmer School of Chiropractic, in which he taught the very first chiropractors all his techniques. Over the formative days of the practise, there was a lot of conflict between the traditional allopathic medicines and these modern methods. Furthermore, Chiropractic laws were not created until later; despite the fact that certain chiropractors were adamant in their opposition towards the medical statutes that they saw as a violation of their privileges and responsibilities to represent their patients (Cassidy *et al.*, 2017). The Chiropractors were often imprisoned and also fined till the 1960s for working without a licence. The current professional collaboration together with shared respect between the chiropractic and the traditional medicines contrasts sharply with several years of animosity. Cooperation along with integrated medical treatment are now commonplace. The interdisciplinary procedures are becoming increasingly prevalent in a number of contexts like behavioural health, athletic therapy teams, along with recovery clinics, with chiropractors, the medical physicians, physical trainers, as well as others operating as the collaborators (Beliveau *et al.*, 2017). Also chiropractors may offer manual therapy as their primary method to normalise the function of the joints of their patients who are suffering from trauma, or even they may collaborate, such as offering manual therapies and dietary advice for the chemotherapy patients.

Uses and efficacy of chiropractic treatment

The majority of individuals finding relief for their back pains opted for the chiropractic therapy. Chiropractors see over 22 million people in the United States per year. 7.7 million people, or around 35%, are finding recovery from their back pains caused by a variety of factors such as collisions, athletic incidents, along with muscle strains (Goncalves *et al.*, 2019). Chest, shoulder, and leg discomfort, together with headaches, are other common complaints. The hands-on spinal therapies along with other complementary therapies are used for chiropractors. According to the concept, proper coordination of the musculoskeletal system within one's body, especially the spine, would allow the body to repair naturally without the need for surgery or even medicine. Manipulation is indeed a technique for restoring movement of joints that have been restricted due to tissue damage from a traumatic accident, like a crash, or from chronic discomfort, like sitting without adequate back support (Cote *et al.*, 2020). Chiropractors heal muscles, ribs, bones, along with the connective tissues, like cartilage, ligaments, as well as tendons, and also provide pain relief. Moreover, it is occasionally seen in combination with traditional medical care. The initials "DC identify the chiropractors" and their qualification usually requires to have undergraduate degree together with four years within the chiropractic college. For deciding whether therapy for individuals' back pain is actually necessary, the chiropractor examines their patient's background, does their physical evaluation, and can utilise lab testing or even the diagnostic imaging (Lisi *et al.*, 2018). Few chiropractors, osteopaths, together with medical doctors utilise prolotherapy or also sclerotherapy for reducing the pain, which is utilised by few chiropractors, osteopaths, along with medical doctors for relieving severe back pain, which may come on unexpectedly or progressively which lasts longer than atleast three months. The injections of sugar-water or even anaesthetic are provided with the hopes of repairing the back ligaments. Moreover, spinal manipulation is not recommended for those who experience osteoporosis, compression of spinal cord, or reactive arthritis, even the ones who are taking blood-thinning drugs (Weis *et al.*, 2020). Furthermore, prior undergoing spinal-manipulation, the patients who have a cancer history should get medical approval from their specialist. Many of the care options are dependent on a precise evaluation of back pain. Individual's personal records, including chronic

medical problems, prescribed prescriptions, traumatic or surgical history, along with lifestyle considerations, must be well-known to the chiropractor. Also there have also been instances when therapy has aggravated a herniated and slipped disc, or even when neck-manipulation has culminated in a fracture of the spinal cord. For being healthy, individuals should contact a doctor to see whether chiropractic or any other known potential pain management options are suitable for their situation.

Contraindications of chiropractic treatment

One or even more manual corrections, wherein the doctor tries to manipulate the joints with controlled and sudden forces for increasing range along with consistency of motion can be part of the recovery plan. Also, nutritional therapy along with exercise or rehabilitation is also used in the recovery schedule of certain chiropractors (Davis *et al.*, 2019). Together with management of back pain, the aims of the chiropractic medicine include the regeneration of function along with accident prevention. Moreover, cute low back discomfort, such as that caused by lifting furniture or being tackled, is treated with spinal therapy as well as chiropractic services, which are usually deemed healthy and reliable. Furthermore acute back pain that is more frequent than the chronic back pain persists for almost six weeks or even longer and normally goes away on their own. The chiropractic therapy has also been found to be effective in the treatment of neck pain along with headaches in studies. However, osteoarthritis along with fibromyalgia can respond towards the moderate pressure utilised by the chiropractors along with the deep tissue massage therapists (Herman *et al.*, 2019). The majority of spinal alteration responses are mild and self-limiting. They usually emerge and then vanish during care. The most frequent benign response is a localised, short-term irritation at the site of the treatment. Severe side effects are somewhat uncommon. The patients with such arthritic injuries, breaks, dislocations, tumours, or illness at the care site should avoid spinal-manipulation. Until starting care, older people with osteoporosis, i.e., bone thinning or even vertebral artery stenosis, i.e., narrowing of brain arteries can tell their doctor. Chiropractic therapy should be done in a more compassionate manner (Rist *et al.*, 2020).

Comparison with traditional treatments

Whenever it comes to the care of musculoskeletal disorders, there exists two distinct schools of thinking. Few patients tend to pursue conventional medical treatment, such as a referral towards an orthopedist or a neurologist along with subsequent pain relief from their primary healthcare provider. Others take a non-pharmaceutical solution, opting for chiropractic therapy rather than pain management or surgery (Urits *et al.*, 2020). Realizing that those were the two most common ways to treat musculoskeletal pain, studies have set out to find out which one is more efficient. The effectiveness of such two pathways of treatment was contrasted in a current analysis reported within the journal *Spine*, with the aim of determining the care pathway that will result in obtaining better results. When assessed at just the third week of the report, 94 percent of the patients who underwent chiropractic treatment had experienced a 30 percent improvement in regard to their lower back discomfort (Eklund *et al.*, 2018). Also the patients, who pursued standard medical treatment, were able to achieve a 30 percent decrease in discomfort in only 56 percent of cases (Gedin *et al.*, 2017). Many researches will determine how successful a therapy is by calculating pain effects at various points during the medication's administration, as well as this analysis will inform just how the chiropractic care relates to the medical care across the same period during the procedure. This is encouraging for the potential of chiropractic treatment, since many individuals remain wary of this complementary therapy discipline and also do not think it will benefit them. It is hoped that further experiments like this can persuade people that conventional medical treatment isn't necessarily the right option (Holt *et al.*, 2019). Furthermore, more health companies are starting to provide chiropractic care, giving patients more options. Furthermore, numerous professional athletes are now promoting the advantages of chiropractic and urging their followers to do the same.

An evaluation of the statutory self-regulation system and the voluntary self-regulation system

Statutory regulation system

The Chiropractors Act of 1994 establishes legislative regulation for the practise, and the term "chiropractor" is covered by law. The General Chiropractic Council (GCC) is the official authority, and it is unlawful to practise as a chiropractor till they are licenced with the GCC. Besides the practise of chiropractic as well as osteopathy and restrictions on promoting the remedies of such diseases such as leukemia as well as tuberculosis, there really is no law in the UK that regulates the practise of CAM (Goertz *et al.*, 2018). The UK parliament has gradually accepted the necessity for robust oversight of complementary and alternative medicine (CAM), but it has discarded its initial proposal for an unified umbrella regulatory agency. Initiatives to review and expedite the regulatory framework also included the establishment of a single, well-recognized charitable agency to promote change for employees engaged, as well as an objective census of emerging specialist organisations (Whedon *et al.*, 2020). Statutory self-regulation is one option available to specific professions; it involves a single regulatory authority, a formal corpus of experience, accepted training programmes, and proven effectiveness.

Voluntary self-regulation system

The second path is voluntary self-regulation. Chiropractic as well as osteopathy have embraced regulatory self-regulation, but this has proven costly for particular practitioners in these fields. A latest House of Lords study on complementary and holistic medicine (CAM) suggested that the traditional remedies and acupuncture careers establish a framework of statutory supervision as well (Cassidy *et al.*, 2017). Other occupations, such as massage therapy, are forming independent professional associations for a first move toward self-regulation. Among the unresolved problems is the partnership between CAM occupations and statutory licenced professionals who often practise CAM. According to the written information provided by the Department of Health, the state does not consider the necessity to pick out specific complementary and alternative medicine (CAM) occupations for specific legislation. There is potential for the broader professionals to join the osteopaths as well as chiropractors in achieving regulatory self-regulation, and this would certainly fit their professions well (Beliveau *et al.*, 2017). There are, however, forms for some occupations to improve their self-regulation despite statutory forces. The establishment of a leading self-regulatory agency for each specialty has to be the first move for them.

Ethical considerations

When chiropractic medicine becomes further incorporated into the healthcare insurance scheme, there are legal concerns that medical facilities that hire chiropractors may face increased risk for malpractice lawsuits. The chiropractic career has discrepancies with its professional methodology, breadth of operation, and care procedures, which opens the practitioners to future ethical concerns while delivering services in conventional

environments (Goncalves *et al.*, 2019). Chiropractors are viewed as offering treatment that is an option to the medical quality of care as personal practitioners. As a result, those concerned will most certainly deem the therapy of an organic disease, like asthma and hypertension, to be “complementary.” As a part of a medical association or an agent of a medical hospital, a chiropractor managing an organic disease may already be viewed by the client as delivering medical-standard treatment. A negative outcome may result in future litigation problems if the person is not professionally treated by the competent medical provider. Potential negligence lawsuits may be based on (lack of) explicit consent, deception, incompetence, battery, or indignation (emotional distress) (Cote *et al.*, 2020). To avoid malpractice lawsuits as a consequence of this situation, the chiropractic practice should better identify its position in today's healthcare environment, improve study efforts on treatment for organic diseases, reduce theological discrepancies within the schooling institutions, and strive toward standardisation in chiropractic field of practice.

Conclusion

In this report study, an overview is provided regarding the complementary therapy name Chiropractic Therapy along with its present systems that are utilised for regulating the treatments. The history of this therapy, its benefits, effectiveness along with contraindications and also the ways in which it compares to the more traditional methods of treatments are analysed within this report study. Moreover, an evaluation in regard to the statutory along with the voluntary system of self-regulation is assessed and accordingly the ethical considerations are provided. Lastly a brief conclusion together with appropriate recommendations for this complementary treatment is given.

Recommendations

Interventions like chiropractic have grown in popularity as patients explore alternatives to conventional medication. There is substantial confirmation that chiropractic would be both beneficial and secure in the treatment of musculoskeletal disorders, especially in patients suffering from low back pain (Lisi *et al.*, 2018). It has a high service quality, which is significant because user care can be linked to health results. Preventive, or repair, treatment becomes much more essential as one ages. Since musculoskeletal problems are typically

ongoing, maintenance services aim to prevent severe exacerbations while maintaining optimum performance. As a result, this age demographic has a tradition of health enhancement and preservation," which renders maintenance alternative healthcare services a common supplement to traditional medicine (Weis *et al.*, 2020). The provision of care for the aged remains a point of dispute. In the United Kingdom, chiropractic is a specialist care that is not covered by the National Health Service (NHS) and is hence a fee-based service for patients. The costs of chiropractic care deter lower class classes and the elderly.

References

- Beliveau, P.J., Wong, J.J., Sutton, D.A., Simon, N.B., Bussi res, A.E., Mior, S.A. and French, S.D., (2017). The chiropractic profession: a scoping review of utilization rates, reasons for seeking care, patient profiles, and care provided. *Chiropractic & manual therapies*, 25(1), pp.1-17. Accessed from: <https://chiromt.biomedcentral.com/articles/10.1186/s12998-017-0165-8>
- Cassidy, J.D., Boyle, E., C  t  , P., Hogg-Johnson, S., Bondy, S.J. and Haldeman, S., (2017). Risk of carotid stroke after chiropractic care: a population-based case-crossover study. *Journal of Stroke and Cerebrovascular Diseases*, 26(4), pp.842-850. Accessed from: <https://www.bizstim.com/assets/frontend/resources/risk-carotid-stroke-after-chiropractic-care.pdf>
- C  t  , P., Bussi res, A., Cassidy, J.D., Hartvigsen, J., Kawchuk, G.N., Leboeuf-Yde, C., Mior, S. and Schneider, M., (2020). A united statement of the global chiropractic research community against the pseudoscientific claim that chiropractic care boosts immunity. *Chiropractic & manual therapies*, 28(1), pp.1-5. Accessed from: <https://chiromt.biomedcentral.com/articles/10.1186/s12998-020-00312-x?fbclid=IwAR1p4CJJykRbKhwtIxRJ23lqgderDN3hADkNslRj8h5waXsBWfQnCmp0>
- Davis, M.A., Yakusheva, O., Liu, H., Tootoo, J., Titler, M.G. and Bynum, J.P., (2019). Access to chiropractic care and the cost of spine conditions among older adults. *The American journal of managed care*, 25(8), p.e230. Accessed from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6699757/>
- Eklund, A., Jensen, I., Lohela-Karlsson, M., Hagberg, J., Leboeuf-Yde, C., Kongsted, A., Bodin, L. and Ax  n, I., (2018). The Nordic Maintenance Care program: Effectiveness of chiropractic maintenance care versus symptom-guided treatment for recurrent and persistent low back pain—A pragmatic randomized controlled trial. *PloS one*, 13(9), p.e0203029. Accessed from: <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0203029>
- Gedin, F., Skeppholm, M., Burstr  m, K., Sparring, V., Tessma, M. and Zethraeus, N., (2017). Effectiveness, costs and cost-effectiveness of chiropractic care and physiotherapy compared with information and advice in the treatment of non-specific chronic low back pain: study

protocol for a randomised controlled trial. *Trials*, 18(1), pp.1-12. Accessed from: <https://link.springer.com/article/10.1186/s13063-017-2351-3>

Goertz, C.M., Long, C.R., Vining, R.D., Pohlman, K.A., Walter, J. and Coulter, I., (2018). Effect of usual medical care plus chiropractic care vs usual medical care alone on pain and disability among US service members with low back pain: a comparative effectiveness clinical trial. *JAMA network open*, 1(1), pp.e180105-e180105. Accessed from: <https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2680417>

Goncalves, G., Demortier, M., Leboeuf-Yde, C. and Wedderkopp, N., (2019). Chiropractic conservatism and the ability to determine contra-indications, non-indications, and indications to chiropractic care: a cross-sectional survey of chiropractic students. *Chiropractic & manual therapies*, 27(1), pp.1-13. Accessed from: <https://link.springer.com/article/10.1186/s12998-018-0227-6>

Herman, P.M., Edgington, S.E., Ryan, G.W. and Coulter, I.D., (2019). Prevalence and characteristics of chronic spinal pain patients with different hopes (treatment goals) for ongoing chiropractic care. *The Journal of Alternative and Complementary Medicine*, 25(10), pp.1015-1025. Accessed from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6802729/>

Holt, K., Niazi, I.K., Nedergaard, R.W., Duehr, J., Amjad, I., Shafique, M., Anwar, M.N., Ndetan, H., Turker, K.S. and Haavik, H., (2019). The effects of a single session of chiropractic care on strength, cortical drive, and spinal excitability in stroke patients. *Scientific reports*, 9(1), pp.1-10. Accessed from:

Wong, L. Y., Toh, M. P. H. S. and Kong, K. H. (2010) 'Barriers to patient referral for Complementary and Alternative Medicines and its implications on interventions', *Complementary Therapies in Medicine*, 18(3–4), pp. 135–142. doi: 10.1016/j.ctim.2010.05.034.