

Appendix 3A Biological Monitoring Working Party Score Sheet

Table A1: Revised Biological Monitoring Working Party (BMWP) Score Sheet.
(Adapted from Walley and Hawkes, 1997)

Common Name	Family	Original BMWP Score	Revised BMWP Score	Habitat Specific Scores		
				Riffles	Riffle pools	Pools
Flatworms	Planariidae	5	4.2	4.5	4.1	3.7
	Dendrocoelidae	5	3.1	2.3	4.1	3.1
Snails	Neritidae	6	7.5	6.7	8.1	9.3
	Viviparidae	6	6.3	2.1	4.7	7.1
	Valvatidae	3	2.8	2.5	2.5	3.2
	Hydrobiidae	3	3.9	4.1	3.9	3.7
	Lymnaeidae	3	3.0	3.2	3.1	2.8
	Physidae	3	1.8	0.9	1.5	2.8
	Planorbidae	3	2.9	2.6	2.9	3.1
Limpets and Mussels	Ancylidae	6	5.6	5.5	5.5	6.2
	Unionidae	6	5.2	4.7	4.8	5.5
	Sphaeriidae	3	3.6	3.7	3.7	3.4
Worms	Oligochaeta	1	3.5	3.9	3.2	2.5
Leeches	Piscicolidae	4	5.0	4.5	5.4	5.2
	Glossiphoniidae	3	3.1	3.0	3.3	2.9
	Hirudididae	3	0.0	0.3	-0.3	
	Erpobdellidae	3	2.8	2.8	2.8	2.6
Crustaceans	Asellidae	3	2.1	1.5	2.4	2.7
	Corophiidae	6	6.1	5.4	5.1	6.5
	Gammaridae	6	4.5	4.7	4.3	4.3
	Astacidae	8	9.0	8.8	9.0	11.2
Mayflies	Siphonuridae	10	11.0	11.0		
	Baetidae	4	5.3	5.5	4.8	5.1
	Heptageniidae	10	9.8	9.7	10.7	13.0
	Leptophlebiidae	10	8.9	8.7	8.9	9.9
	Ephemerellidae	10	7.7	7.6	8.1	9.3
	Potamanthidae	10	7.6	7.6		
	Ephemeridae	10	9.3	9.0	9.2	11.0
	Caenidae	7	7.1	7.2	7.3	6.4
Stoneflies	Taeniopterygidae	10	10.8	10.7	12.1	
	Nemouridae	7	9.1	9.2	8.5	8.8
	Leuctridae	10	9.9	9.8	10.4	11.2
	Capniidae	10	10.0	10.1		
	Perlodidae	10	10.7	10.8	10.7	10.9
	Perlidae	10	12.5	12.5	12.2	
	Chloroperlidae	10	12.4	12.5	12.1	
Damselflies	Platycnemidae	6	5.1	3.6	5.4	5.7
	Coenagriidae	6	3.5	2.6	3.3	3.8
	Lestidae	8	5.4			5.4
	Calopterygidae	8	6.4	6.0	6.1	7.6
Dragonflies	Gomphidae	8				
	Cordulegasteridae	8	8.6	9.5	6.5	7.6
	Aeshnidae	8	6.1	7.0	6.9	5.7
	Corduliidae	8				
	Libellulidae	8	5.0			5.0
Bugs	Mesoveliidae *	5	4.7	4.9	4.0	5.1
	Hydrometridae	5	5.3	5.0	6.2	4.9
	Gerridae	5	4.7	4.5	5.0	4.7
	Nepidae	5	4.3	4.1	4.2	4.5
	Naucoridae	5	4.3			4.3
	Aphelocheiridae	10	8.9	8.4	9.5	11.7

Common Name	Family	Original BMWP Score	Revised BMWP Score	Habitat Specific Scores		
				Riffles	Riffle pools	Pools
	Notonectidae	5	3.8	1.8	3.4	4.4
	Pleidae	5	3.9			3.9
	Corixidae	5	3.7	3.6	3.5	3.9
Beetles	Haliplidae	5	4.0	3.7	4.2	4.3
	Hygrobiidae	5	2.6	5.6	-0.8	2.6
	Dytiscidae	5	4.8	5.2	4.3	4.2
	Gyrinidae	5	7.8	8.1	7.4	6.8
	Hydrophilidae	5	5.1	5.5	4.5	3.9
	Clambidae	5				
	Scirtidae	5	6.5	6.9	6.2	5.8
	Dryopidae	5	6.5	6.5		
	Elmidae	5	6.4	6.5	6.1	6.5
	Chrysomelidae *	5	4.2	4.9	1.1	4.1
	Curculionidae *	5	4.0	4.7	3.1	2.9
Alderflies	Sialidae	4	4.5	4.7	4.7	4.3
Caddisflies	Rhyacophilidae	7	8.3	8.2	8.6	9.6
	Philopotamidae	8	10.6	10.7	9.8	
	Polycentropidae	7	8.6	8.6	8.4	8.7
	Psychomyiidae	8	6.9	6.4	7.4	8.0
	Hydropsychidae	5	6.6	6.6	6.5	7.2
	Hydroptilidae	6	6.7	6.7	6.8	6.5
	Phryganeidae	10	7.0	6.6	5.4	8.0
	Limnephilidae	7	6.9	7.1	6.5	6.6
	Molannidae	10	8.9	7.8	8.1	10.0
	Beraeidae	10	9.0	8.3	7.8	10.0
	Odontoceridae	10	10.9	10.8	11.4	11.7
	Leptoceridae	10	7.8	7.8	7.7	8.1
	Goeridae	10	9.9	9.8	9.6	12.4
	Lepidostomatidae	10	10.4	10.3	10.7	11.6
	Brachycentridae	10	9.4	9.3	9.7	11.0
	Sericostomatidae	10	9.2	9.1	9.3	10.3
True flies	Tipulidae	5	5.5	5.6	5.0	5.1
	Chironomidae	2	3.7	4.1	3.4	2.8
	Simuliidae	5	5.8	5.9	5.1	5.5

Notes

* These families are now excluded from the list used for the calculation of the score. A blank indicates that there were insufficient records for the calculations. The Revised BMWP Scores are based on the analysis of frequency of occurrence of the families recorded in approximately 17,000 samples.

The Habitat Specific Scores are based on the following substrate compositions:
Riffles: >= 70% boulders and pebbles,

Pool: >= 70% sand and silt,

Riffle/Pool: the remainder.

Table A2: BMWP Scoring System.

BMWP score	Category	Interpretation
0-10	Very poor	Heavily polluted
11-40	Poor	Polluted or impacted
41-70	Moderate	Moderately impacted
71-100	Good	Clean but slightly impacted
>100	Very good	Unpolluted, unimpacted