


EXPLORATIVE RESEARCH AND PRAXIS SEMINAR 2

PRODUCT DESIGN, INDUSTRIAL DESIGN, TRANSPORT DESIGN & ENVIRONMENTAL DESIGN

MATT ARCHER

04.02.22

Success



what people think
it looks like

Success



what it really
looks like





IoT PROJECTS IN DEVELOPMENT


SMART MIRROR




SMART MIRROR




SMART ARM



SMART DOOR



SMART IRRIGATION



SMART AIR MONITORING




SMART ALARM CLOCK



Credits: Top 10 Zone

Subscribe

SMART WEATHER REPORTING SYSTEM




SMART WHEELCHAIR



Credits: SAP TV

 [Subscribe](#)

SMART STREET LIGHT SYSTEM



ORIGINAL EXPLORATION OF '*EXISTING*' PRODUCTS

SOMFY THERMOSTATIC VALVE io



DROP LEAF TABLE







CABLETREAD - CABLE MANAGEMENT DESK



STAKKI - STACKABLE TRIPOD CHAIR



STAKKI - STACKABLE TRIPOD CHAIR



STAKKI - STACKABLE TRIPOD CHAIR



CARDBOARD - DRUG PACK



INSTRUCTION MANUAL

Indications

For localized pruritus, neurodermatitis, contact dermatitis, seborrheic dermatitis, and chronic eczema.

Main ingredients

0.75 mg dexamethasone acetate per gram, menthol 10 mg, camphor 10mg, the excipients are ethyl hydroxybenzoate, essence, cetyl alcohol, liquidparaffin, glycerol monostearate, stearate polyhydroxyoxygen (40) ester, glycerin, disodium ethylenediamine tetraacetate, carbomer, purified water.

Pharmacological action

dexamethasone acetate contained in this product is a glucocorticoid with anti-inflammatory and anti-allergic effects, Menthol, camphor to promote local circulation and mild anti-inflammatory, analgesic and antipruritic effects.

1. Avoid
on

COMPOUND
DEXAMETHASONE ACETATE CREAM

- LOCALIZED PRURITUS
- CHRONIC ECZEMA
- NEURODERMATITIS
- SEBORRHEIC DERMATITIS
- CONTACT DERMATITIS

Approved Document No.: SEDA H4024170

COMPOUND DEXAMETHASONE ACETA

Usage and dosage

For external use. Apply a small amount to the affected area and rub lightly for a while. 1-2 times a day for patients with severe or chronic inflammation, 5-8 times a day or according to the doctor's advice.

Adverse reactions

Long-term use of a large number of bacteria, fungal infection, local acne, skin atrophy, telangiectasia, and can have itching, pigmentation, facial erythema, wound healing disorders and other reactions. Occasional allergic reactions.

Specification

20g/branch

Period of validity

Tentative two years

666-0000-8000-999
FIFANG CUSUANDISANSUNG RUBAO

Customer Service Hotline: 4008-0000-999

50g

FORM SMART SWIM GOGGLES




ASTRO TELLER

**THE UNEXPECTED BENEFIT OF CELEBRATING
FAILURE**

□ [https://www.ted.com/talks/astro teller the unexpected benefit of celebrating failure](https://www.ted.com/talks/astro_teller_the_unexpected_benefit_of_celebrating_failure)







THANK YOU