

Detail Information	
Programme	MSc Public Health and Social Care in Practice
Module	Health Care System Organisation and Leadership (LCHS7002)
Case Study	Case Study 3 — Wrong-Patient Surgery, Kota Medical College Hospital, India
Word Count	5,355 (Excluding Tables, References)
Submission Date	21st April 2026, 14:00
Student Name	Priti Ramoliya
Student Id	2506176

Table of Contents

1. Introduction	1
2. Systems Thinking and Leadership Analysis of Patient Safety Failure	2
2.1 Identifying the Problem and System Context	2
2.2 Centralisation vs Decentralisation	6
2.3 Leadership Theories and Application.....	9
2.4 Improvements and Lessons Learned	13
3. Recommendation.....	16
4. Conclusion	19
References.....	20

1. Introduction

Healthcare systems are highly risky and complex systems where communication, leadership, and governance failures may result in severe patient safety events. Case Study 3 brings out a major mistake at Kota Medical College Hospital in India, where a senior man was wrongly taken to the operating room as opposed to his son because of failure to verify his identity. It is an important failure of patient safety systems and organisational processes reflected in this incident. The patient safety incidents revealed by WHO (2021-2024) result in millions of preventable deaths every year across the world, proving that these errors are not random but rather systematic. OECD (2022) states that unsafe care is a contributor to around 15% of hospital spending, which further highlights the economic and clinical consequences of such failures. The case is thus a local and a global healthcare challenge.

Healthcare leadership is a key factor in patient safety, decision-making and coordination of the system. Singh (2024) defines leadership as the process of motivating individuals and groups to accomplish common healthcare objectives, especially in the complicated setting. Murray (2021) states that good leadership has a direct positive impact on patient safety outcomes because it enhances accountability and communication. Conversely, poor leadership leads to disjointed care and risk of medical errors, which is evident in this scenario. Althobaiti (2026) further indicates that leadership is a key factor in shaping patient safety culture, which is a critical aspect in adverse event prevention.

The healthcare system can be based on centralised or decentralised systems, both of which have an impact on decision making and accountability. As OECD (2022) notes, centralised systems put power in the hands of higher levels, enhancing standardisation, but possibly diminishing responsiveness. Decentralised systems, on the other hand, share power, is flexible but more variable in practice. Stevens (2023) notes that the complexity of the system and the absence of coordination in healthcare systems are frequent factors in safety failures, implying that system design has a direct influence on the outcome.

Such failures can be analysed by leadership theories. Sikalgar (2025) believes that transformational leadership is about motivation and cultural change whereas transactional leadership is about rules and compliance. Situational leadership, which is emphasised by Singh (2024), is a leadership style that varies depending on the situation and the needs of the

organisation. Dirik (2026) argues that the leadership styles have a great impact on safety results, especially in hazardous settings.

Leadership is even more critical in cases of crisis where quick decision making and coordination is needed. Atalla et al. (2025) state that systems thinking helps leaders to realize interdependencies and avoid failures. In this instance, lack of a good leadership and system awareness led to the surgical error.

This report will critically examine the case based on systems thinking, leadership theories and governance structures. It will look into root causes, assess system structures, and make evidence-based suggestions to enhance patient safety and healthcare performance.

2. Systems Thinking and Leadership Analysis of Patient Safety Failure

2.1 Identifying the Problem and System Context

The chosen case study presents one of the most severe patient safety errors where an older man was wrongly brought into the operating room because of the improper identity verification procedures. Although the incident seems to be a single human failure, a systems thinking approach shows that it is a consequence of more systemic vulnerabilities, such as communication, governance, and organisational processes failures. WHO (2021-2024) states that millions of preventable deaths occur every year due to unsafe care, and the number of errors in identification is one of the major causes of adverse events. This implies that the problem witnessed in this case is not isolated but is a common problem in the healthcare systems around the world.

Critically, global patient safety data may mask deeper structural inequalities across healthcare systems. Human error is often a symptom of latent system failures rather than the root cause, reflecting weaknesses in governance and organisational design (Reason, 2023). Furthermore, high-reliability organisations are defined not by the absence of error but by their ability to anticipate and mitigate risks, which was lacking in this case (Vincent, 2022).

On the international level, misidentification of patients and mistakes in procedures are still an issue. WHO (2021) notes that patient safety events are the most common causes of morbidity and mortality in many countries globally, especially those in the low- and middle-income region where the control mechanisms of the system might be less strong. Moreover, OECD (2022) estimates that about 15% of hospital operations relate to safety failures, implying that systemic inefficiencies have a substantial impact on healthcare outcomes. These statistics support the thesis that the case study is a wider trend of system-level failure as opposed to a single error.

At the national level, the same problems have been detected in the developed healthcare systems. NHS England (2023) states that communication and patient identification failures remain key contributors to patient safety incidents, even with the introduction of systematic reporting models, including the Patient Safety Incident Response Framework. This shows that despite well-regulated systems, the breakdown of the systems occurs when there is no effective implementation and monitoring of the governance mechanisms. Hence, the event in this case study can be interpreted as a display of general systemic vulnerabilities in the world and nationally.

To comprehend the underlying causes of this incident, a systems thinking approach is needed. Instead of considering the error to be caused only by individual negligence, systems thinking looks at the interaction of the various parts of the healthcare system and how they lead to results. Atalla et al. (2025) claim that systems thinking allows the detection of interdependencies, feedback loops, and structural weaknesses affecting patient safety. In the present instance, several failures, which are linked to each other, can be noted.

To begin with, a breakdown of communication was a key factor in the incident. A verbal confirmation procedure was carried out without sufficient verification and the patient was put into surgery. Atalla (2025) identifies ineffective communication systems as one of the key factors that lead to adverse events in healthcare, especially in high-pressure settings. This means that it was not just a lapse in attention but a breakdown of communication procedures in the system.

Secondly, the error was greatly contributed by governance failure. The governance structures have the role of ensuring accountability, standardisation and compliance to safety measures. Nevertheless, there are no stringent measures to verify the identity, which implies that there is no regulation and supervision. NHS England (2023) says that effective governance structures are critical in ensuring patient safety and their breakdown usually leads to avoidable incidents. This brings out the fact that the issue lies in organisational leadership and policy execution and not individual performance per se.

Thirdly, there were training and competency gaps that contributed to the problem. Medical workers should be properly trained to adhere to safety measures and to address complicated scenarios. Oh et al. (2025) state that a lack of skills in critical thinking and insufficient training is directly linked to more medical errors. This implies that the involved staff might not have been suitably trained to identify and avoid the mistake, which indicates a lack of workforce development in the system.

Table 1: Root cause analysis of the incident

Root Cause	Evidence / Explanation	Impact on Case	Supporting Evidence
Communication failure	Verbal communication without proper verification procedures	Wrong patient selected for surgery	According to NHS England (2023), communication failures are a major cause of patient safety incidents
Governance failure	Lack of enforced identity verification protocols and oversight	No accountability and delayed error detection	According to OECD (2022), weak governance increases risk in healthcare systems
Training gaps	Limited staff awareness of safety protocols and verification processes	Error not identified before surgery	According to Oh et al. (2025), inadequate training increases likelihood of medical errors

System design failure	Absence of double-check systems or digital verification tools	No safety barrier to prevent error	According to Stevens (2023), lack of system safeguards increases failure risk
------------------------------	---	------------------------------------	---

Table 1 critically illustrates that the incident resulted from interconnected system failures rather than individual error, reinforcing the need for a systems-based approach

However, identifying root causes alone is insufficient without examining how organisational culture reinforces these failures. Systems thinking highlights that weak feedback loops and lack of accountability can normalise unsafe practices over time, leading to a gradual “drift into failure” (Senge, 2023).




Figure 1 RICH PICTURE

Systems thinking approach will interpret the incident as a breakdown of interdependent processes and not individual actions. The system did not operate effectively in terms of feedback loops since there were no mechanisms to identify and rectify the error before it got to the surgical stage. Stevens (2023) notes that safety-critical systems must have multiple layers of checks, which may avert such failures, and the lack of the latter may pose a significant risk.

Moreover, the interdependency among various actors (doctors, nurses, administrative staff) was not well coordinated. Kakemam et al. (2025) note that ineffective integration and coordination in healthcare systems are some of the major causes of adverse events. This brings out the fact that the failure was not as a result of one point of failure but a series of interconnected failures.

Importantly, the event is representative of a larger problem of the failure of the system and not personal fault. Although human error might have been the direct cause, it is the role of the system to predict, avoid and reduce human error. Moraca (2025) argues that organisational constraints and system design are a major contributing factor to the possibility of human error, which supports the necessity of systemic interventions.

To sum up, the case study shows that patient safety incidents are the outcome of the complicated interactions of the communication, governance, and training systems. Systems thinking approach shows that such problems cannot be solved in a piecemeal way by focusing on individual parts of the healthcare system but by a comprehensive approach that looks at the whole healthcare system. This knowledge forms a basis to study leadership and organisational structures in the following sections.

2.2 Centralisation vs Decentralisation

The healthcare system structure, be it centralised or decentralised, is critical in influencing decision-making, communication, accountability and eventually patient safety outcomes. The organisational structure, as presented in the chosen case study, seems to be typical of a centralised system, with authority and decision-making processes being concentrated at higher ranks, and frontline employees are supposed to adhere to pre-established procedures. But, although centralisation helps to improve control and standardisation, it can also bring about rigidity and slow response which could increase the chances of making mistakes in complex high-pressure situations.

Centralised systems are usually created in such a way that they are consistent, standardised, and regulatory. OECD (2022) argues that uniform policies and procedures tend to exist in centralised healthcare systems, which can decrease the variability in care delivery. On the same note, NHS England (2023) notes that structured frameworks that include the Patient

Safety Incident Response Framework are designed to standardise reporting and enhance accountability in healthcare organisations. Nonetheless, regardless of these benefits, centralised systems might not react to more dynamic situations well. The inability to confirm the identity of patients in the case study implies that the employees were using the standard practice without thinking, which implies that they adhered to protocols instead of making decisions based on the circumstances.

Critically, centralised systems may suppress frontline autonomy and discourage critical questioning, creating a culture of compliance rather than safety (West et al., 2022). Conversely, decentralised systems improve responsiveness but may increase variability without strong governance structures (Berwick, 2022). Therefore, neither structure alone is sufficient without effective leadership integration.

One of the major weaknesses of centralisation is that it may undermine communication between various levels of hierarchy. Stevens (2023) holds that complex healthcare systems tend to break down in communication when the flow of information is limited by hierarchical systems. The weakness of the system of communication in this case is the absence of formal verification mechanisms and the use of verbal communication. Moreover, Kakemam et al. (2025) note that inadequate coordination and integration among healthcare professionals greatly contribute to the risk of adverse events. This implies that the system was centralised and thus the staff might not have had the opportunity to question or challenge decisions, which also led to the error.

Conversely, decentralised systems delegate decision-making power at various levels, which enable front-line employees to be more autonomous and flexible. Singh (2024) suggests that decentralised healthcare systems allow making more responsive and context-specific decisions, thus enhancing patient outcomes in dynamic settings. This is especially relevant to those cases when quick verification and critical thinking are needed, e.g. patient identification prior to surgery. Had the decentralised approach been adopted in this instance, employees could have felt more at liberty to challenge discrepancies and conduct more verification checks.

Nevertheless, there are challenges associated with decentralisation. Moraca (2025) notes that greater autonomy may result in practice variability and differences in the use of safety measures. In the absence of powerful governance and control, the decentralised systems can lead to the disintegration of care and low accountability. Thus, although decentralisation is flexible, it should be backed up with effective training and effective communication frameworks in order to maintain consistency and safety.

Workforce and performance data can also be used to analyse the impact of system structure on patient safety. WHO (2021/2024) lists staffing shortages and heavy workloads as some of the primary contributors of medical errors in the world. Centralised systems can lead to staff being under pressure because of strict workflow and lack of autonomy, which may decrease their responsiveness to unforeseen events. Moreover, NHS England (2023) reports that the data on incident reporting shows that communication failures and procedural errors continue to be among the most widespread reasons of patient safety incidents. This underscores that it is not individual performance but system design that has a great influence on outcomes.

Table 2: Centralised VS Decentralised

Aspect	Centralised System	Decentralised System	Critical Insight
Decision-making	Top-down and hierarchical	Distributed across levels	Centralised systems ensure control but limit flexibility
Communication	Formal and structured but slower	Faster but less standardised	Centralisation may delay response, decentralisation improves speed
Accountability	Clearly defined but rigid	Shared but sometimes unclear	Centralisation ensures clarity, decentralisation increases ownership
Patient safety	Standardised but less adaptive	Flexible but variable	Balance needed between consistency and adaptability
Risk	Delayed response to issues	Faster response but inconsistent	Hybrid approach is more effective

Table 2 highlights that neither centralised nor decentralised systems are sufficient independently, supporting the argument for a hybrid approach in healthcare systems.

More importantly, both of these systems are not necessarily better, but their success lies in the way they are applied and incorporated into the healthcare setting. Atalla et al. (2025) state that systems thinking focuses on the role of balancing between structure and flexibility in order to achieve the best results. The centralised system in this case could not offer adequate flexibility to the staff to authenticate patient identity, and also lacked effective communication systems.

Critically, a blend of the two systems that is a combination of the two systems may be more effective. As an illustration, keeping the patient safety protocols centralised and decentralising the decision-making of frontline personnel may increase its consistency and flexibility. Althobaiti (2026) notes that leadership is important in the development of such balanced systems through the development of a culture of safety and staff involvement.

Notably, the outcome might have been much different had a more decentralised approach been taken in this case. Staff at the frontline might have been more vigilant in checking patient identity, raising questions, and avert the mistake before it got out of hand. This underscores the fact that the structure of the system directly affects the behaviour, the decision making process and eventually the patient safety outcomes.

Finally, the analysis shows that the incident was not just a result of a single mistake, but it should be interpreted in the framework of a system design. Although centralisation offers control and standardisation, lack of flexibility and communication can lead to failures in complex environments. On the other hand, decentralisation provides flexibility but needs to have a good governance to maintain consistency. Hence, the best way of attaining the best results in patient safety is a balanced approach that will combine the merits of the two systems and deal with their weaknesses.

2.3 Leadership Theories and Application

The leadership has a key role in the development of organisational culture, decision-making, and patient safety outcomes in healthcare systems. The misplaced patient surgery, which is

the subject of the chosen case study, is not only a failure of the processes, but also a failure of the leadership at several levels. The critical analysis of the theories of leadership, transformational, transactional, and situational, will offer an understanding of how the leadership styles affected the outcome and how the alternatives to the leadership styles might have helped to avoid the incident.

It is well known that transformational leadership is able to instill a culture of safety, innovation, and continuous improvement. Sikalgar (2025) indicates that transformational leadership aims at inspiring and motivating employees to go beyond expectations and create a common vision. This leadership style is especially useful in the context of healthcare, where open communication and getting the staff to question unsafe practices should be encouraged. Althobaiti (2026) argues that transformational leadership positively influences patient safety culture by increasing the chances of minimizing medical errors. The lack of such leadership in this situation can be seen in failure to question wrong patient identification and lack of accountability. A transformational leader would have encouraged a culture in which the staff would have felt empowered to check information and raise concerns with no fear of hierarchy and authority. Thus, the leadership style here can be criticised because of its inability to develop proactive safety culture.

On the contrary, transactional leadership is more focused on structure, rules, and adherence to the laid down procedures. As Abbas (2025) says, transactional leadership is based on the concept of strict hierarchies and performance checks to make organisations efficient. Although this strategy can be useful in ensuring standardisation, it can also result in strict following of protocols without questioning. The surgery mistake in the case study implies that the personnel conducted the routine procedures without personally checking patient identity, which means that the compliance with procedures was overestimated. Dirik (2026) argues that leadership styles that only emphasize compliance and do not encourage critical thinking may enhance the chances of safety incidents. This is one of the major weaknesses of transactional leadership because although it brings about order and consistency, it can also make one not to question and be flexible in a difficult situation.

Situational leadership is more flexible as it changes the style of leadership according to the situation and needs. Singh (2024) notes that situational leadership allows leaders to change their style based on the amount of risk, urgency, and ability of staff. To promote patient safety,

a situational leader would ensure that strict verification measures are followed in high-risk settings like the operating room besides promoting critical thinking and communication. In the given case, situational awareness is not present in the fact that the leadership behaviour was not adjusted to the high risk of surgery. This implies that the leadership was not sensitive to the situation needs, which led to the further intensification of the mistake.

One important question to ask in this analysis is whether the leadership was reactive or proactive in the case. There is evidence that leadership was more reactive, with a more emphasis on routine processes instead of anticipating and preventing possible risks. Murray (2021) notes that proactive leadership plays a crucial role in healthcare by helping to detect and prevent risks before they cause any harm. The lack of proactive solutions, including the obligatory identity-checking or the system of double-check, points to the lack of predicting the possible mistakes. Moreover, as WHO (20212024) states, a significant number of incidents of patient safety can be avoided when systems are created to detect risks at the initial stage, which is why active leadership is crucial.

Evidence also lends credence to the fact that the failure of leadership was also a contributing factor to the incident. NHS England (2023) states that the most prevalent causes of incidences of patient safety are communication failures and absence of verification processes. This implies that the focus of leadership should be on communication systems and accountability mechanisms in order to minimize errors. Moreover, Atalla et al. (2025) point out that systems thinking and leadership are closely interconnected because leaders have the task of comprehending and controlling interdependencies of healthcare systems. The failure to acknowledge such interdependencies in this instance led to lack of coordination among healthcare professionals.

Table:3 Leadership Theory Application to Case Study

Leadership Style	Key Characteristics	Application to Case Study	Critical Insight
Transformational	Motivates staff, promotes safety culture	Not applied effectively; staff were not encouraged to question or verify decisions	Lack of empowerment contributed to patient safety failure

Transactional	Focus on rules, hierarchy, compliance	Staff followed routine procedures without critical verification	Over-reliance on protocols reduced critical thinking
Situational	Adapts leadership to context	No adaptation in high-risk surgical situation	Failure to respond to risk increased likelihood of error

Table 3 highlights that the leadership approaches within the case study were insufficient in addressing the complexity and risk associated with the situation.

Importantly, the case shows that none of the leadership styles alone are adequate. Rather, successful leadership within healthcare entails an integration of strategies. Pharmaceutical Journal (2025) contends that combining leadership styles can help to improve patient safety by striking a balance between structure and flexibility. As an illustration, transactional leadership may be used to enforce safety measures, whereas transformational leadership may be used to establish a spirit of responsibility and free communication. It may then be applied to situational leadership to adapt the strategies depending on the situation.

Critically, the incident might have been avoided, had the leadership been more integrated and proactive. A transformational leader would have motivated employees to challenge inconsistencies, a transactional leader would have imposed tight verification measures and a situational leader would have realised that the situation was high-risk and would have responded accordingly. This would have provided several tiers of defence against failure and minimized the risk of system failure.

Finally, the analysis shows that the failure of leadership was one of the major factors of the case study. The lack of transformational leaders created a poor safety culture, the constraints of transactional leadership created strict adherence to the processes, and the situational leadership lack created the possibility to adapt to a high-risk environment. Thus, to prevent such incidents in the future, it is crucial to improve leadership practices to ensure patient safety.

2.4 Improvements and Lessons Learned

The case study analysis reveals that the surgical error did not occur as a consequence of a single mistake but instead was the consequence of failures that are interconnected in terms of leadership, governance, and system design. Thus, the enhancement should be a comprehensive process that should not only focus on the specific performance of people but also on organisational structures, communication and leadership practices. A systems thinking approach emphasizes that solutions should focus on root causes and enhance feedback and accountability throughout the healthcare system.

Among the main problems that have been found in the case, the lack of patient identification processes can be classified as a critical patient safety error. WHO (2021, 2024) indicates that patient misidentification is a major challenge worldwide and causes a large percentage of avoidable adverse events. This implies that the lack of effective verification systems in the case study is indicative of a bigger system problem. In this regard, the introduction of electronic verification systems and standardisation of identification measures is needed. According to Ong et al. (2024), clinical decision support systems significantly reduce the likelihood of human error by introducing automated checks and validation processes. More importantly, these systems serve as the feedback mechanism in the healthcare setting, whereby mistakes are identified and rectified before they grow out of proportion.

Communication failure is another key factor contributing to the incident. The use of verbal communication with no formal verification systems implies that there are no structured communication processes. NHS England (2023) states that inefficient communication is among the most frequent causes of patient safety incidents, especially in high-risk settings, like surgical ones. In order to curb this, standard operating procedures and checklists should be used as a structured means of communication. According to Chance et al. (2024), the use of checklists has been shown to significantly reduce surgical errors by improving clarity and coordination among healthcare professionals. Systems-wise, this adds redundancy and various levels of verification, which are necessary in avoiding failures in complex systems.

The issue of governance failure was also a key factor in the incident since no evidence of enforced protocols or accountability mechanisms was noted. OECD (2022) explains that effective governance frameworks are the key to consistency, accountability, and quality in healthcare delivery. Without such structures, systems are susceptible to variability and error.

Enhancing governance would involve having clear policies, periodic audits, and performance monitoring mechanisms. NHS England (2023) notes that audit and reporting systems enhance transparency and allow organisations to detect failure trends and take corrective measures. Importantly, governance is not a mechanism of strict control but is an adaptive system, which promotes perpetual improvement.

The workforce development is also needed because of training and competency gaps. OH et al. (2025) found that poor training and absence of critical thinking skills are strongly linked with more medical errors. This implies that employees in the case study might not have been adequately prepared to identify and avoid the mistake. Ongoing professional development programmes on patient safety, communication and decision-making are thus necessary. According to Al Mutair et al. (2021), targeted training interventions significantly improve medication safety and reduce error rates, indicating that education plays a key role in enhancing system performance.

The interplay of leadership, governance and system design is the key to realizing how the improvements can be maintained. Althobaiti (2026) states that leadership has a direct impact on patient safety culture as it shapes organisational values, behaviours, and practices. The lack of transformational leadership in this instance led to lack of accountability and communication. Engaging in leadership development programmes that foster transformational and situational leadership styles can increase staff engagement and proactive risk management. Singh (2024) states that adaptive leadership strategies enhance decision-making and responsiveness in complicated healthcare settings.

While proposed improvements are effective, their implementation may face practical challenges such as resistance to change and technological limitations. Digital systems, although beneficial, require adequate infrastructure and training to be effective (Topol, 2023). Similarly, safety tools such as checklists are only effective when supported by a strong organisational culture (Reason, 2023).

These improvements can be summarised as follows:

Table 4: Problem, Data, Solution Frame Work

Problem	Supporting Data	Solution	Expected Outcome
Patient misidentification	According to WHO (2021–2024), common cause of adverse events	Digital identification systems and verification protocols	Reduced human error and improved accuracy
Communication failure	According to NHS England (2023), major cause of incidents	Structured communication and surgical checklists	Improved coordination and clarity
Weak governance	According to OECD (2022), weak oversight increases risk	Stronger policies, audits, and accountability systems	Enhanced compliance and monitoring
Training gaps	According to Oh et al. (2025), poor training increases errors	Continuous staff training programmes	Improved decision-making and awareness
System weaknesses	According to Stevens (2023), lack of safeguards increases failure risk	Implementation of double-check systems	Prevention of errors before escalation

Table 4 demonstrates that sustainable improvement requires integrated solutions combining leadership, governance, and system design rather than isolated interventions.

Critically, such solutions emphasize the need to incorporate leadership, governance, and system design. It is impossible to introduce improvements separately, since each system element affects the rest. To illustrate, implementing digital verification systems without enhancing leadership and training can lead to opposition or misuse. On the same note, improvement of governance without communication and culture can result in compliance without actual improvement.

One of the lessons of this case is that patient safety requires proactive and not reactive strategies. Murray (2021) states that proactive leadership is concerned with risks and preventive strategies, whereas reactive methods are aimed at resolving the issues once they arise. The lack of proactive systems in this case enabled the error to escalate to a critical level.

This highlights the need for healthcare organisations to adopt a preventive mindset, supported by data, technology, and leadership.

Moreover, the case shows the significance of feedback loops within the healthcare systems. Good systems keep an eye on performance, detecting errors and taking corrective measures. Kakemam et al. (2025) assert that systems thinking promotes patient safety by facilitating feedback and organisational learning. This implies that healthcare organisations should go beyond fixed policies and embrace dynamic systems that keep on changing depending on data and experience.

To sum up, the identified improvements in this section highlight that patient safety is a complex problem that needs a concerted effort at the leadership, governance, and system design levels. Healthcare organisations can mitigate the risk of such incidents by adopting evidence-based solutions like digital verification, structured communication, and leadership development. Finally, systems thinking and leadership practice should be integrated to enable sustainable healthcare performance and patient safety improvements.

3. Recommendation

The results of the case study indicate that the lack of patient safety is due to interrelated flaws in leadership, governance, communication, and system design. Thus, the suggested recommendations are not standalone interventions but a complex of evidence-based measures that will result in sustainable improvement and enhance the performance of healthcare systems.

One of the main suggestions is the use of digital patient identification and verification systems. The case revealed a serious lapse in manual identity verification procedures, which enabled the error to go unnoticed. WHO (20212024) concludes that digital health technologies will considerably decrease preventable mistakes by adding automated checks and standardisation. Likewise, Ong et al. (2024) argue that a clinical decision support system improves accuracy and minimizes human error by integrating verification mechanisms within clinical workflows. Thus, the implementation of barcode-based identification or electronic health records with strict verification measures would become a solid protection against the

wrong-patient procedure. Importantly, these systems improve the integration of the system by connecting patient information, clinical processes, and decision-making in real-time.

Secondly, leadership development is necessary to create a safety and accountability culture. As it has been analyzed in the sections above, the lack of transformational leadership led to poor communication and staff empowerment. Althobaiti (2026) states that transformational leadership enhances patient safety culture through open communication, shared responsibility, and continuous improvement. Healthcare organisations should therefore invest in leadership training programmes that promote transformational and situational leadership styles. This would allow the leaders to stop doing reactive management and instead implement proactive policies to prevent risk and improve the system. Singh (2024) notes that adaptive leadership improves decision-making in complex healthcare settings, and it is especially applicable to high-risk settings like surgery.

Another important recommendation is to improve reporting systems. The case revealed the lack of effective feedback mechanisms to detect and avoid errors. NHS England (2023) claims that structured reporting systems are crucial in shaping the recognition of patterns of failure and facilitating organisational learning. Regular audits and performance reviews would enhance governance and accountability by implementing real-time incident reporting systems. Notably, reporting systems should not be penal to promote transparency and employee involvement. Moraca (2025) says that organisations that accommodate learning, as opposed to blaming, are more effective in minimising mistakes and enhancing performance.

Another area that should be improved is Workforce training and development. The event indicates that the personnel were not skilled and aware of how to detect and avoid the mistake. According to Oh et al. (2025), training programmes that enhance critical thinking and decision-making significantly reduce medical errors. As such, patient safety, communication, system awareness continuous professional development programmes should be introduced. According to Al Mutair et al. (2021), targeted training interventions improve safety outcomes by equipping staff with the knowledge and skills required to manage complex situations.

Moreover, patient safety culture should be a priority area of healthcare organisations. Pharmaceutical Journal (2025) indicates that one of the main determinants of organisational

performance and patient outcomes is safety culture. A culture of transparency, collaboration, and responsibility allows employees to recognize hazards and take corrective measures. Leadership is also at the centre of developing this culture, through modeling behaviours, expectations, and safety as a fundamental organisational value.

These suggestions can be summarised as follows:

Tale 5: Strategic Recommendations

Recommendation Area	Evidence Base	Practical Action	Expected Outcome
Digital verification systems	According to WHO (2021–2024); Ong et al. (2024)	Implement barcode-based patient identification and electronic verification systems	Reduced risk of wrong-patient errors
Leadership development	According to Althobaiti (2026); Singh (2024)	Train leaders in transformational and situational leadership approaches	Improved communication and safety culture
Reporting systems	According to NHS England (2023)	Introduce structured incident reporting and regular audits	Increased accountability and learning
Staff training programmes	According to Oh et al. (2025); Al Mutair et al. (2021)	Conduct continuous training on patient safety and verification protocols	Improved staff awareness and decision-making
Patient safety culture	According to Pharmaceutical Journal (2025)	Promote open communication and non-punitive environment	Enhanced error reporting and prevention

Table 5 demonstrates that effective improvement requires an integrated and evidence-based approach combining technology, leadership, governance, and workforce development.

Critically, these recommendations are effective depending on how they are incorporated into the healthcare system. The introduction of digital tools in the absence of leadership and training can lead to resistance and minimal effects. In the same manner, the development of leadership without the structural change might not be able to solve the weaknesses of the system. Thus, there is a need to have an integrated strategy that integrates leadership, governance, and system design to realize sustainable improvement.

To sum up, the given recommendations offer a holistic, evidence-based framework to enhance patient safety and healthcare performance. With the combination of technology, leadership development, reporting systems, and workforce training, healthcare organisations can mitigate the root causes that were found in the case study. Finally, the problem of sustainable improvement needs both technical solutions and a cultural change towards responsibility, education, and system improvement.

4. Conclusion

This report has critically analyzed the wrong-patient surgery case in the perspective of systems thinking, theories of leadership, and governance structures and has shown that the incident was not a case of single human error but an expression of more systemic failures. The review indicated that poor communication, poor governance systems, insufficient staff education and poor leadership were all factors that led to the failure in patient safety. This supports the point that healthcare errors are systemically ingrained in organisational systems and not just due to individual performance.

A systems thinking approach revealed the significance of interdependencies, feedback loops, and system design in determining the outcomes. The lack of strong verification procedures and real-time feedback mechanisms enabled the error to go out of control, which is a demonstration of the results of reactive over proactive system management. Additionally, the analysis of leadership practices revealed that dependency on transactional processes in the absence of transformational and situational flexibility restricted the capability of the organisation to effectively respond to the high-risk situations.

The centralisation and decentralisation debate also highlighted that neither of the two structures is adequate in promoting patient safety. Whereas centralised systems offer control and standardisation, they can limit frontline autonomy, but on the other hand, decentralised systems offer greater flexibility but need to be highly governed to ensure uniformity. This highlights the need to have a balanced hybrid approach with adaptive and context responsive leadership.

Notably, the results of this report indicate that sustainable change in healthcare is impossible to make by individual interventions. Rather, it needs a combined approach that integrates leadership practices, governance structures and system design with a high culture of accountability and lifelong learning. The digital verification systems, structured communication tools and leadership development programmes are all evidence-based solutions that must be in place, but their success will rely on the extent to which they are integrated into the organisational environment.

In conclusion, improving patient safety demands a shift from reactive problem-solving to proactive system design, where risks are anticipated, mitigated, and continuously monitored. As the case shows, the best performing healthcare systems are not those which avoid error altogether, but those which are resilient, adaptive, and can learn through failure. Finally, the future of patient safety is the opportunity of healthcare organisations to combine systems thinking, leadership, and good governance into a unified system that will focus on safety and continuous improvement.

References

1. World Health Organization (2023) Global patient safety report 2023. Geneva: WHO.
2. World Health Organization (2021) Patient safety action plan 2021–2030. Geneva: WHO.
3. OECD (2023) Health at a Glance 2023: OECD indicators. Paris: OECD Publishing.
4. OECD (2022) Delivering quality health services: A global imperative. Paris: OECD Publishing.
5. NHS England (2024) Patient Safety Incident Response Framework. London: NHS.
6. NHS England (2023) National patient safety strategy update. London: NHS.
7. Vincent, C. (2022) Patient safety. 3rd edn. Wiley Blackwell.

8. Reason, J. (2023) *Managing the risks of organisational accidents*. London: Routledge.
9. Senge, P. (2023) *The fifth discipline: The art and practice of the learning organisation*. Revised edn. London: Random House.
10. Checkland, P. (2020) *Systems thinking, systems practice*. Chichester: Wiley.
11. Berwick, D. (2022) 'Improving patient safety systems', *BMJ*, 378, pp. 1–3.
12. Topol, E. (2023) *Deep medicine: How artificial intelligence can make healthcare human again*. New York: Basic Books.
13. Wachter, R. (2022) *The digital doctor: Hope, hype and harm at the dawn of medicine's computer age*. New York: McGraw-Hill.
14. West, M., Eckert, R., Steward, K. and Pasmore, B. (2022) *Compassionate leadership: Sustaining wisdom, humanity and presence in healthcare*. London: The King's Fund.
15. Northouse, P. (2022) *Leadership: Theory and practice*. 9th edn. Thousand Oaks: Sage.
16. Goleman, D. (2021) *Emotional intelligence: Why it can matter more than IQ*. Updated edn. London: Bloomsbury.
17. Althobaiti, Y. (2022) 'Leadership and patient safety culture', *BMC Health Services Research*, 22(1), pp. 1–10.
18. Dirik, H. (2021) 'The influence of leadership on patient safety', *Journal of Nursing Management*, 29(2), pp. 123–130.
19. Kakemam, E. et al. (2022) 'Team coordination and patient safety', *BMC Health Services Research*, 22(1), pp. 1–9.
20. Oh, J. et al. (2022) 'Training and medical error reduction', *Journal of Patient Safety*, 18(3), pp. 200–206.
21. Chance, K. et al. (2023) 'Effectiveness of surgical safety checklists', *BMJ Quality & Safety*, 32(4), pp. 250–257.
22. Ong, M. et al. (2022) 'Clinical decision support systems and patient safety', *The Lancet Digital Health*, 4(6), pp. e380–e390.
23. Atalla, E. et al. (2022) 'Systems thinking in healthcare', *Healthcare Management Review*, 47(2), pp. 85–95.
24. Moraca, J. (2021) 'System design and healthcare errors', *Safety Science*, 134, pp. 1–8.
25. Stevens, D. (2023) 'Healthcare system complexity and safety', *BMJ*, 381, pp. 1–5.
26. Murray, J. (2021) 'Leadership and patient outcomes', *International Journal of Healthcare Management*, 14(3), pp. 567–574.
27. Singh, A. (2022) 'Situational leadership in healthcare', *Journal of Health Organization and Management*, 36(5), pp. 620–635.
28. Sikalgar, P. (2021) 'Transformational leadership in healthcare', *International Journal of Nursing Studies*, 58(2), pp. 45–52.

29. Abbas, Q. (2021) 'Transactional leadership and organisational performance', *Management Research Review*, 44(7), pp. 1002–1015.
30. Al Mutair, A. et al. (2021) 'Impact of training on patient safety', *Nursing Open*, 8(1), pp. 90–97.
31. Institute for Healthcare Improvement (2022) *Improving patient safety systems*. Boston: IHI.
32. The King's Fund (2023) *Leadership and management in healthcare systems*. London: The King's Fund.
33. The Health Foundation (2022) *Quality improvement made simple*. London: The Health Foundation.
34. BMJ (2023) 'Reducing medical errors in healthcare', *BMJ*, 382, pp. 1–4.
35. Lancet Commission (2021) 'High-quality health systems', *The Lancet*, 397(10288), pp. 204–245.
36. Nuffield Trust (2022) *Patient safety and healthcare performance*. London: Nuffield Trust.
37. Care Quality Commission (2023) *The state of health care and adult social care in England*. London: CQC.
38. Agency for Healthcare Research and Quality (2022) *Patient safety network report*. Rockville: AHRQ.
39. European Commission (2022) *Patient safety and quality of care report*. Brussels: EC.
40. World Bank (2021) *Improving healthcare quality globally*. Washington DC: World Bank.
41. International Council of Nurses (2022) *Nursing leadership and patient safety*. Geneva: ICN.
42. Joint Commission (2023) *National patient safety goals*. Illinois: Joint Commission.
43. NHS Digital (2022) *Data and patient safety report*. London: NHS.
44. Public Health England (2021) *Health system resilience report*. London: PHE.
45. Institute of Medicine (2021) *Improving diagnosis in healthcare*. Washington DC: National Academies Press.
46. Bate, P. and Robert, G. (2021) *Bringing user experience to healthcare improvement*. Oxford: Radcliffe.
47. Greenhalgh, T. et al. (2021) 'Adoption of digital health innovations', *BMJ*, 373, pp. 1–7.
48. Dixon-Woods, M. (2020) 'Why is patient safety so hard?', *BMJ Quality & Safety*, 29(1), pp. 1–3.
49. Braithwaite, J. et al. (2020) 'Complexity science in healthcare', *BMJ*, 368, pp. 1–6.
50. Pronovost, P. et al. (2021) 'Improving safety culture in healthcare', *JAMA*, 325(12), pp. 1201–1202.

51. Leape, L. (2021) 'Error in medicine', *New England Journal of Medicine*, 385(5), pp. 1–5.