

Report for Assignment 1

by Madhusudan Ghumare

Submission date: 06-Jan-2023 04:42PM (UTC+0000)

Submission ID: 193833363

File name: 36424_Madhusudan_Ghumare_Report_for_Assignment_1_474126_304564014.pdf (1.02M)

Word count: 2698

Character count: 13982

L-7 Database Systems

ACCA7002

Assignment 1


Madhusudan Ghumare

2116948

The most important queries in the ALC database are those in 'member' and 'booked_class' tables. Both of these tables handle core transactions of the club. In the 'member' table one of the most important queries is checking if a member exists and their membership status. While in the 'booked_class' table one frequently used query would be checking if a class is active (if it has more than six members).

Transactions

Transactions are used to ensure the consistency of a database by allowing multiple related database operations to be treated as a single unit of work. In **file2** I have created different stored procedures to handle transactions. First there are six separate transactions to handle 'INSERT' operations for each table, for example `insert_record_into_membership_type()` inserts values into the `membership_type` table. Secondly, `update_delete_procedure(query text)` stored procedure handles all 'UPDATE' and 'DELETE' in the database.



Stored Procedure Into Member

pgAdmin

File Object Tools Help

select_from_member_table(check pk).sql calls_procedure... violates_null_co... violates_fk.sql

CW1/postgres@PostgreSQL 14

Query Query History

```

1 -- run after inserting into member table to check primary key on member_id column
2 select * from member;

```


Data output Messages Notifications

member_id	name	address	telephone_no	date_joined
1	Quynn Cain	463-1859 Temper Road	(364) 724-8897	2023-01-06 02:33:10.860318
2	August Fisher	921-149 Inceptos Road	(379) 928-6726	2023-01-06 02:33:10.860318
3	Emi Kane	Ap #908-7721 Augue ...	1-769-928-6726	2023-01-06 02:33:10.860318
4	Cade Conley	577-4009 Aliquam str...	1-825-6188	2023-01-06 02:33:10.860318

Total rows: 4 of 4 Query complete 00:00:00.067 Ln 2, Col 22

Primary Key Member Table

When a user calls the stored procedures, the transaction ensures that either the operations are completed successfully or are not completed at all. If an operation fails, the transaction is rolled back and the database is returned to its previous state, otherwise the transaction is recorded into the database. This ensures that the database remains consistent




The above ER diagram represents six entities. The top box in each of the entities represents the name of the entity, distinguished by coloring the box green. In every entity there is a underlined attribute which represents the primary key, below it are other attributes of the entity.

The entity can be described as follows:

- The first entity, on the top left corner, membership, contains data of membership_type types and their price.
- Member entity represents members, their membership type, membership status and other personal details.
- Booked_class entity represents booked classes. It uses a composite key(class_id and room_id).
- Class entity represent class, the class name and the instructor.
- Instructor entity represents instructors and their name.
- Lastly, room entity represents rooms and their name.

Each of the above entity has a relationship with one or two other entities. Relationships are represented by the lines connected from one to another entity:

- The relationship between membership and member, means a member can only belong to one membership type while a membership type may have several members.
- Between members and booked_class means members may belong to optionally one or many classes.
- An instructor can instruct many classes but a class can only have one instructor.
- A room can only be associated with one class.
- A class can be booked once or severally.



Inserted Data

Evaluation of design and implementation

The entity relationship (ER) is an essential part of this design, as it has been in existence for more than 35 years. It was implemented in this project because of its ability to allow modeling for use with databases since it is fairly abstract and is straightforward to understand and explain. It is a deal because it is fairly abstract and straightforward to understand and explain in a database. As a result, this model's relationship is easily converted from ER models. As such, ER models are also called the "ER schema" and are hence represented by ER diagrams. Along with the ER, the ACID was used in this project to maintain consistency in the database and to provide users with easy access to the Abertawe Leisure Centre (ALC). Isolation is another factor that affects transaction integrity, as it is apparent to other users and systems among these four attributes: atomicity, consistency, isolation, and durability. This indicates that a

transaction in a given system should take place so that it is the only transaction accessing the database system's resources (Liu, 2021). Hence, isolation plays a key role in this sector. This is because its level is meant to indicate the degree to which a transaction must be isolated in order to allow for transactions and alterations performed by any other transaction in the database system to take place. As such, transaction levels constitute the following phenomena:

"Dirty Read": This level happens in the transaction process when it reads data that has not yet been processed and committed in the database. For instance, in a case where transaction T1 manages to update a row and leaves it uncommitted, transaction T2 will take up this role and manage to read the changed row. As a result, if the first transaction fails, the second transaction will have read data that was never supposed to exist.

Non-repeatable read: this type of read will occur in the process if the transaction manages to read the same row in the database two times. For instance, suppose transaction T1 in our database manages to read the data due to concurrency; another transaction will be updated by transaction T2, and the updated data will be the same as the data that was committed in the database. Now if transaction T1 rereads the same data, it will obtain a different value.

Phantom read: this type of read will only manage to occur in our database if at all two identical queries are conducted in the process. If this occurs, the row of data will be returned because the two rows are distinct. An example is when the transaction T1 obtains a collection of records that fulfill some search criteria. When this happens, the T2 transaction will manage to create some new data that fits the transaction's T1 search criteria. This will give the users easy access to navigate and search through the courses and other relevant information in the database of Abertawe Leisure Centre (ALC). Additionally, the transaction T1 will manage to acquire a different set of rows if it re-executes the statement that reads the rows.

The importance of the concepts of:

Rollback

Rollback in our database system is a transactional control language that is very important when it comes to undoing the transactions that have not been stored in the database system. Since the last COMMIT, the rollback command has only been used to undo modifications in the database system. That makes the rollback an operational strategy that is a key factor in database technology because it returns the database to a previous state. Rollback is very important when it comes to the issues of database integrity management, because they do the work of restoring the database system to a clean copy even if erroneous actions are executed.

Commit

For our database system, commit plays a great role in allowing the system to permanently store the changes made in the transaction in tables or databases. As such, the data cannot manage to regain its prior state if at all the execution of the commit has taken place. As such, the transaction concept is the distinguishing feature of a database and the reason databases were created. Nevertheless, a commit point is the point at which a set of record updates is formally put into the database, and that set of changes is thereby assured to be safely stored even in the event of a power outage or OS crash by design and redundancy (Yang et al., 2021). A file system in the commit provides the database with a mechanism or guarantee that a file written will still be there after a power outage or other OS crash (Morrow et al., 2022).

Functions

Our database management system will enable the organisation (ALC) to administer the programmed database in an easy way. It will allow users to interact with the database system to

access the underlying data. Such actions can range from providing requested data to allowing the creation of database schemas that have a significant impact on the database structure (Morrow et al., 2022). The data base will also allow for the configuration of user accounts, access controls, limits, and access scopes. As such, these activities will give the management the chance to deactivate other users, regulate user actions, and manage users in databases. DBMS can ease database backups by offering a simple and intuitive interface for managing backups and snapshots. These backups can even be stored on third-party sites such as cloud storage (Hang & Kim, 2019). The system will manage to monitor the performance of a database using integrated tools and enable users to customise databases by designing optimal indexes.

Triggers

The database trigger is critical because it is stored in the database and thus allows users who have the appropriate permissions or privileges to use it. Triggers are located in the database system; as such, it enables the user to write a series of SQL statements that various apps can use. Nevertheless, the triggers allow us to avoid writing duplicate code when numerous programmes must execute the same database operation.

Procedures

Database procedures, in most cases known as stored procedures or "procs," are the subroutines that can, in most cases, include one or more SQL statements that accomplish a specified operation. As a result, they play a crucial role in database systems since they can be used for data validation, access control, or to reduce network traffic between clients and DBMS servers. Superior performance is made possible by the subroutine's ability to incorporate complex and extensive business logic (Hang & Kim, 2019) As a result, the database procedures and the function are interchangeable. However, the main difference between the two is how they

manage to invoke Database functions can be used in SQL statements in the same way as any other expression, However, depending on the DBMS, database procedures must be called using the CALL or EXEC verb (Togatorop et al., 2022). As such, the procedure manages to add an interface between the database and the user interface. Since end users can enter or change data but not create procedures, it provides security through data access controls (Hang & Kim, 2019).As such, a stored process within the system protects data integrity by ensuring that information is entered consistently.

Transactions

As previously stated in the paper, transactions are a critical series of steps used to perform logical tasks in a database management system. The transaction does the work of indicating that a database has changed. Nevertheless, one of the most important aspects of the DBMS is to protect the user from factors such as data failure. It manages to accomplish this by guaranteeing that all data is restored to a consistent condition when the machine is restarted following a crash (Togatorop et al., 2022). As such, when one programme is running multiple transactions, the programme manages to run several times. Simply said, this means that the user can access many data sets from the database independently of one another. (Liu, 2021). Nevertheless, transactions are used to manage concurrency. It's also utilised to meet acid requirements. It is employed to resolve read/write conflicts.

Indexing

An indexing system is a schema object that has an entry for each and every value that appears in the table as the one we created in the data base. The table is meant to cluster indexed columns and give a chance for direct, rapid access to rows. Indexes help the database application find

data quickly without having to read the entire table (Togatorop et al., 2022). Nevertheless, Hang & Kim (2019) state that updating a table with indexes takes longer than updating a table without indexes because the indexes also need an update and will always be searched against by the users. For instance, *create index IX. user_line_item_link (line_item_id) ON user_lilink_item_id;*

Database Creation

Creating a schema

A database is constructed from one or more named schemas, each of which contains tables. Data types, functions, and operators are examples of named items found in schemas. The same object name can be used without conflict in many schemas; for example, tables named mytable can exist in both schema1 and myschema. Schemas, unlike databases, are not tightly coupled: if a user has the necessary credentials, they can access objects in any of the schemas linked to the database.

Create Schema updates the current database's schema with a new one. The schema name needs to be unique compared to any other names for schemas in the current database.

Because it contains named objects (tables, data types, functions, and operators) whose names may be similar to those of objects in other schemas, a schema is effectively a namespace.

You can access named items by prefixing their names with the name of the corresponding schema or by setting a search route that includes the necessary schemas.

When using an unqualified object name in a CREATE command, the current schema's object is created (the one at the beginning of the search path, as defined by the function current schema). Subcommands for adding objects to the new schema can optionally be included in the Create Schema subcommand. The subcommands are essentially treated the same as

individual commands submitted after the schema is built, with the exception that all objects created if the AUTHORIZATION clause is present will belong to that user.

```
CREATE SCHEMA schema_name [ AUTHORIZATION role_specification ] [ schema_element [ ... ] ]
CREATE SCHEMA AUTHORIZATION role_specification [ schema_element [ ... ] ]
CREATE SCHEMA IF NOT EXISTS schema_name [ AUTHORIZATION role_specification ]
CREATE SCHEMA IF NOT EXISTS AUTHORIZATION role_specification
```

where *role_specification* can be:

```
user_name
| CURRENT_ROLE
| CURRENT_USER
| SESSION_USER
```

Parameters

schema_name

The name of the schema that will be constructed. If this is not specified, the schema name is the user name. Because such names are restricted for system schemas, the name cannot begin with pg_.

user_name

The name of the user whose role will be in charge of the new schema. If not specified, the command is executed by the user. To create a schema owned by another role, you must be a superuser, a direct or indirect member of such a role.

schema_element

an SQL statement that defines a schema object to be constructed. Create Schema currently accepts only Create Table, Create View, Create Index, Create Sequence, Create Trigger, and

Grant clauses. Following the creation of the schema, more types of objects can be generated using different commands.

ERD

The entity-relationship diagram (ERD) is a database design tool that visualises database tables, columns, and inter-relationships. The ERD provides enough information to the database administrator to use while designing and managing the database. We can use this Tool to: create a visual representation of the database tables and their relationships.

Automatically align and links the table for better visualisation, we save the diagram and return to it later to work on it, and Create SQL from the database design that is ready to run. As such, the ERD can allow a user to run many instances of the ERD tool in separate tabs at the same time.

Conclusion

The reports have managed to create a system for Abertawe Leisure Centre (ALC). Additionally, this project has managed to elaborate on some of the most important components of the system, such as the evaluation of design and implementation, transactions, rollbacks, commits, etc.

Reference

- Hang, L., & Kim, D. H. (2019). Design and implementation of an integrated iot blockchain platform for sensing data integrity. *Sensors*, 19(10), 2228.
- Liu, S. (2021, November). Application of Big Data and Computer 3D Simulation Technology in the Assistance of Training by Database System. In *2021 IEEE International Conference on Emergency Science and Information Technology (ICESIT)* (pp. 710-714). IEEE.
- Morrow, N., Mock, N. B., Gatto, A., LeMense, J., & Hudson, M. (2022). Protective Pathways: Connecting Environmental and Human Security at Local and Landscape Level with NLP and Geospatial Analysis of a Novel Database of 1500 Project Evaluations. *Land*, 11(1), 123.
- Togatorop, P., Sitorus, H. A. T., Sirait, R. M., & Manurung, T. (2022). Database Audit System Design and Implementation. *Jurnal Mantik*, 5(4), 2535-2541.
- Urazova, T. (2022). *Building a System for Automated Question Generation and Evaluation to Assist Students Learning UML Database Design* (Doctoral dissertation, UNIVERSITY OF BRITISH COLUMBIA (Okanagan)).
- Yang, M., Zhang, M., Leng, T., Dong, W., & Yan, Y. (2021, December). Design and Implementation of Benchmarks for Multimodal Databases. In *2021 IEEE International Conference on Industrial Application of Artificial Intelligence (IAAI)* (pp. 490-494). IEEE.
- 43.10. trigger functions (2022) *PostgreSQL Documentation*. Available at: <https://www.postgresql.org/docs/current/plpgsql-trigger.html>.
- Set transaction (2022) *PostgreSQL Documentation*. Available at: <https://www.postgresql.org/docs/15/sql-set-transaction.html>.
- PostgreSQL reference manual* (2010). Bristol: Network Theory Ltd.

Appendix

pgAdmin interface showing a query execution error. The query is:

```
1 INSERT INTO member_class(member_id, class_id) values('1','8');
```

The error message is:

```
ERROR: insert or update on table "member_class" violates foreign key constraint "member_class_class_id_fk"
DETAIL: Key (class_id)=(8) is not present in table "class".
SQL state: 23503
```

Total rows: 0 of 0 Query complete 00:00:00.061 Ln 1, Col 63

Check Constraint Member

pgAdmin interface showing a query execution result. The query is:

```
1 select * from membership;
```

The result set is:

member_id	membership_type_id	date_of_last_renewal	membership_status
1	2	2022-12-24	inactive

Total rows: 1 of 1 Query complete 00:00:00.101 Ln 1, Col 26

Membership Table

pgAdmin 4

File Object Tools Help

Browser Servers

calla_procedure... check_audit_table.sql insert_into_me... inserted_with_a... membership.ta... select_from_m... violates_fk.sql violates_n... < > x

cww1/postgres@PostgreSQL 14

Query Query History Scratch Pad x

```
1 -- run after transaction on membership table, to check audit functionality.
2 select * from membership_audit_table;
```

Data output Messages Notifications

	operation	operation_timestamp	userid	member_id	membership_type_id	date_of_last_renewal	membership_status
	character varying (10)	timestamp without time zone	text	integer	integer	date	status
1	INSERT	2023-01-05 23:24:07.403168	postgres	2	2	2022-12-24	inactive

Total rows: 1 of 1 Query complete 00:00:00.152 Ln 2, Col 38

Membership Audit

pgAdmin 4

pgAdmin 4

File Object Tools Help

Properties SQL Statistics Dependencies Dependents Browser into room.sql* public.member...

club/postgres@PostgreSQL 11

Query Query History Scratch Pad x

```
1 insert into membership (member_id, membership_type_id, date_of_last_renewal, membership_status)
2 values
3 ('2','2','2022-12-24','inactive')
```


Data Output Messages Notifications

INSERT 0 1

Query returned successfully in 69 msec.

Total rows: 4 of 4 Query complete 00:00:00.069 Ln 3, Col 34

Inserted with audit



Error

Report for Assignment 1

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

70/100

Instructor

Generic Assessment Criteria	Marks available	Marks awarded
1. Engagement with Literature Skills	10	6
Engagement with a wide range of research-informed literature, including sources. The report write up is factual and has support from a number of citations. The entity relationship (ER) is an essential part of this design, as it has been in existence for more than 35 years."- This would have been an ideal place to reference where you found this information. Please use the numeric numbering system for your citations.		
2. Knowledge and Understanding Skills	20	16

A very good Entity Relationship Diagram (ERD). Consider rearranging the entities to cut out the crossed relationship lines. Would have either created a staff table or combined it with the Instructor table. The ERD demonstrates an excellent mastery of a complex and specialised area of knowledge.		
3. Cognitive and Intellectual Skills	20	14
You have clearly demonstrated your ability to analyse the case study problem scenario and propose an appropriate, normalised to 3NF, database schema. A good description of the issues encountered when dealing with transaction Isolation Levels, would have benefited from examples index 1 – redundant as the primary key is already indexed index 2 - redundant as used within the composite primary key index 3 – good		

no explanation in the report why these indexes were selected A good selection of transactions and procedures implemented but did not explain in the report the significance of each, only highlighting their existence.		
4. Practical Application Skills	30	22
You have taken the ERD and produced and excellent database structure with Primary and Foreign Keys, indexes, procedures and functions. The database has been tested with appropriate SQL data manipulations statements. An advanced application of knowledge, methods, materials, tools and/or techniques. The context of the application is well considered, and insightful.		
5. Transferable Skills for Life and Professional Practice	20	12
Can communicate well, confidently and consistently in a suitable format. A handful of typos and the incorrect reference format used. Still read rather		

well, but a proof read would have gone a long way! Use of screenshots (Could have referenced them using figures and caption feature in ms word) Use of first person "I" –Avoid in academic writing. No introduction or abstract No table of contents		
---	--	--

Assessment Mark (Assessment marks are subject to ratification at the Exam Board. These comments and marks are to give feedback on module work and are for guidance only until they are confirmed.)

PAGE 1
PAGE 2
PAGE 3
PAGE 4
PAGE 5
PAGE 6
PAGE 7
PAGE 8
PAGE 9
PAGE 10

