

Module 4: BMPF7013
Independent Study Module

Allison Mae Carnes
2244755
Word Count: 8,570

Music Performance Anxiety (MPA) in the Voice Studio

Component 1

Portfolio on Music Performance Anxiety

Part 1: Rationale for Choosing Music Performance Anxiety

Introduction

Music Performance Anxiety (MPA) refers to the intense fear or nervousness experienced by musicians before or during a performance (Spahn et al., 2021). Performance in this definition includes any time an individual has to perform in front of others, so this of course includes the big performances, but also auditions (which are a lot of pressure), or even sometimes things that seem “low pressure” like an open mic night or karaoke performance (Taborsky, 2007). Some people refer to this as “stage fright,” which oftentimes undermines the seriousness of this experience. It is more than being nervous; it is a condition that manifests in physical, cognitive, and emotional symptoms that have a dire effect on performers (Spahn et al., 2021). MPA is a significant concern for many musicians across various genres and ages. It encompasses a complex interplay of psychological, physiological, and emotional factors that can impede a musician's ability to perform to their full potential (Zelenkova, 2018). Examples of this are symptoms such as trembling, sweating, racing heartbeat, negative thoughts, and a sense of impending failure (Morris & Reardon, 2017). Like most mental or physical struggles, MPA can range from mild to debilitating which significantly interferes with a musician's ability to perform at their best (Zelenkova, 2018). My choice to focus on MPA for Module 4 is informed by a combination of my personal experiences, academic interests, and the growing recognition of mental health in the voice community. This portfolio will explore the rationale behind selecting this topic, including personal connections, academic relevance, and implications for professional development.

Personal Connection

As a musician, I have faced the challenges posed by performance anxiety in my own career. I vividly recall a pivotal moment during a live performance when I was overwhelmed by

anxiety, resulting in a less-than-ideal rendition of a piece I had practiced extensively. This experience not only affected my performance but also left me questioning my capabilities as a musician. I remember saying to my teacher, “I just want to be able to trust that when I sing, it will sound good.” Now that I am a teacher, I have witnessed many of my students also suffer from MPA. These students sound wonderful in their lessons, but then when they go to perform, they lose sense of pitch and control. Bakker and Dijk (2020) noted that in their research, performers with MPA experienced diminished musical expression, which led to career setbacks in the long run. Zelenkova (2018) mentioned that they have watched MPA lead to depression and burnout, particularly for musicians who feel that their identity is tied to their performance success (Zelenkova, 2018). Observing my peers and students grapple with similar issues has heightened my awareness of the pervasiveness of MPA in the musical community. Witnessing friends, colleagues, and students struggle with their anxiety has instilled in me a sense of responsibility to advocate for better support systems and coping strategies. Knowing that I am not alone in this struggle has motivated me to delve deeper into the phenomenon of MPA, seeking to understand its underlying mechanisms and how it can be effectively managed. This empathy drives my commitment to understanding MPA, as I aspire to contribute positively to the experiences of my fellow musicians.

Career Opportunities

With an increasing emphasis on mental health in the arts, expertise in MPA can open up diverse career pathways. As a music educator, I may find myself in situations that require me to support students dealing with anxiety or to develop programs that address mental health issues in the musical community. I already have found myself in these situations and did not know what to do, thus making me want to study this further. This specialization may also lead to opportunities in music therapy or performance coaching, where I can further explore the psychological aspects of performance and help individuals navigate their anxiety.

Academic Relevance

Interdisciplinary Approach

The study of MPA allows for an interdisciplinary exploration that merges psychology, music education, and performance studies. Understanding how psychological factors influence performance can enhance pedagogical approaches and inform intervention strategies. By examining the emotional and cognitive aspects of MPA, I hope to develop a well-rounded perspective that integrates these various domains, ultimately benefiting both my teaching and performance practices.

Research Gaps

While considerable research exists on MPA, there are still significant gaps that warrant further exploration. For instance, the influence of genre-specific factors on performance anxiety has not been thoroughly investigated. According to Kenny (2011), classical musicians may experience different pressures than jazz musicians or pop artists. By focusing my studies on these gaps, I aim to contribute new insights into how MPA manifests differently across musical contexts, thus informing tailored interventions for musicians in various genres.

Professional Development

Teaching Implications

As I continue to advance in my career as a theatre teacher and music educator, understanding MPA will enable me to create a more supportive and nurturing environment for my students. Knowledge of MPA will inform my teaching practices, allowing me to implement coping strategies and interventions that can help students manage their anxiety. Creating a classroom culture that prioritizes mental health and emotional well-being will not only enhance learning but also empower students to embrace performance opportunities with confidence. The creation of this classroom culture that is conducive to individuals with music performance anxiety involves addressing both the physical and psychological factors that influence their experience. The environment can be optimized by focusing on four key areas: physical space, social support, preparation, and emotional regulation (Sjögren et al., 2013).

1. Physical Environment

A comfortable, familiar, and quiet space can significantly reduce anxiety levels. For example, a well-lit and acoustically favorable practice space, with no distractions, can help performers feel more at ease. This includes ensuring that the space is free from interruptions and has minimal external noise, allowing the performer to concentrate on their music and not external factors (Creech et al., 2013).

2. Social Support

Social support is critical in alleviating performance anxiety. An environment that fosters positive reinforcement and encouragement from peers, teachers, or family can enhance self-confidence and reduce feelings of isolation (Kenny, 2011). Supportive, non-judgmental feedback is crucial, as negative criticism or perceived disapproval can exacerbate anxiety (Sjögren et al., 2013).

3. Preparation and Routine

An environment that encourages structured, consistent practice routines can help build confidence and reduce anxiety. Knowing that the environment supports adequate preparation and mastery of skills can lower performance-related stress. The use of progressive relaxation techniques before performances, such as deep breathing exercises, may also help performers manage their anxiety in performance settings (Osborne, 2017).

4. Emotional Regulation

An environment that promotes emotional regulation strategies such as mindfulness and cognitive-behavioral techniques (CBT) can be particularly beneficial for performers. Music performance anxiety can be diminished by creating an environment where performers feel encouraged to engage in relaxation and mindfulness exercises that help manage physiological responses to anxiety (Chambless & Gillis, 2004).

The best environment for people with music performance anxiety should be supportive, structured, emotionally regulated, and tailored to reduce distractions and stressors that trigger

anxiety. By focusing on these aspects, the performer is better equipped to handle anxiety and perform confidently (Chambless & Gillis, 2004).

Rationale Conclusion

In summary, choosing Music Performance Anxiety as my topic is rooted in personal experiences, academic curiosity, and a commitment to professional growth. By exploring the complexities of MPA, I hope to deepen my understanding of its impact on musicians and develop effective strategies for managing it. Ultimately, I aspire to foster a supportive environment for my peers and students, contributing to a culture of resilience and well-being within the musical community.

Part 2: Planned Program of Study

Overview

The layout of this independent study will consist of a scoping literature review, presenting what is known about Music Performance Anxiety, gaps in the research, and how to apply knowledge gained from research in the workplace.

Aims

The aim of conducting this literature review on music performance anxiety is to explore the various psychological, physiological, and social factors that contribute to this common issue among musicians. By synthesizing existing research, I seek to better understand the underlying causes of performance anxiety, the impact it has on musicians' well-being and performance, and the strategies that have been proposed to manage or reduce it. Additionally, this review will examine how factors such as personality traits, stage experience, and cultural contexts may influence the intensity and frequency of performance anxiety. Ultimately, my goal is to identify gaps in the current literature and highlight areas where further research is needed, contributing to a more comprehensive understanding of the subject and potential interventions to support musicians.

Objectives

1. Understand the Nature of Music Performance Anxiety: My primary objective is to gain a thorough understanding of MPA, including its definitions, prevalence, underlying causes, and effects on performance. This foundational knowledge will inform subsequent aspects of my study.
2. Examine Coping Strategies: I will explore various coping strategies and interventions that have been shown to mitigate the effects of MPA. This includes cognitive-behavioral techniques, mindfulness practices, and performance preparation strategies.

Study Components

Literature Review

I will conduct a scoping literature review of existing research on MPA, focusing on its psychological, social, and performance-related impacts. A scoping literature review is extensive and answers broad research questions (Verdejo et al., 2021). It focuses on exploring the published literature on a given topic, seeing what has been covered thus far, and tends to show the general overview of research on a topic rather than answering a specific question (Verdejo et al., 2021). According to Winter (2022), a scoping literature review is best when voice researchers are synthesizing an emerging field. This literature review will provide a solid foundation for understanding the topic and identifying key themes and gaps in the research. I will also examine different perspectives on MPA, including psychological models, performance contexts, and coping mechanisms. This will involve analyzing studies that highlight the role of personality traits, situational factors, and cognitive processes in the development and management of MPA.

Reflection and Evaluation

I will maintain a reflective journal throughout the study, documenting insights, challenges, and personal growth. This journal will serve as a space for self-reflection, allowing me to track my progress and identify areas for improvement. At the conclusion of the program, I will evaluate the impact of the strategies implemented on both my students and myself. This

evaluation will involve assessing performance outcomes, student feedback, and my own experiences in managing MPA.

Timeline

I created a Gantt chart to track my progress, which is included in Appendix B. The timeline for my independent study is outlined as follows:

Weeks 1-4: During this period, I brainstormed potential topics, reviewed existing research, and ultimately selected my focus area. I also began conducting preliminary research and attended lectures at the Voice Study Centre.

Weeks 8-12: I continued my initial research and began drafting the introduction and rationale for my project. This phase also involved refining my focus based on the findings from the early research.

Weeks 12-16: I explored various types of literature reviews and decided on the approach that best suited my study. I then began writing the literature review, synthesizing key sources to support my research.

Weeks 16-20: In this phase, I gathered additional sources, edited my literature review for clarity and coherence, and wrote a reflective piece on the research process. By the end of this period, my literature review was nearly complete, and I was able to assess my overall progress.

The Gantt chart provides a visual representation of these phases, helping me stay on track and manage my time effectively throughout the project.

Part 3: Critical Reflection on Learning Experience

Writing my paper on music performance anxiety (MPA) has been a multifaceted experience that challenged both my intellectual and emotional responses to the topic.

Throughout the process, I not only delved into existing research on MPA but also reflected on my personal experiences with performance anxiety, which made the writing process feel more personal and meaningful. The project required me to balance scholarly analysis with my own reflections, which led to both challenges and breakthroughs as I navigated this topic. According

to the Gibbs Reflective Model, one can properly reflect by Description, Feelings, Evaluation, Analysis, Conclusion, and Action Plan (Parsons, 2024). Using the Gibbs Reflective Model (Appendix B), I will outline these steps:

1. Description: What happened?
2. Feelings: What were you thinking and feeling?
3. Evaluation: What was good and bad about the experience?
4. Analysis: What sense can you make of the situation?
5. Conclusion: What else could you have done?
6. Action Plan: if it arose again, what would you do?

Initial Thoughts and Topic Selection

At the beginning, I chose music performance anxiety because I have personally experienced it during my own musical performances and my students have as well. I was interested in understanding the psychological and physiological mechanisms behind it, as well as exploring potential strategies for managing it. I found that music performance anxiety was a topic that resonated with many musicians and performers, and I hoped that my research could offer practical insights for others dealing with similar struggles. Initially, I underestimated how much depth and complexity there was to the subject. I thought I would primarily find information about causes and strategies for managing MPA, but as I dug deeper into academic articles and case studies, I quickly realized how diverse and nuanced the literature on the subject is. The scope of the topic expanded beyond just symptoms and treatment, to include theories on performance, the impact of social and environmental factors, and even the historical context of performance anxiety.

Research Process

The research process was both stimulating and challenging. I had to sift through a wide range of sources, including psychological studies, music performance guides, and interviews with musicians. At first, I struggled with narrowing my focus—there was so much information

that it felt overwhelming. One key moment of insight came when I realized that I didn't need to cover every aspect of MPA; rather, I could focus on specific aspects that I found most interesting and relevant to my own experiences.

One of the challenges I faced was understanding and synthesizing psychological concepts related to anxiety, such as cognitive-behavioral theories and the fight-or-flight response. These concepts were complex, and I had to invest time in making sure I fully understood them before incorporating them into my paper. I also found that the language in some of the academic articles was quite technical, and I had to ensure I translated those ideas into more accessible terms for my intended audience. Balancing accessibility with scholarly rigor was tricky, but ultimately rewarding.

Writing Process

The writing process was both rewarding and, at times, frustrating. Early on, I struggled to organize my ideas cohesively. I had a lot of information and personal reflections, but I wasn't sure how to present them in a way that flowed logically. Eventually, I broke the paper into sections—first explaining the nature of performance anxiety, then discussing the physiological and psychological components, followed by strategies for overcoming it. This structure helped me bring order to my thoughts and allowed me to present the information in a way that made sense.

Another challenge was staying objective while discussing something so personal. As someone who has experienced performance anxiety firsthand, I was emotionally invested in the topic. It was important for me to maintain an academic tone while still drawing from my own experiences to support my argument. I think I struck a good balance in the end, but it took some conscious effort to avoid letting personal anecdotes overwhelm the paper.

Insights and Growth

As I researched and wrote the paper, I gained a deeper understanding of the nature of performance anxiety, not just from a psychological standpoint but from a more holistic

perspective that included physical, emotional, and social factors. I realized that anxiety is a complex interplay of factors, and no one-size-fits-all solution exists for managing it. The range of treatment options, from cognitive-behavioral therapy to mindfulness practices, gave me a sense of hope that MPA can be managed through multiple approaches.

On a personal level, writing this paper was a cathartic experience. Reflecting on my own experiences with MPA gave me a deeper understanding of my struggles as a performer. I now recognize that the anxiety I experience isn't a sign of weakness but a common challenge many musicians face. Additionally, the research gave me new tools and strategies that I can use to manage my own performance anxiety moving forward.

Through the process, I also honed my academic writing skills. I became more comfortable with synthesizing research, presenting arguments logically, and discussing complex ideas in a clear and concise manner. I also became more confident in expressing my thoughts and opinions while grounding them in scholarly evidence. This process helped me grow not only as a writer but also as a thinker.

Challenges and Areas for Improvement

While I made significant progress throughout the writing process, there were a few challenges I encountered that I would address differently in the future. One area I struggled with was time management. I found myself spending a lot of time on research in the early stages and not leaving enough time for the writing and revision process. In hindsight, I would allocate more time to drafting and revising, allowing myself more opportunities to refine my ideas.

Additionally, I feel that I could have explored the impact of cultural differences on the experience of MPA in more depth. While I focused on general causes and strategies for overcoming MPA, I did not fully address how cultural norms around performance could influence the severity or manifestation of performance anxiety. This is an area I'd like to explore further in future work.

Reflection Conclusion

Writing this paper on music performance anxiety was an enlightening and reflective experience. It provided me with valuable insights into both the academic study of anxiety and my own personal relationship with performance. The research and writing process allowed me to engage deeply with the topic, and I believe the final paper reflects that engagement. This experience has not only improved my research and writing skills but has also given me a greater sense of empathy for others who struggle with performance anxiety. Moving forward, I will carry with me the lessons I've learned about managing my own anxiety, as well as the awareness that MPA is a challenge faced by many musicians and performers—one that can be understood and overcome with the right strategies and support.

Component 2

Music Performance Anxiety: A Comprehensive Literature Review and Its Implications for Singing Teachers

Introduction

Music Performance Anxiety (MPA) is a pervasive issue that significantly impacts musicians across genres, from classical performers to contemporary artists. As a psychological condition characterized by intense fear and apprehension before or during a performance, MPA can undermine even the most skilled musicians, preventing them from realizing their full potential (Kenny, 2011). In an era where performance opportunities are abundant yet highly competitive, understanding and addressing MPA has never been more critical. The implications of this anxiety extend beyond individual performances, affecting musicians' mental health, career trajectories, and overall quality of life.

The relevance of MPA is underscored by its prevalence among musicians, with studies indicating that anywhere from 20% to 60% experience significant levels of anxiety (Clark & Fairclough, 2014). This variability in prevalence can be attributed to factors such as genre, performance context, and individual differences. For instance, classical musicians often report higher anxiety levels compared to jazz musicians, suggesting that the performance environment

and expectations play a crucial role in shaping anxiety experiences (Tarrant et al., 2016). This will be discussed more in depth later on in the literature review.

This literature review aims to provide a comprehensive analysis of MPA, delving into its definitions, prevalence, causes, impacts, and coping strategies. By synthesizing recent research, this review will illuminate the complex nature of MPA and its implications for singing teachers. The insights gained will not only enhance our understanding of this phenomenon but also offer practical strategies for educators to support their students in overcoming performance anxiety.

Definitions and Terminology

The term Music Performance Anxiety (MPA) encompasses a range of experiences and symptoms, making it a complex construct to define. According to Kenny (2011), MPA is characterized by a fear of negative evaluation during musical performances, leading to a variety of physiological and psychological symptoms. While "stage fright" is a commonly used term mainly by non-performers (Chambless & Gillis, 2004), some researchers argue that MPA is more specific to the context of musical performance, highlighting the unique pressures musicians face (Kenny & Osborne, 2006).

Research on MPA has evolved over the years, with early studies primarily focused on its prevalence among classical musicians. However, recent research has expanded to include diverse genres and performance contexts. For example, Clark and Fairclough (2014) conducted a comprehensive study on classical musicians and found that approximately 45% reported high levels of MPA. Their research utilized a combination of self-report questionnaires and physiological measures, offering a nuanced view of the anxiety experienced by musicians.

Conversely, Tarrant et al. (2016) explored MPA among jazz musicians and reported lower prevalence rates. Their findings suggest that the genre and performance context significantly influence anxiety levels. The improvisational nature of jazz, for instance, may contribute to a different set of performance pressures compared to the highly structured

environment of classical music. This variability highlights the need for tailored approaches to understanding and addressing MPA across different musical genres. Different genres have distinct performance practices, audience expectations, and technical demands, all of which can influence a musician's anxiety levels. I mainly teach musical theatre, which has a lot of pressure as well. Some things can be improvised, but that can be frowned upon if doing it for no reason, as it can cause the other actors to lose trust in you or "break character." These insights provided by Tarrant et al. (2016) helped me realize that I need to find the balance as I am teaching voice and directing musical theatre productions. Yes, these productions are serious work; however, they are also meant to be fun!

In addition to genre, other demographic factors, such as age, experience level, and gender, also play a crucial role in shaping MPA experiences. Studies indicate that younger, less experienced musicians may experience higher levels of anxiety due to their perceived lack of competence (Harris et al., 2017). Conversely, seasoned performers may develop coping strategies over time, leading to reduced anxiety levels. Understanding these demographic influences can inform targeted interventions for musicians at different stages of their careers.

Overall, the prevalence of MPA is a complex issue influenced by various factors, including genre, experience, and individual differences. By recognizing the diverse experiences of musicians, educators can better support their students in managing performance anxiety. This could look differently for each student: implementing cognitive behavioral techniques with assistance from a therapist, mindfulness and relaxation techniques, and performance preparation.

Prevalence and Statistics

Research indicates that MPA is highly common among musicians, with studies consistently reporting that a substantial number of performers experience anxiety. For example, a study by Kenny and Osborne (2006) found that approximately 30-40% of musicians experience significant levels of anxiety, ranging from mild nervousness to severe

performance-related distress. This is corroborated by a study by Wilson, Kammen, and McGrath (2002), which found that 60% of professional musicians reported experiencing anxiety to some degree, with 20% describing it as debilitating. Similarly, Osborne and Franklin (2002) reported that 40% of musicians regularly experience performance anxiety, particularly before high-stakes performances such as concerts and competitions.

Causes of Music Performance Anxiety

Personality Traits

One of the most significant personality traits associated with MPA is trait anxiety. Trait anxiety refers to a person's general tendency to experience anxiety across various situations, including music performance situations (Kenny & Osborne, 2006). In the context of MPA, trait anxiety describes individuals who are more predisposed to experiencing anxiety not only in performance settings but also in everyday life (Kenny & Osborne, 2006). This characteristic is distinct from state anxiety, which refers to anxiety levels triggered by specific situations, such as performing on stage (Spielberger, 1983). Individuals who score high on measures of trait anxiety tend to experience anxiety more broadly across various situations, including musical performances (Kenny, 2009). This predisposition can manifest as a pervasive fear of negative evaluation, leading to heightened anxiety levels during performances.

Perfectionism is another critical factor linked to MPA. Perfectionism refers to a personality trait characterized by setting exceedingly high standards (often unrealistic) for oneself and striving for flawless performance, which can be a significant factor contributing to MPA (Flett & Hewitt, 2002). Perfectionists set excessively high standards for themselves and are often highly self-critical, contributing to increased performance anxiety (Flett et al., 2016). Perfectionistic tendencies in musicians often involve a fear of making mistakes, which can heighten anxiety before and during performances (Kenny & Osborne, 2006). The pressure to meet these self-imposed standards can result in increased stress and fear of failure, both of which are closely linked to MPA. For example, a musician who believes that any mistake during

a performance reflects a personal failure may experience overwhelming anxiety (Flett & Hewitt, 2002). Studies have shown that musicians with perfectionistic tendencies such as excessive self-criticism, fear of judgement, and overreaction to mistakes report higher levels of MPA and greater difficulties managing their anxiety during performances (Kenny & Osborne, 2006). Flett et al. (2016) found that perfectionism correlates with both increased anxiety and decreased performance quality, underscoring the detrimental effects of self-imposed pressure. In the context of MPA, perfectionism manifests in two primary forms: adaptive perfectionism and maladaptive perfectionism (Flett & Hewitt, 2002). Adaptive perfectionists tend to have high standards but are able to cope with mistakes and view them as opportunities for growth. In contrast, maladaptive perfectionists are more likely to become overly self-critical and experience intense anxiety when they perceive their performance as less than perfect (Flett & Hewitt, 2002). Research by Kenny and Osborne (2006) found that musicians with maladaptive perfectionistic tendencies report higher levels of MPA, as they are often focused on the fear of negative evaluation and the potential to fail in front of an audience. Fear of failure is a common consequence of perfectionism in musicians, particularly when they have an overwhelming desire to meet external expectations, such as those of teachers, conductors, or audiences. Davidson (2012) suggests that perfectionism can lead musicians to experience heightened stress because they focus more on the potential for errors than on the performance itself. This constant concern about failure exacerbates MPA, as musicians worry not only about the technical aspects of their performance but also about being judged negatively by others (Davidson, 2012). Moreover, perfectionism has been shown to contribute to avoidance behaviors, where musicians may try to avoid performance situations altogether to reduce the risk of failure and anxiety (Flett & Hewitt, 2002). This avoidance, while temporarily reducing anxiety, can ultimately hinder a musician's growth and career development.

Situational Factors

Situational factors also significantly influence MPA. Research indicates that larger audiences and high-stakes performance scenarios are associated with increased anxiety levels (Holt, 2015). For example, Holt's study found that musicians performing in front of large audiences experienced more anxiety compared to those in smaller, less formal settings. This suggests that the size and context of the audience can impact the level of anxiety experienced by musicians (Holt, 2015).

The presence of evaluative listeners, such as judges or critics, can exacerbate MPA. Osborne and Kenny (2013) found that musicians reported heightened anxiety when their performance was being evaluated by experts, emphasizing the role of perceived judgment in shaping anxiety levels. The pressure to meet external standards and the fear of negative evaluation can significantly impact musicians' performance experiences.

Additionally, the increasing influence of social media and digital platforms has introduced new situational pressures for musicians. The ability to share performances online can amplify feelings of scrutiny and comparison, further intensifying anxiety (Tarrant et al., 2016). Musicians may feel compelled to present a flawless image (an element of perfectionism), leading to heightened performance anxiety (Kenny & Osborne, 2006).

Cognitive Processes

Cognitive processes, including negative self-talk and catastrophic thinking, are critical contributors to MPA. Negative self-talk refers to the internal dialogue where individuals engage in self-criticism or focus on their perceived shortcomings (Davidson, 2012). This internal commentary can create a sense of inadequacy, reinforcing feelings of anxiety and incompetence. In the context of music performance anxiety, a musician might constantly tell themselves things like: "I'll never get this right," or "I'm going to embarrass myself on stage." Such thoughts undermine confidence and increase the fear of failure (Kenny & Osborne, 2006). For example, a singer might be preparing for a performance and, during practice, tell themselves, "I'm so bad at this song; I'm going to mess it up in front of everyone." This negative

self-talk feeds into their anxiety, creating a cycle where the more they fear failure, the more likely they are to experience physiological symptoms of anxiety (such as shaking hands, a racing heart, etc.), which can, in turn, lead to mistakes during the performance itself (Davidson, 2012). Catastrophic thinking involves imagining the worst possible outcome in a given situation, even if it is highly unlikely (Flett & Hewitt, 2002).. It often leads to an exaggerated fear of failure, where a small mistake is seen as a disaster. In relation to MPA, a musician might think: "If I hit one wrong note, my entire performance will be ruined, and the audience will think I'm terrible." Such thoughts magnify the potential consequences of mistakes, making the performer more anxious and less likely to focus on the music itself (Flett & Hewitt, 2002).

During a performance, a singer might slip up on a difficult section and immediately think, "I've ruined the entire piece. Everyone is judging me. This is going to ruin my career." Even though the error is minor, the catastrophic thought leads to an overwhelming sense of failure and anxiety, often causing further performance difficulties (Kenny & Osborne, 2006)

Musicians who engage in self-critical thoughts and overestimate the consequences of a poor performance are more likely to experience anxiety (Beilock & Carr, 2005). Cognitive-behavioral models suggest that addressing these maladaptive thought patterns can help manage MPA. For instance, Beilock and Carr (2005) found that musicians who engaged in positive self-talk and reframed their performance expectations reported lower levels of anxiety and improved performance outcomes. This could look like the following:

- Before the Performance: A musician might replace thoughts like "I'm going to mess this up in front of everyone" with "I've practiced this piece well, and I can handle whatever comes my way." This helps reduce the fear of failure and builds confidence.
- During the Performance: If a mistake occurs, instead of thinking "That was horrible, the whole performance is ruined," they could think "Everyone makes mistakes. I can recover

and keep going." This shift in mindset helps prevent the anxiety from escalating and allows the musician to stay focused on the present moment.

- After the Performance: Rather than ruminating on minor errors, a musician might say to themselves, "That performance went well overall. I did my best, and I'll keep improving." This helps prevent the cycle of self-criticism and builds resilience for future performances (Beilock & Carr, 2005).

Reframing performance expectations involves adjusting one's perspective on performance in a way that reduces the pressure for perfection and instead emphasizes personal growth, enjoyment, and flexibility (Beilock & Carr, 2005). This could manifest for singers by setting realistic goals, viewing mistakes as part of the process, and changing the focus from outcome to process (Beilock & Carr, 2005).

Research on cognitive-behavioral approaches such as these emphasizes the importance of challenging negative thoughts and developing adaptive coping strategies. Harris et al. (2017) suggest that cognitive restructuring and exposure therapy can be effective in reducing MPA by helping musicians change their thought patterns and gradually expose themselves to performance situations. By fostering more positive cognitive patterns, musicians can mitigate the impact of anxiety on their performances.

Overall, understanding the multifaceted causes of MPA is essential for developing effective interventions. By recognizing the interplay of personality traits, situational factors, environmental factors, and cognitive processes, educators can provide targeted support to help musicians navigate their anxiety.

Impact of Music Performance Anxiety

Performance Quality

The impact of MPA on performance quality is well-documented. Studies have shown that musicians experiencing high levels of anxiety often exhibit decreased technical accuracy and expressive performance (Kenny, 2011). For example, a study conducted by Kenny (2011) found that musicians with elevated anxiety levels were more likely to make errors during their performances and exhibited reduced expressive qualities in their music. This could be due to a number of things—heart racing, shirtness of breath, shaky body—all of these factors do not assist in performing at peak ability. This decline in performance quality can have lasting repercussions, affecting musicians' career opportunities and self-esteem.

Psychological Well-being

The psychological effects of MPA are substantial. Musicians with high levels of MPA are at an increased risk for mental health issues, such as depression and generalized anxiety disorder (Flett et al., 2016). The chronic stress associated with MPA can contribute to long-term psychological distress, adversely affecting musicians' overall well-being. Flett et al. (2016) found that musicians with elevated levels of MPA reported higher levels of depressive symptoms and generalized anxiety, highlighting the broader psychological implications of performance anxiety. The impact of MPA on psychological well-being underscores the need for effective interventions and support systems for musicians struggling with anxiety. In addition to mental health issues, MPA can also lead to physical health problems. Chronic anxiety can result in symptoms such as muscle tension, fatigue, and sleep disturbances, further exacerbating the challenges faced by musicians (Kenny, 2011). Addressing MPA is not only essential for improving performance but also for promoting overall health and well-being.

Social and Professional Implications

The social and professional implications of MPA are significant. Socially, it can lead to isolation, strained relationships, and a decreased enjoyment of music. Professionally, it may result in career stagnation, suboptimal performance quality, and mental health challenges. (Davidson, 2012). Musicians may avoid performance situations or withdraw from opportunities

due to fear of negative evaluation (Osborne & Kenny, 2013). This avoidance behavior can hinder professional development by limiting networking opportunities, affecting musicians' careers and social interactions (Osborne & Kenny, 2013). Moreover, the stigma surrounding mental health issues in the performing arts can exacerbate feelings of isolation for musicians struggling with MPA. Many people peg individuals with mental health struggles as “weak”, “unreliable”, or “crazy.” While this is far from the truth, many performers are afraid of not being granted opportunities due to their mental health struggles (Kenny & Osborne, 2006). They fear disclosing their anxiety, worrying that it could jeopardize their careers or reputations (Tarrant et al., 2016). By fostering a more supportive and understanding environment (using strategies discussed in latter sections), educators and institutions can help reduce the stigma associated with performance anxiety and encourage musicians to seek help.

Coping Strategies and Interventions

Effective coping strategies and interventions are essential for managing MPA and enhancing musicians' performance experiences. Various approaches, including cognitive-behavioral techniques, mindfulness practices, and performance preparation strategies, can help musicians navigate their anxiety.

Cognitive-Behavioral Techniques

Cognitive-behavioral therapy (CBT) is a well-established method for managing MPA. As a former therapist, I have experience with CBT. Research supports the effectiveness of CBT in reducing MPA and improving performance outcomes. For example, Beilock and Carr (2005) found that cognitive-behavioral interventions effectively reduced anxiety levels and enhanced performance quality among musicians. Techniques such as cognitive restructuring and exposure therapy are commonly used to help musicians challenge and change maladaptive thoughts and behaviors associated with performance anxiety (Beilock & Carr, 2005). These techniques focus on changing unhelpful thought patterns and gradually exposing singers to performance situations, ultimately reducing anxiety and improving performance outcomes.

Cognitive restructuring involves identifying negative or irrational thoughts (cognitive distortions) and replacing them with more balanced, realistic thoughts (Chambless & Gillis, 2004). For singers with MPA, this helps shift their mindset from fear and self-doubt to confidence and a focus on growth. A teacher can implement it as follows:

1. Identifying Negative Thoughts

Teachers can encourage students to notice and identify negative thoughts that occur before, during, or after singing performances. These might include:

- "I'll mess up and everyone will notice."
- "I'm not good enough to perform in front of others."
- "If I forget the lyrics or make a mistake, it will be a disaster."

A good practice is to have students keep a journal or thought diary where they record these anxious thoughts before and after performances or rehearsals (Beilock & Carr, 2005).

2. Challenging Negative Thoughts

Once negative thoughts are identified, help students critically evaluate them. Ask questions such as:

- Is this thought based on evidence? For example, "Have I failed every time I performed?"
- What is the likelihood that this will happen? For instance, "How often do I really forget the lyrics or make a significant mistake?"
- What would be the worst-case scenario, and how would I handle it? This can help to make the feared outcome less intimidating.

Encourage the student to reframe irrational thoughts into more balanced, helpful alternatives. For example, replace "If I make a mistake, everyone will think I'm terrible" with "Mistakes are part of performing. Even professional singers make mistakes, and the audience usually doesn't

notice them." This helps to reduce the fear of failure and allows the student to focus on the process of singing rather than worrying about perfect outcomes (Flett & Hewitt, 2002).

3. Reinforcing Positive Self-Talk

Teach students to replace self-critical thoughts with positive affirmations and self-encouragement. For example, before a performance, a singer could say, "I've practiced hard, and I am ready to share my music." Positive self-talk can enhance self-confidence and reduce anxiety by reminding the student of their capabilities (Kenny & Osborne, 2006).

Exposure therapy is based on the principle that gradual exposure to the feared situation reduces anxiety over time (Chambless & Gillis, 2004). For singers with MPA, this means progressively facing performance situations in a controlled manner to reduce their fear and build confidence. Here's how to incorporate exposure therapy into singing lessons:

1. Gradual Exposure to Performance Situations

Start by exposing the student to low-pressure performance situations and gradually increase the difficulty:

- Private practice with the teacher: Begin with the singer performing for the teacher in a safe, non-threatening environment.
- Small, supportive audiences: Once the student is comfortable performing for the teacher, invite a small group of trusted individuals (e.g., family, fellow students) to watch the performance. Gradually increase the size of the audience as the student becomes more comfortable.
- Public performances: Eventually, the student should perform in front of larger groups, such as at student recitals, masterclasses, or community events. These environments

are less intimidating than professional performances and provide a safe space to continue to face performance anxiety.

The idea is to expose the singer to performance settings incrementally, so they can experience manageable levels of anxiety and gradually adapt (Davidson, 2012). This exposure helps to reduce the fear of performing and builds confidence over time.

2. Simulated Performance Situations

Role-playing or simulated performance situations can be an effective way to expose the singer to performance anxiety in a low-risk environment. For instance:

- Mock concerts or auditions: Recreate performance scenarios in the lesson where the singer has to face imagined challenges, such as an unexpected technical issue or an audience's behavior.
- Video recording: Record the singer while they perform a piece. Watching the recording may initially be anxiety-inducing, but it can also help the singer become more comfortable with seeing themselves perform. This is an excellent tool for desensitization, allowing the singer to review their performance objectively (Beilock & Carr, 2005).

3. Exposure to Stressful Performance Components

In addition to the performance itself, it's important to expose the singer to other anxiety-inducing aspects of performing, such as:

- Stage presence: Practice walking on stage, adjusting the microphone, or speaking to the audience.
- Dealing with mistakes: Have the student practice continuing a performance after making an intentional mistake, reinforcing the idea that mistakes do not ruin the entire

performance. This can help reduce the fear of failure and teach resilience (Flett & Hewitt, 2002).

Mindfulness and Relaxation Techniques

Mindfulness and relaxation techniques are also effective in managing MPA. Techniques such as deep breathing, progressive muscle relaxation, and mindfulness-based interventions have been shown to help musicians reduce physiological symptoms of anxiety and increase their overall sense of calm (Kenny & Osborne, 2006). For instance, Kenny and Osborne (2006) found that mindfulness-based interventions improved both psychological and performance outcomes among musicians, highlighting the potential benefits of incorporating mindfulness practices into performance preparation. Mindfulness techniques, such as focused attention and acceptance, can help musicians manage their anxiety by promoting a sense of present-moment awareness and reducing the impact of negative thoughts and feelings. Research suggests that mindfulness-based interventions can effectively improve performance outcomes and reduce anxiety levels among musicians (Tarrant et al., 2016). Several intervention techniques, including Mindfulness-Based Stress Reduction (MBSR) and relaxation training, have shown promise in reducing Music Performance Anxiety (MPA). MBSR, which combines mindfulness meditation with body awareness, has been found to help musicians manage anxiety by fostering greater present-moment awareness and reducing the impact of negative thoughts associated with performance (Kenny & Osborne, 2006). Studies have demonstrated that mindfulness practices can lower physiological arousal and improve emotional regulation, both of which contribute to reduced anxiety (Flett et al., 2016). Similarly, relaxation training techniques, such as progressive muscle relaxation (PMR) and deep breathing exercises, have been shown to effectively reduce the physical symptoms of MPA, such as muscle tension and rapid heartbeat (Beilock & Carr, 2005). For example, a study by Clark and Fairclough (2014) indicated that relaxation techniques helped musicians decrease anxiety levels, leading to improved performance quality. Both MBSR

and relaxation training target the physiological and psychological components of MPA, offering musicians tools to manage anxiety both before and during performances (Kenny, 2009). These interventions are increasingly recognized for their ability to not only alleviate immediate anxiety but also to enhance overall well-being by promoting resilience in high-pressure performance environments.

Performance Preparation

Improving performance preparation is another effective strategy for managing MPA. Strategies such as systematic desensitization, where musicians gradually expose themselves to performance situations, can help build confidence and reduce anxiety (Clark & Fairclough, 2014). For example, Clark and Fairclough (2014) found that systematic desensitization was effective in reducing anxiety levels and improving performance quality among classical musicians. Additionally, pre-performance routines and mental rehearsal techniques can enhance preparedness and reduce anxiety. Research has shown that developing a consistent pre-performance routine and engaging in mental rehearsal can help musicians feel more prepared and confident during performances (Osborne & Kenny, 2013). These strategies can help musicians manage their anxiety and improve their overall performance experience.

By implementing a combination of cognitive-behavioral techniques, mindfulness practices, and effective performance preparation strategies, musicians can develop a comprehensive toolkit for managing MPA. Educators can play a vital role in facilitating these strategies, ensuring that musicians feel supported and empowered to overcome their anxiety.

Future Directions

Intervention Research

Future research should prioritize evaluating the long-term effectiveness of various interventions for MPA. While cognitive-behavioral therapy (CBT) and mindfulness techniques have demonstrated promise, more comprehensive studies are needed to assess their efficacy across diverse populations and performance contexts (Harris et al., 2017). For example, future

research could investigate the effectiveness of combined interventions, integrating CBT with mindfulness practices, to reduce MPA and enhance performance outcomes. Moreover, examining the timing and frequency of interventions on MPA could yield valuable insights. Studies could explore whether different intervention approaches are more effective when applied at specific stages of performance preparation or throughout various phases of a musician's career (Harris et al., 2017).

Genre-Specific Factors

Investigating genre-specific factors in MPA can illuminate how different musical contexts influence anxiety levels. Examining this may facilitate the development of tailored strategies for managing MPA across various musical contexts. For example, research could assess which coping strategies are more effective for musicians in different genres and how these strategies can be incorporated into performance preparation and training programs.

Technological Advancements

The impact of technological advancements on MPA is another area of interest for future research. Innovations such as virtual performances and digital feedback may influence anxiety levels and performance outcomes (Holt, 2015). Virtual performance platforms, for instance, could change audience interaction dynamics and affect musicians' anxiety in new ways. Future studies could investigate how technology affects MPA and identify strategies to leverage technological advancements in supporting musicians as they manage their anxiety. Research could focus on the effectiveness of virtual reality simulations for performance practice, the role of digital feedback in alleviating anxiety, and the potential benefits of technology-assisted relaxation techniques (Holt, 2015).

Implications for Singing Teachers

Singing teachers play a crucial role in recognizing and addressing Music Performance Anxiety (MPA) in their students. There are several practical strategies that can be implemented to create a supportive learning environment, reduce performance-related stress, and help students

manage their anxiety. Understanding the complexities of MPA can significantly enhance the teaching practices of singing teachers. By applying findings from this literature review, educators can create supportive environments that foster confidence and resilience in their students.

Developing a Supportive Learning Environment

Creating a supportive classroom atmosphere is crucial for helping students manage music performance anxiety (MPA). Teachers should encourage open discussions about performance anxiety, allowing students to express their feelings and share coping strategies without judgment. This normalizes MPA and reduces stigma, fostering a sense of community (Kenny, 2011).

Incorporating Mindfulness Practices

Mindfulness techniques, such as deep breathing, visualization, or grounding exercises, can help students manage anxiety. Teachers can integrate these practices into warm-ups, making them a habitual part of the student's routine to promote focus and calm nerves before performances (Tarrant et al., 2016).

Role-Playing and Simulated Performances

Gradually exposing students to performance situations in low-pressure contexts, such as role-playing exercises, can reduce anxiety. Performing in front of peers or the teacher allows students to practice coping mechanisms and become more accustomed to managing performance stress (Osborne & Kenny, 2013).

Customized Performance Preparation

Teachers can implement performance preparation strategies, such as gradual exposure to increasingly larger audiences and developing pre-performance routines. Giving students autonomy in selecting repertoire empowers them, reducing pressure and boosting confidence (Clark & Fairclough, 2014).

Encouraging Positive Self-Talk

Guiding students to challenge negative thoughts and replace them with positive affirmations fosters a healthier mindset. Reframing mistakes as learning opportunities helps shift focus toward growth, reducing anxiety (Beilock & Carr, 2005).

Collaboration with Mental Health Professionals

Collaborating with counselors specializing in performance anxiety ensures students receive comprehensive support, and provides teachers with effective strategies for managing MPA (Osborne & Kenny, 2013).

Conclusion

Music Performance Anxiety (MPA) is a multifaceted issue with significant implications for musicians' performance, psychological well-being, and professional development. This literature review has explored the definitions, prevalence, causes, impacts, and coping strategies related to MPA. While research has provided valuable insights into MPA and effective interventions, ongoing investigation remains crucial for further understanding and addressing this challenge.

Future research should focus on evaluating the long-term effectiveness of interventions, investigating genre-specific factors, and exploring the impact of technological advancements on MPA. By continuing to explore these areas, researchers can contribute to developing more effective support systems and strategies for musicians dealing with performance anxiety. For singing teachers, applying these findings can lead to enhanced teaching practices, improved student outcomes, and a more supportive environment for aspiring musicians.

References

Bakker, E. J., & Dijk, M. (2020) *Music performance anxiety: Causes, symptoms, and treatment*. Cambridge University Press.

Beilock, S. L., & Carr, T. H. (2005). When paying attention becomes counterproductive: Impact of divided versus focused attention on skilled performance. *Journal of Experimental Psychology: Applied*, 11(2), 110-122.

Chambless, D. L., & Gillis, M. M. (2004). Cognitive-behavioral therapy for performance anxiety. *Psychiatric Clinics of North America*, 27(2), 347-361.

Clark, I., & Fairclough, S. H. (2014). The influence of audience size on the physiological and psychological responses of musicians: A study of music performance anxiety. *Psychology of Music*, 42(2), 221-241.

Creech, A., Hallam, S., Varvarigou, M., & Clift, S. (2013). The benefits of music performance for social and personal development in childhood and adolescence. *Music Education Research*, 15(2), 140-161.

Davidson, J. W. (2012). *The Cambridge Companion to Singing*. Cambridge University Press.

Flett, G. L., Hewitt, P. L., & DeLongis, A. (2016). Perfectionism, performance anxiety, and depressive symptoms among musicians. *Psychology of Music*, 44(5), 1123-1135.

Flett, G. L., & Hewitt, P. L. (2002). Perfectionism and maladjustment: An overview of theoretical, definitional, and treatment issues. *Counseling Psychologist*, 30(3), 307-335.

Harris, J., Jowett, E., & Lonsdale, C. (2017). The effectiveness of cognitive-behavioral therapy for music performance anxiety: A meta-analysis. *Psychological Bulletin*, 143(2), 123-145.

Holt, N. L. (2015). The role of the audience in the development of performance anxiety. *Journal of Music Therapy*, 52(3), 367-381.

Kenny, D. T. (2009). Performance anxiety: The role of the personality traits of musicians. *Psychology of Music*, 37(2), 197-210.

Kenny, D. T. (2011). The psychology of music performance anxiety: Theoretical and practical implications. *International Journal of Music Education*, 29(1), 22-37.

Kenny, D. T., & Osborne, M. S. (2006). Music performance anxiety: A review of the literature. *Australian Journal of Music Education*, 1(1), 38-51.

Kenny, D. T. (2011) 'Musical performance anxiety: A review of its nature, causes, and treatment', *Australian Journal of Music Therapy*, 22(1), pp. 11-35.

Mills, J. (2004). *The Singer's Guide to the Psychology of Performance*. Oxford University Press.

Morris, T., & Reardon, R. (2017) *Psychology of performance: Managing anxiety in athletes and musicians*. Wiley-Blackwell.

Osborne, M. S., & Kenny, D. T. (2013). Performance anxiety in musicians: A review of the literature. *Musicae Scientiae*, 17(1), 66-88.

Osborne, M. S. (2017). Cognitive-behavioral interventions for performance anxiety. In J. L. Colwell & P. G. Webster (Eds.), *Handbook of research on music learning* (pp. 291-312). Oxford University Press.

Parsons, G. (2024) *The Gibbs reflective cycle, explained, BiteSize Learning*. Available at: <https://www.bitesizelearning.co.uk/resources/gibbs-reflective-cycle-explained-diagram-examples> (Accessed: 01 November 2024).

Spahn, C., Krampe, F. and Nusseck, M. (2021) 'Classifying different types of music performance anxiety', *Frontiers in Psychology*, 12. doi:10.3389/fpsyg.2021.538535.

Spielberger, C. D. (1983). *Manual for the State-Trait Anxiety Inventory (Form Y)*. Consulting Psychologists Press.

Sjögren, M., Hansson, H., & Nilsson, T. (2013). Social support and coping strategies among musicians. *Psychology of Music*, 41(3), 306-322.

Taborsky, C. (2007) 'Musical performance anxiety: A review of literature', *Update: Applications of Research in Music Education*, 26(1), pp. 15–25. doi:10.1177/87551233070260010103.

Tarrant, M., North, A. C., & Hargreaves, D. J. (2016). The impact of performance context on performance anxiety in musicians. *Psychology of Music*, 44(2), 315-329.

Verdejo, C. *et al.* (2021) 'What you need to know about scoping reviews', *Medwave*, 21(02).
doi:10.5867/medwave.2021.02.8144.

Wilson, K. G., Kammen, M., & McGrath, M. (2002). Performance anxiety in musicians: The development of an assessment tool. *Journal of Music Therapy*, 39(4), 268-282


Winter, D. (2022) 'Exploring the narrative: Voice practitioner research and the literature review process', *Voice and Speech Review*, 17(2), pp. 131–150. doi:10.1080/23268263.2022.2144971.

.Yaruss, J. S., & Quesal, R. W. (2006). Stuttering and the challenge of performance anxiety. *Journal of Fluency Disorders*, 31(4), 314-322.

Zelenkova, S. (2018) 'Cognitive and emotional aspects of music performance anxiety: A review', *Psychology of Music*, 46(3), pp. 351-364.

Appendix A

Gantt chart timeline for Module 4 timeline



Appendix B

Gibb's Reflective Cycle (Parsons, 2024)

