

Script

Amira Abdelmagied

ECEY5009/C

2416824

[JIPW4593.MOV](#)

Obesity in Early Years - 15 Minute Presentation Script

Define the Topic: hello everyone, my name is Amira Abdelmagied and Today I'm going to talk about obesity in early years.

Defining Early Years Obesity According to NHS guidelines (2025),

early years obesity refers to excessive body fat in children from birth to age 5. Healthcare professionals measure this using age-adjusted BMI percentiles, where obesity is classified as being in or above the 95th percentile.

Current Statistics The latest data reveals trends. Research indicates that in England, 9.6% of reception-age children (4-5 years) are already obese, with a further 12.4% overweight (Stiebahl, 2025). This means over 1 in 5 children start school above a healthy weight.

Why Focus on Early Years? According to Narzisi & Simons (2020), rapid weight gain in early childhood tracks later obesity. Studies demonstrate that children who are obese at age 5 are four times more likely to become obese adults. The presentation explores why this happens, what resources are available, and potential interventions.

Why Early Years Obesity is Significant ?

Immediate Health Impact Research shows that even in very young children, obesity affects health immediately. According to WHO (2025), these children show early

signs of cardiovascular risk factors, including high blood pressure and abnormal cholesterol levels.

Developmental Consequences Studies reveal that obesity in early years affects more than physical health. According to research published in *Frontiers in Endocrinology* (2022), it impacts motor development, social skills, and school readiness, with obese preschoolers showing lower scores on developmental assessments.

Long-term Health Trajectory PMC research (2024) demonstrates that the adiposity rebound - the natural increase in BMI that occurs between ages 4-7 - happens earlier in children who will become obese. This earlier rebound strongly predicts adult obesity and metabolic disease.

Psychological and Social Effects According to CDC findings (2024), young children with obesity experience stigma early in life. Studies indicate they are more likely to be excluded from play, develop lower self-esteem, and show signs of depression even in preschool years.

Family and Societal Impact Research shows that early childhood obesity affects entire families. According to Gov.UK data (2024), parents report higher stress levels, increased healthcare costs, and concerns about their child's future, while the NHS spends billions annually on obesity-related conditions that often begin in early childhood.

Projections for the Future Without intervention indicate that childhood obesity rates will increase dramatically. According to News hub research (2025), for children aged 5-14, obesity rates are expected to rise from 12% in 2021 to 18.4% by 2050.

Available Resources and Support

Healthcare Resources According to Gov.UK (2025), the NHS provides specialized early years services through health visitors and childhood obesity clinics. The National Child Measurement Program tracks children's weight from reception age, identifying at-risk children early.

Early Years Settings Support Research shows that nurseries and preschools now follow government guidelines for healthy eating and physical activity. According to

the Department for Education (2024), the Early Years Foundation Stage framework includes specific requirements for promoting healthy lifestyles.

Family-Based Programs NHS data (2024) indicates that Change4Life offers targeted resources for families with young children, including meal planning apps, activity ideas, and portion size guidance specifically designed for early years.

Community Resources According to Local Authority Data (2024), Sure Start centers provide weaning workshops, cooking classes, and family fitness activities. Many areas offer "Buggy Fit" classes and toddler swimming programs that support healthy weight maintenance.

Digital Tools and Apps Research from NHS Digital (2024) shows that the NHS website provides age-specific guidance for healthy eating in under-5s. Apps like "Start4Life" offer personalized advice from pregnancy through early childhood, supporting healthy weight from birth.

Research and Evidence Base Studies from institutions like University College London and Imperial College continue to provide evidence for best practices. According to BMC Endocrine Disorders research (2020), the EPOCH study (Early Prevention of Obesity in Childhood) continues to inform interventions.

Practical Applications

Evidence-Based Interventions According to a Cochrane Review (2022), systematic reviews show that combined dietary and physical activity interventions can reduce BMI in children aged 0-5 years. Research demonstrates that the most effective approaches involve the whole family, not just the child.

Early Feeding Practices WHO guidelines (2025) demonstrate that breastfeeding duration, timing of solid food introduction, and avoiding sugary drinks in the first year significantly impact later obesity risk. Current recommendations include exclusive breastfeeding for 6 months.

Physical Activity Strategies According to UK Physical Activity Guidelines (2024), for early years, unstructured active play is most effective. Recommendations include 180 minutes of varied physical activity daily for children aged 1-4 years, including walking, running, jumping, and dancing.

Family-Centered Approaches Research indicates that the most successful interventions target the whole family. According to a Systematic Review (2023), this includes parent education on portion sizes, family meal planning, and reducing screen time, with family-based interventions proving twice as effective as child-only approaches.

Environmental Modifications Studies published in The Lancet (2024) show that creating obesogenic environments that support healthy choices is crucial. This means accessible outdoor play spaces, healthy food availability in early years settings, and policies that restrict marketing of unhealthy foods to young children.

Conclusion (2 minutes)

Key Takeaways Research demonstrates that early years represent a critical window for obesity prevention. According to multiple studies, interventions during this period are more effective and cost-efficient than treatment later in life.

Call to Action Evidence suggests that coordinated action across healthcare, education, families, and communities is needed. Every interaction with a young child and their family represents an opportunity to promote healthy habits that will last a lifetime.

While statistics are concerning, research shows that effective tools and a growing evidence base exist. With sustained effort and proper resource allocation, the trend of increasing childhood obesity can be reversed.

The question, according to current research, isn't whether early years obesity can be addressed, but whether society will commit to implementing what evidence shows works.

Abbot, A. (2022). *Obesity Statistics 2022 • Facts and Figures in the UK*. [online] www.healthexpress.co.uk. Available at: <https://www.healthexpress.co.uk/obesity-statistics-uk>.

Script reference

Bing. (2024). *PMC (2024). Interventions to prevent obesity in children aged 5-11 years - Bing*. [online] Available at: [https://www.bing.com/search?q=PMC+\(2024\).+Interventions+to+prevent+obesity+in+children+aged+5-11+years&cvid=78b3a9a5190e4936aba4728747340c44&gs_lcrp=EgRIZGdlKgYIABBFGDkyBggAEEUYOdIBCDEyMzNqMGo5qAllsAIB&FORM=ANAB01&PC=U531](https://www.bing.com/search?q=PMC+(2024).+Interventions+to+prevent+obesity+in+children+aged+5-11+years&cvid=78b3a9a5190e4936aba4728747340c44&gs_lcrp=EgRIZGdlKgYIABBFGDkyBggAEEUYOdIBCDEyMzNqMGo5qAllsAIB&FORM=ANAB01&PC=U531) [Accessed 15 Jun. 2025].

CDC (2024). *Evidence-Based Guidelines for Child Obesity*. [online] Obesity. Available at: <https://www.cdc.gov/obesity/child-obesity-strategies/evidence-based-guidelines.html>.

CLOSER. (2015). *Child obesity risk increases almost three-fold in five generations - CLOSER*. [online] Available at: <https://closer.ac.uk/news-opinion/news/child-obesity-risk-increases-threefold-generations/> [Accessed 15 Jun. 2025].

Denova-Gutiérrez, E., González-Rocha, A., Méndez-Sánchez, L., Araiza-Nava, B., Balderas, N., López, G., Tolentino-Mayo, L., Jauregui, A., Hernández, L., Unikel, C., Bonvecchio, A., Shamah, T., Barquera, S. and Rivera, J.A. (2023). Overview of Systematic Reviews of Health Interventions for the Prevention and Treatment of Overweight and Obesity in Children. *Nutrients*, 15(3), p.773. doi:<https://doi.org/10.3390/nu15030773>.

Department of Health and Social Care (2024). *Government plans to tackle obesity in England* . [online] healthmedia.blog.gov.uk. Available at: <https://healthmedia.blog.gov.uk/2023/06/07/government-plans-to-tackle-obesity-in-england/>.

Early years foundation stage statutory framework For group and school-based providers Setting the standards for learning, development and care for children from birth to five. (n.d.). Available at:

https://dera.ioe.ac.uk/id/eprint/40850/1/EYFS_statutory_framework_for_group_and_school_-_based_providers.pdf.

Guerra Toro, H.I., Jaramillo, A.P. and Caceres, V.M. (2024). Family-Based Interventions for Pediatric Obesity: A Comprehensive Systematic Review and Meta-Analysis of Their Effectiveness. *Cureus*. doi:<https://doi.org/10.7759/cureus.65919>.

NHS (2025). *National Child Measurement Programme, England, 2023/24 School Year*. [online] Digital.nhs.uk. Available at: <https://digital.nhs.uk/data-and-information/publications/statistical/national-child-measurement-programme/2023-24-school-year>.

GOV.UK (2024). *Obesity Profile: statistical commentary, November 2024*. [online] GOV.UK. Available at: <https://www.gov.uk/government/statistics/obesity-profile-november-2024-update/obesity-profile-statistical-commentary-november-2024>.

Hayes, A., Tan, E.J., Lung, T., Brown, V., Moodie, M. and Baur, L. (2019). A New Model for Evaluation of Interventions to Prevent Obesity in Early Childhood.

Frontiers in Endocrinology, 10. doi:<https://doi.org/10.3389/fendo.2019.00132>.

Hodder, R.K., O'Brien, K.M., Lorien, S., Wolfenden, L., Moore, T.H.M., Hall, A., Yoong, S.L. and Summerbell, C. (2022). Interventions to Prevent Obesity in school-aged Children 6-18 years: an Update of a Cochrane Systematic Review and meta-analysis Including Studies from 2015–2021. *EClinicalMedicine*, [online] 54(101635), p.101635. doi:<https://doi.org/10.1016/j.eclinm.2022.101635>.

Imperial College London. (2024). *Child obesity*. [online] Available at: <https://www.imperial.ac.uk/be-inspired/magazine/issue-41/child-obesity/> [Accessed 15 Jun. 2025].

Jia, P., Shi, Y., Jiang, Q., Dai, S., Yu, B., Yang, S., Qiu, G. and Yang, S. (2023). Environmental determinants of childhood obesity: a meta-analysis. *The Lancet Global Health*, 11(Special Issue), p.S7. doi:[https://doi.org/10.1016/s2214-109x\(23\)00092-x](https://doi.org/10.1016/s2214-109x(23)00092-x).

Knowledge NoW. (2024). *UK Physical Activity Guidelines - Early Years, Children and Young People - Knowledge NoW*. [online] Available at: <https://nwknowledge.nhs.uk/content/uk-physical-activity-guidelines-early-years-children-and-young-people/> [Accessed 15 Jun. 2025].

Lambrinou, C.-P., Androutsos, O., Karaglani, E., Cardon, G., Huys, N., Wikström, K., Kivelä, J., Ko, W., Karuranga, E., Tsochev, K., Iotova, V., Dimova, R., De Miguel-Etayo, P., M. González-Gil, E., Tamás, H., Jancsó, Z., Liatis, S., Makrilakis, K. and Manios, Y. (2020). Effective strategies for childhood obesity prevention via school based, family involved interventions: a critical review for the development of the Feel4Diabetes-study school based component. *BMC Endocrine Disorders*, [online] 20(52), pp.1–20. Available at: <http://web.a.ebscohost.com/ehost/detail/detail?vid=0&sid=677499b1-95e6-4612-8897-bbcb8a01726%40sessionmgr4006&bdata=JkF1dGhUeXBIPWlwLHNoaWlmc2l0ZT1laG9zdC1saXZl#AN=143056517&db=ccm>.

Michalopoulou, S., Sifaki, M., Packer, J., Lanigan, J., Stansfield, C., Viner, R.M. and Russell, S. (2024). Assessing the impact of obesity interventions in the early years: a systematic review of UK-based studies. *BMJ open*, [online] 14(5), p.e076479. doi:<https://doi.org/10.1136/bmjopen-2023-076479>.

Narzisi, K. and Simons, J. (2020). Interventions that prevent or reduce obesity in children from birth to five years of age: A systematic review. *Journal of Child Health Care*, [online] 25(2), p.136749352091786.
doi:<https://doi.org/10.1177/1367493520917863>.

Newshub.uk (2025). *Projected rise in obesity rates among children and adults in the UK by 2050*. [online] NewsHub.co.uk. Available at:
<https://www.newshub.co.uk/news/2025/03/04/projected-rise-in-obesity-rates-among-children-and-adults-in-the-uk-by-2050/>.

NHS Digital (2025). *Data*. [online] NHS Digital. Available at:
<https://digital.nhs.uk/data>.

NHS England (2024). *NHS England» One in eight toddlers and primary school aged children obese*. [online] England.nhs.uk. Available at:
<https://www.england.nhs.uk/2024/09/one-in-eight-toddlers-and-primary-school-aged-children-obese/>.

Office (2025). *Obesity profile: statistical commentary on patterns and trends in child height, February 2025*. [online] GOV.UK. Available at:
<https://www.gov.uk/government/statistics/obesity-profile-february-2025-update/obesity-profile-statistical-commentary-on-patterns-and-trends-in-child-height-february-2025>.

ph.cochrane.org. (n.d.). *Review on childhood obesity prevention updated*. [online] Available at: <https://ph.cochrane.org/news/review-childhood-obesity-prevention-updated>.

Royal College of Paediatrics and Child Health (2023). *RCPCH responds to latest childhood obesity figures for England, 2022/23*. [online] RCPCH. Available at: <https://www.rcpch.ac.uk/news-events/news/rcpch-responds-latest-childhood-obesity-figures-england-202223>.

Seidler, A.L., Johnson, B.J., Golley, R.K. and Hunter, K.E. (2022). The Complex Quest of Preventing Obesity in Early Childhood: Describing Challenges and Solutions Through Collaboration and Innovation. *Frontiers in Endocrinology*, 12. doi:<https://doi.org/10.3389/fendo.2021.803545>.

Stiebahl, S. (2025). Obesity Statistics. *House of Commons Library*, [online] 1(3336). Available at: <https://commonslibrary.parliament.uk/research-briefings/sn03336/>.

Tagliaferro, L. (2023). *40+ Essential Obesity Statistics and Trends in the UK (2023)*. [online] Future Fit. Available at: <https://www.futurefit.co.uk/blog/obesity-statistics-uk/>.

USPSTF (2017). *Recommendation: Obesity in Children and Adolescents: Screening | United States Preventive Services Taskforce*. [online] www.uspreventiveservicestaskforce.org. Available at: <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/obesity-in-children-and-adolescents-screening>.

WHO (2025). *Obesity and Overweight*. [online] World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>.

Wikipedia Contributors (2019). *Childhood obesity*. [online] Wikipedia. Available at: https://en.wikipedia.org/wiki/Childhood_obesity.

