



Student name: Emma Lawingco Duay

Student ID:2524373

Module name: Introduction to Health and Social Care

Module code: LCHS 4003

Lecturer name: Christiana Melam

Content page : Poster

Title: Community Antenatal Midwifery Services in the UK

- Explanation of the Service
- The Antenatal Pathway
- A Brief Story of the Service
- How the Service Works Today
- Two Challenges Facing the Service
 - Challenge 1. Workforce—A Shortage of Midwives
 - Challenge 2. Equity — Persistent health inequalities
- Conclusion

Community Antenatal Midwifery Services in the UK


Emma Lawingco Duay, 2524373, em.law0109@gmail.com

1. The Service Explained

Antenatal care is the care a woman receives during pregnancy, from the point her pregnancy is confirmed until labour begins. Community midwifery means this care is provided outside the hospital ward- in GP surgeries, health centres, children's centres and the family home-by midwives based in local teams (NHS, 2025). The purpose is to keep both mother and baby as healthy as possible. Midwives monitor the pregnancy, carry out screening and routine checks, give advice on staying well, support informed choices about birth, and safeguard women in vulnerable situations. Care is free at the point of use and led by a midwife unless additional medical needs require a doctor (NICE, 2021).

At A Glance

- First contact is usually the community midwife when pregnancy is confirmed.
- Women can self-refer online—a GP visit is no longer needed first.
- A named midwife coordinates care within a team of roughly six to eight.
- Care is midwife-led for healthy pregnancies, with referral to obstetricians when risks arise (NHS, 2025; NICE, 2021)



4. How the Service Works Today

Today, community midwives provide the majority of antenatal care for women with straightforward low-risks pregnancies, working within multidisciplinary teams alongside GPs, health visitors, and hospital maternity units. The booking appointment, usually by 8-10 weeks, the midwife takes a detailed medical, social, and family history, completes a risk assessment covering physical and mental health, and agrees a personalised care and support plan; first-time mothers are typically offered more appointments than those who have given birth before (NICE, 2021).


Routine antenatal visits check blood pressure and test urine for signs of pre-eclampsia and infection, and from around 24 weeks include measurement of the baby's growth and discussion of fetal movements. Midwives arrange combined screening and dating scans around 12 weeks and an anomaly scan around 20 weeks, and refer women to obstetric, diabetics, mental health, or safeguarding specialists where additional risk is identified. Health promotion remains central, with advice covering nutrition, smoking cessation, vaccination, and emotional wellbeing.

Care is increasingly supported by digital maternity notes, which women can access alongside their team through NHS apps, improving continuity when different professionals are involved (NHS, 2026). Following the Better Births review, NHS trusts have worked toward continuity of carer, where the same small team supports a woman through pregnancy, birth, and the postnatal

GP Surgeries	Health & children's centres	Home visits	Midwifery teams
Most routine clinics	Community hubs	Arranged by need	Named midwife + support workers

2. Antenatal Care Pathway

- **Self-referral**—Online form to the local NHS trust as soon as pregnancy is known
- **Booking**— Full history, risks assessment & a personalised plan by 8–10 weeks
- **Routine checks**—Blood pressure, urine & growth growth monitored at regular visits
- **Screening & scans**— Blood tests and ultra scans around ~12 & 20 wks
- **Birth & handover**— Care continues after birth, then transfers to the health visitor



3. A Brief History of the Service

Midwifery is one of the oldest caring roles but the organised community service familiar today grew out of a century of professional regulation, welfare reform and the founding of the NHS (RCM, 2022). Before 1902, midwifery was largely unregulated, often provided by local "handywomen" with no formal training and outcomes varied enormously depending on where a woman lived.

- **1902**→ Midwives Act set up the Central Midwives Board, requiring training, examination and registration, with unqualified midwives allowed to continue only under supervision (RCM, 2021).
- **1936**→ Local authorities begin employing salaried, home-based "domiciliary" midwives, reducing reliance on independent, free-charging midwives.
- **1948**→ The NHS brings maternity care under one free, universal service: birth shifts steadily from home to hospital over the following decades.
- **1974**→ District midwives are renamed "community midwives" as NHS reorganisation creates a more structured, area-based system of care.
- **1993**→ Changing Childbirth places women's choice, control and continuity at the centre of policy (Department of Health, 1993).
- **2016**→ Better Births sets a renewed national vision of safer, more personal continuity of carer (NHS England, 2016).
- **2022**→ The final Ockenden Report into failings at Shrewsbury and Telford recommends pausing continuing of carer until safe staffing is assured (Ockenden, 2022).
- **2025**→ MBRRACE-UK reports rising, unequal maternal deaths, prompting a national investigation into maternity safety (MBRRACE-UK, 2025).

5. Challenges facing

CHALLENGE 1 · WORKFORCE—A shortage of midwives.

England has been short of midwives for years, which stretching community teams, lengthening waits and threatening safety, and is the principal reason continuity of carer has stalled (RCM, 2024). Burnout and poor retention deepen the gap, so recruiting and keeping midwives is the priority for safe community care (RCM, 2024).

- 2,500—midwives short in England
- 100k—unpaid hours worked weekly
- 87%—felt units not safely staffed

CHALLENGE 2 · EQUITY—Persistent health inequalities

Pregnancy outcomes are not equal. Women from some ethnic groups and the poorest areas remain far more likely to die in or soon after pregnancy, pointing to gaps in access, communication and trust (MBRRACE-UK, 2025).

Conclusion

Community antenatal midwifery has moved from an unregulated, home-based practice into a structured NHS service built on continuity, personalised risk assessment, and joined-up care across GPs, health visitors, and hospital teams. This shift has real potential to improve safety and experience for women and babies. However, a persistent workforce shortage and deep-rooted inequalities by ethnicity and deprivation mean that potential is not yet consistently delivered, as the Ockenden Review and recent MBRRACE-UK data both show. Achieving safe, equitable antenatal care for women will depend on sustained investment in the midwifery workforce alongside targeted action to close these outcome gaps.

Table of Contents: Essay.

Title: Community Mental Health Services in the UK

1. Introduction
2. The Origins and Historical Development of Community Mental Health Services in the UK
3. Critically Evaluating How Community Mental Health Services Function Today in the UK
4. The Significance of Community Mental Health Services in Enhancing Service Users' Quality of Life
5. Conclusion

Community Mental Health Services in the UK

Introduction

Community mental health services in the UK have evolved from institutional asylum care into locally rooted, multidisciplinary support. This essay traces their historical development, critically evaluates how they function today, and examines their significance for service users' quality of life — arguing that persistent underfunding, not flawed design, remains the central barrier to realising their full benefit.

The Origins and Historical Development of Community Mental Health Services in the UK

Psychiatric care in Britain once centred on large Victorian asylums. The Mental Treatment Act 1930 began change, allowing voluntary admission and outpatient clinics (Burns, 2020). The Mental Health Act 1959 then obliged hospitals to arrange follow-up and councils to assist with housing, laying groundwork for today's teams (Burns, 2020). Although the NHS formed in 1948, mental health remained separate and underfunded. Change accelerated after the 1961 "water tower" speech and 1960s scandals of neglect in long-stay institutions (Ikkos, Bouras and Tyrer, 2023). By the 1980s, new medication and cost pressures drove deinstitutionalisation, culminating in the NHS and Community Care Act 1990 (Ikkos, Bouras and Tyrer, 2023). The 2019 NHS Long Term Plan pledged over two billion pounds toward community care via Primary Care Networks (NHS England, 2019; The King's Fund, 2019).

Critically Evaluating How Community Mental Health Services Function Today in the UK

Today's provision relies on multidisciplinary teams working across defined localities alongside Primary Care Networks, echoing the integrated care vision of the NHS Long Term Plan (NHS England, 2019). On paper this widens access; in reality, a disconnect exists between policy and lived experience. Figures from the Care Quality Commission (2025) show around four in ten service users face excessive waits, with a third waiting three months or longer, and over 40 percent reporting their condition worsened while waiting. Staffing gaps worsen this, with roughly one in ten posts vacant (CQC, 2025), eroding continuity. Those living in deprived areas are more likely to be detained under the Mental Health Act (CQC, 2025), indicating community alternatives are failing those most at risk, while withdrawal of protected funding jeopardises transformation (House of Commons Health and Social Care Committee, 2024).

The Significance of Community Mental Health Services in Enhancing Service Users' Quality of Life

Beyond reducing symptoms, community provision matters because it supports a broader sense of recovery. Keeping people connected to their homes, families, and social networks, rather than removing them into institutions, is linked to stronger subjective wellbeing (Mezey et al., 2022). Being more socially included is linked to a better quality of life and less loneliness, yet stigma, low confidence, and restricted opportunity often stand in the way (Mezey et al., 2022; Eager et al., 2025). Where services tackle such barriers, users are better placed to reclaim social roles rather than merely coping with illness (Eager et al., 2025).

Individual Placement and Support programmes help people with severe mental illness find and keep paid work, treating employment as economically and psychologically valuable (NHS England, 2019).

Conclusion

Taken together, these perspectives show that community mental health services in the UK represent a century-long, still-unfinished transition from institutional confinement toward locally rooted, person-centred support. Legislative reform from 1930 onward, accelerated by the 1961 water tower speech and 1960s scandals, dismantled the asylum system and established the multidisciplinary, community-based model recognisable today (Burns, 2020; Ikkos, Bouras and Tyrer, 2023). This model carries genuine significance for quality of life, since community ties and social inclusion support wellbeing beyond symptom control (Mezey et al., 2022; Eager et al., 2025; NHS England, 2019). Yet critical evaluation shows this potential is not consistently realised: long waits, vacancies, and funding insecurity mean many users in deprived areas lack equitable care (CQC, 2025; House of Commons Health and Social Care Committee, 2024). Community mental health care remains well-founded but under-resourced

Reference List

- Burns, T. (2020) 'Community-based mental health care in Britain', *Consortium Psychiatricum*, 1(2), pp. 14–20.
- Care Quality Commission (2025a) *High demand, long waits, and insufficient support mean people with mental health issues still not getting the support they need*. Care Quality Commission. Available at: <https://www.cqc.org.uk/press-release/high-demand-long-waits-and-insufficient-support-mean-people-mental-health-issues> (Accessed: 12 July 2026).
- Care Quality Commission (2025b) *Monitoring the Mental Health Act in 2024/25*. Newcastle upon Tyne: Care Quality Commission. Available at: <https://www.cqc.org.uk/publications/monitoring-mental-health-act/2024-2025> (Accessed: 12 July 2026).
- Department of Health (1993) *Changing Childbirth: Report of the Expert Maternity Group*. London: HMSO.
- Eager, S., Lloyd-Evans, B., Bousfield, J., Downey, M., Harrison, I., Killaspy, H., Mezey, G., Rai, S. and Kpobi, L. (2025) 'Barriers and facilitators to social inclusion among people with severe mental illness: a qualitative study', *PLOS Mental Health*, 2(4), pp. 1–21.
- House of Commons Health and Social Care Committee (2024) *Community Mental Health Services*. Available at: <https://publications.parliament.uk/pa/cm5901/cmselect/cmhealth/566/report.html> (Accessed: 2 July 2026).
- Ikkos, G., Bouras, N. and Tyrer, P. (2023) 'Madness and society in Britain', *BJPsych Bulletin*, 47(3), pp. 152–156.
- The King's Fund (2019) *The NHS long-term plan explained*. Available at: <https://www.kingsfund.org.uk/insight-and-analysis/long-reads/nhs-long-term-plan-explained> (Accessed: 5 July 2026).
- MBRRACE-UK (2025) *Saving Lives, Improving Mothers' Care: Confidential Enquiry into Maternal Deaths and Morbidity, 2021–23*. Oxford: National Perinatal Epidemiology Unit, University of Oxford.
- Mezey, G., White, S., Harrison, I., Bousfield, J., Killaspy, H., Lloyd-Evans, B. and Payne, S. (2022) 'Modelling social exclusion in a diagnostically-mixed sample of people with severe mental illness', *International Journal of Social Psychiatry*, 68(2), pp. 420–428.

- NHS (2026) *Your antenatal care and appointments*. Available at: <https://www.nhs.uk/pregnancy/your-pregnancy-care/your-antenatal-care-and-appointments/> (Accessed: 11 July 2026).
- NHS England (2016) National Maternity Review: Better Births — Improving Outcomes of Maternity Services in England. London: NHS England.
- NHS England (2019) *Community mental health services*. Available at: <https://www.england.nhs.uk/mental-health/adults/cmhs/> (Accessed: 11 July 2026).
- NICE (2021) *Antenatal Care* (NG201). London: National Institute for Health and Care Excellence.
- Ockenden, D. (2022) Final Report of the Independent Review of Maternity Services at the Shrewsbury and Telford Hospital NHS Trust. London: HMSO.
- Royal College of Midwives (2022) *120 years of the Midwives Act in England and Wales*. Available at: <https://www.rcm.org.uk/news-views/rcm-opinion/2022/120-years-of-the-midwives-act-in-england-and-wales/> (Accessed: 10 July 2026).
- Royal College of Midwives (2025) *RCM highlights midwives are 'exhausted, overstretched and burnt out'*. Available at: <https://rcm.org.uk/news/2025/12/rcm-highlights-midwives-are-exhausted-overstretched-and-burnt-out/> (Accessed: 9 July 2026).