

Student Name: Shamshun Nahar

Student ID number: 2511431

Module: Digital Skills and Research Methods

Module Code: LCHS4007

Lecturer's name: AMITAVE BANIK

Assignment title: Burnout among Healthcare Workers in the UK Health and Social Care Sector

Introduction

The health and social care sector in the UK is under increasing pressure, leading to burnout among workers. Burnout in the health and care sector must be addressed to reduce the pressure on workers. As a result of the burnout, the workers and patients are suffering significantly. The research aims to investigate the causes of burnout in the healthcare sector, who are affected by it, and what actions should be taken to reduce or minimise burnout in the UK health and care sector. To address burnout in the UK, multi-level interventions focusing on both organisational and individual levels are needed.

The issue: Burnout among the health and Social Care

Burnout results from long-term work-related stress. There are three dimensions of burnout. First, Emotional Exhaustion, which means the worker feels overextended and drained of mental and physical energy. Secondly, Depersonalisation, which means a negative attitude towards patients and colleagues. And thirdly, feelings of ineffectiveness in the role.

According to the World Health Organisation (WHO), burnout is caused by workplace stress and is not a medical condition. However, it can be a reason for mental health problems in the health and care sector.

Common signs of burnout include emotional, cognitive, physical, social, and behavioural changes. The existing research shows that burnout does not happen overnight, but develops over time in stages, similar to stress responses.

The risk factor due to burnout is classified into organisational and individual factors. Organisational risk factors include high workload, prolonged hours and lack of social support. Individual risk factors include job experiences, such as those who are most vulnerable to burnout.

Who is Affected?

The main party affected by the burnout are the workers themselves. Burnout is not simply an issue for the individuals; it also affects the patients. Due to the burnout, the staff are leaving the workplace, especially in the health and social care sector. Just as individual staff are affected by burnout, organisations are also affected, as the absence due to burnout in the NHS and other health and social care sectors is soaring, which in turn affects productivity.

Moreover, the lack in the workplace can lead to compromised care quality and overall affect the patients.

As the long-term work and stress in the workplace affects health and social care workers' mental health across the NHS, millions of workdays are lost each year, mainly because of mental health issues related to workload and mental distress.

The East of England is the first place, and London is the second worst region in England for morale and burnout according to the Survey published on 13 March 2025.

It is important to note that during the COVID-19 Era, burnout worsened in the UK health and social care sector.

According to the Journal of Healthcare Staff Wellbeing, Burnout, and Patient Safety: A Systematic Review, studies found that burnout and errors in healthcare were strongly linked, and that higher burnout was associated with more errors. However, some studies did not see the link between burnout and mistakes.

What Can Be Done to Tackle Burnout in Healthcare

In the UK, burnout in the health and social care sector is a crucial challenge, affecting workers' well-being and job performance. Therefore, organisational and individual levels of interventions are required to address this issue.

Organisational Interventions: First, we need to identify the root causes of workplace burnout. Healthcare and social care organisations should facilitate an environment where staff can easily share their issues with directors or the management body in the workplace.

Ensuring support is available to help burnout workers reduce stress. As a team leader, you should identify staff who are burning out due to workload, recognise the symptoms of burnout, and take the necessary steps as quickly as possible.

Team and Individual Support: There is nothing important than working as a team and supporting co-workers. When signs of burnout appear, healthcare workers need support to cope. Supporting each other is important because when coworkers support one another, monitor each other, and have open conversations, it can reduce workplace stress.

Treatment for Burnout: Identify who is already experiencing burnout and ensure easy access to treatment for workers facing burnout. If necessary, it needs to provide a recovery period and adjust job demands so that staff who are burning out can cope. In addition, if necessary, it needs to provide professional coaching or cognitive-behavioural therapy (CBT)

Finally, a holistic approach must be adopted at all levels to address burnout in healthcare. By focusing on prevention, support, and treatment, organisations can build a healthier workplace, lower burnout rates, and improve care quality.

Source one: “Burnout in Healthcare: Risk Factors and Solutions”, July 2023

The document "*Burnout in Healthcare: Risk Factors and Solutions*" is vital to my research because it provides a thorough overview of burnout in healthcare. Knowing what causes burnout, what it looks like, and how to solve it is key to my study of work and mental health in stressful jobs, since burnout affects both healthcare workers and the care patients receive.

This guide is helpful because it explains what can lead to burnout for both organisations and individuals, and gives practical, proven ways to prevent and manage it. It describes how burnout begins, how it affects workers and organisations, and the steps needed to help. These ideas directly support my research goal of examining how workplaces affect employee well-being, particularly in stressful jobs such as healthcare.

The document outlined the necessity of solutions at all levels for organisations and individuals, and the need to create support for mental health strategies in healthcare. Using this resource improves my research by providing real-life examples and proven strategies to address burnout and support mental health in challenging workplace.

Source two: "The Impact of Burnout on Healthcare Professionals": A Systematic Review (Journal of Health Psychology, 2022)

I have researched this source because the journal provides statistics on the effects of burnout on healthcare workers. This review has been conducted across many healthcare settings on world impact of burnout.

Justification: The journal has been conducted based on evidence from various sources in the healthcare sector. The journal reports how many studies found a link between burnout and patient safety errors, and how many did not.

Source Three: "Burnout in the NHS: Causes, Consequences, and Solutions" (National Health Service, 2023)

This report clearly explains the factors that lead to burnout in the NHS and the consequences. It looks at issues such as insufficient staffing, long hours, and the stress healthcare workers experience. The source is helpful because it takes a close look at what is happening in the NHS right now, making it easier for readers to see the scale of the burnout problem in this area.

Justification: This source is relevant because it provides statistics and analysis of burnout in the NHS, making it very useful for this topic.

Quantitative Research Approach

Quantitative research collects and analyses numerical data to identify patterns and connections. It uses standard tools like surveys, experiments, and math to analyse the data. The main benefit is that it provides clear, unbiased information that can help understand larger groups. This method is helpful for evaluating ideas and determining how common a problem is.

Qualitative Research Approach

Qualitative research is mainly based on the individuals' aspects of understanding and experience. It looks at people's opinions, attitudes, and lived experiences, and is often used to explore topics in depth. For complex issues, qualitative research gives valuable insight into a person's experience. It is considered subjective because it cannot be measured in a

systematic way. One benefit is that it helps explain how and why certain behaviours happen in a specific context.

Mixed-Methods Approach

A mixed-methods approach uses both quantitative and qualitative research to study a topic more completely. This method is helpful when you need both numbers and personal insights to understand an issue.

Chosen Methodology

For this research, I will use a mixed-methods approach. I will use surveys to measure how common burnout is among healthcare workers, and interviews to learn about their personal experiences. This method is a good fit because it gives a complete view of burnout by including both types of information.

Primary Data Collection

Primary data is collected directly from people or places through surveys, interviews, and observation. In this study, surveys and interviews with healthcare workers will be used to gather this data. Surveys will provide numbers on how common and serious burnout is, while interviews will offer more detailed stories about what healthcare workers go through and the problems they face.

Collecting primary data has important benefits, such as greater accuracy and more detail. Researchers can decide how to collect the data, ensuring it aligns with what they want to learn. Because the data is new, it shows what is happening right now and makes the results more trustworthy. This way, researchers get clear, up-to-date information that helps them achieve their goals and improve the study.

While new data can be useful, it also has disadvantages: it is time-consuming and costly, especially when using surveys, interviews, or tests. Sometimes, new data only includes certain groups or topics, so it might not show everything.

Secondary Data Collection

Secondary data refers to information that has already been collected by others, such as individuals, groups, or the government. This can include published studies, reports, and survey data.

Secondary data collection has several benefits, especially because it saves money and is faster. Since the data is already available, researchers can save time and avoid the hard work of collecting new data.

Even though it has benefits, secondary data collection also has some problems. The biggest problem is that the data may be outdated or irrelevant, which can make the research less accurate or useful. Researchers also cannot control how the data were collected, which can affect data reliability and make the research more difficult.

Data Collection Approach

I will mostly gather new information through surveys and by talking with healthcare workers in the UK. This will give up-to-date, firsthand information about burnout in the UK. By using both numbers and personal stories, I will get a complete view of the issue.

Conclusion

In conclusion, burnout is a serious problem for healthcare workers in the United Kingdom, harming health and social care workers and the quality of care they give patients. Research shows that heavy workloads, long working hours, and not enough support are the main reasons for burnout. These problems often lead to feeling emotionally drained, treating patients like objects, and feeling less able to do their jobs well. Fixing burnout requires changes in the workplace and better personal support, such as creating supportive work environments and giving staff ways to recover. Surveys and interviews help us see how often burnout happens and what is the impacts on the health and social care workers.

References (Harvard Style)

1. **Kinman, G., Dovey, A., Teoh, K., Doyle, N., Greenberg, N., & Harriss, A., 2023.** *Burnout in healthcare: risk factors and solutions. Supporting Occupational Health and Wellbeing Professionals.* Available at: <https://www.som.org.uk/> [Accessed 10 December 2025].
2. **National Health Service (NHS) (2023)** *Workforce wellbeing and burnout in the NHS.* London: NHS England. Available at: <https://www.england.nhs.uk> (Accessed: 14 December 2025).
3. **Journal of Health Psychology (2022)** 'The impact of burnout on healthcare professionals: A systematic review', *Journal of Health Psychology*,

4. Gopal, L. (2025). *Stress, burnout and hope: NHS workers speak out*, BBC News, 15 March. Available at: <https://www.bbc.co.uk/news/articles/cy9dygz1vgxo> (Accessed: 15 December 2025).
5. British Medical Association (2022). *Burnout stress fails staff and patients*, BMA News and Opinion, 28 June. Available at: <https://www.bma.org.uk/news-and-opinion/burnout-stress-fails-staff-and-patients> (Accessed: 9 December 2025)
6. World Health Organisation (2019). *Burn-out: an “occupational phenomenon”*. International Classification of Diseases. Geneva: WHO. Available at: <https://www.who.int> (Accessed: 14 December 2025).