

Rehabilitation pool

Pool to be a 4x6.5m semi-raised free board pool with a depth of 0.85m at the shallow end and 0.35m at the deep end, this allows a max occupancy for 12 bathers. The pool is required to have a minimum of 2m free space around at 2 sides, and 1.5m minimum on the other 2 sides.

The dashed line between the rehab area and the main pool area indicates the line of a curtain for privacy options.

-Square or rectangle shaped pools are recommended for Hydrotherapy pools because they provide: • good visibility • easier equipment installation of hand rails, pool cover, removable plinths which are all standard design to straight edges • corners for patient fixation with exercises and treatment techniques
Freeform pools are not recommended due to difficulty maintaining visibility of all pool users from any position in the pool hall

- Unlabeled dashed boxes shown on plan indicate free open space for storage for items such as shoes, prams and/or wheelchairs.
- Dis CH/W.C indicates a disabled changing room with toilet.
- Dis W.C indicates disabled toilet.
- CL ST indicates cleaning store.
- Dashed lines around stairwells indicate fire curtains.

LC - Ground Floor
1 : 125



Property Title Proposed Leisure Complex	Detail LC - Ground Floor	Property Originator (zone)Functional Breakdown (Level)Spatial Breakdown (Type)Form Discipline Number Description Status Revision	scale 1 : 125	drawn CE	Activ Leisure Construction Ltd. Buildings For Communities	
		6023 UWTS XX XX T K 006 LC - Ground Floor For Approval 8	date 11/04/2023	checked JL		Prifysgol Cymru Y Drindod Dewi Sant University of Wales Trinity Saint David SA1 Campus King's Road Saunders SA1 8HO
		File Path: C:\Users\levans\Desktop\Intergrated project\Revit\Design 8.rvt				