



Prifysgol Cymru
Y Drindod Dewi Sant
University of Wales
Trinity Saint David

Jujita Cupatan - 2424591

Certificate Of Higher Education Skills For The Workplace
(Health and Social Care)

Module: Introduction To Public Health (LCHS4008_LON)

Title: Report On Health Issue (Type 2 Diabetes)

Lecturer: Mr. Christofer Mafuva

TABLE OF CONTENTS:

• Introduction.....	3
• Implications Of Type 2 Diabetes In Communities.....	3
• Key Factors Influencing Wellbeing in Type 2 Diabetes.....	4
• Lifestyle And Behavioural Factors.....	4
• Economic And Employment Factors.....	5
• What is the cause of diabetes and what strategy does the UK government address this problem.....	5
• Conclusion.....	6
• References.....	7

Introduction:

Diabetes is a long-term health condition that occurs when the body is unable to produce enough insulin or cannot effectively use the insulin it makes. This results in elevated levels of glucose in the blood, which can lead to serious health complications over time if not properly managed. There are different types of diabetes, with type 1 and type 2 being the most common. Regular monitoring and treatment are essential for controlling the condition (Diabetes UK, 2023).

Globally, type 2 diabetes is a significant public health concern, with an estimated 589 million adults aged 20 to 79 living with the condition in 2025, a figure projected to rise to 853 million by 2050 if current trends continue (International Diabetes Federation, 2025). In the United Kingdom, approximately 4.1 million people have been diagnosed, of which around 90% are type 2. Additionally, an estimated 1 million remain undiagnosed, while 6 million are considered at high risk of developing the disease (International Diabetes Federation, 2025).

Implications Of Type 2 Diabetes In Communities

Type 2 diabetes is a long-term condition that arises when the body is unable to properly utilise insulin, resulting in elevated blood sugar levels. This condition has extensive consequences within communities, affecting personal health, public services and community welfare as a whole.

The health consequences are particularly serious. Individuals living with type 2 diabetes are more likely to experience complications such as heart disease, kidney problems, eye damage, nerve issues and even amputations. These complications can reduce independence and increase reliance on health and social care systems, particularly in underserved communities where access to treatment may be limited (Diabetes UK, 2023).

There are also significant economic implications. Managing diabetes involves considerable healthcare costs for medications, glucose monitoring and treating associated complications. In the UK, nearly 10% of the National Health Service's annual budget is used to manage diabetes, mostly for avoidable complications. In low-income areas, these expenses can strain public health resources further (NHS England, 2019).

In terms of social impact, limited knowledge about the condition can result in stigma leading to feelings of isolation. Moreover, communities that face barriers such as poor nutrition, sitting, lying down and no exercise lifestyles and smoking often have higher rates of diabetes, making it harder to reverse the trend (Diabetes UK, 2023). These factors often intersect with social inequalities, reinforcing cycles of ill health.

Additionally, diabetes can affect workforce participation. Many individuals may need time off due to illness or may be unable to maintain regular employment, which affects family income and community productivity. Employers may also face challenges in supporting staff with ongoing health needs. From a public health viewpoint, the increasing prevalence of type 2 diabetes highlights the urgency for preventative action. Community based programmes that promote healthy diets, physical activity and routine health checks are vital. Health campaigns in schools, local clinics and workplaces are particularly effective in addressing the condition.

early. In summary, type 2 diabetes creates complex challenges for communities, impacting health systems, economic stability and social wellbeing. A collaborative effort involving public services, healthcare providers, and residents is key to prevention and better management.

Key Factors Influencing Wellbeing in Type 2 Diabetes

The health of individuals with Type 2 Diabetes (T2D) and their families is shaped by interconnected factors. For the person with T2D, influences are blood sugar control and related complications to Psychological High rates of depression, diabetes distress and self efficacy, income, education, access to care and cultural norms, all critical social determinants of health.

For family and caregivers, the impact includes lifestyle, changes in relationship strain and anxiety about their loved one's health. Significant risk of caregiver burden, leading to stress, social isolation and poor personal health outcomes (Chatterjee et al., 2023). These factors create a cycle, for example, caregiver stress can reduce support for the patient, worsening their management and health. Effective care must therefore address the needs of both the individual and their support network.

Lifestyle And Behavioural Factors

Lifestyle and behavioural factors play a significant role in the management of type 2 diabetes, beyond physical activity and smoking behaviours. Dietary habits are particularly important in influencing blood glucose control. Diets high in refined carbohydrates, unhealthy fats and added sugars can cause rapid increases in blood glucose levels and worsen insulin resistance, leading to poor glycaemic control (World Health Organization, 2023). Processed foods such as sugary drinks, sweets and white bread are quickly absorbed, resulting in frequent blood glucose fluctuations. In contrast, a balanced diet rich in whole grains, vegetables, lean proteins and healthy fats helps stabilise blood glucose levels and supports overall metabolic health. Physical activity improves insulin sensitivity by enabling the body's cells to use glucose more effectively for energy, thereby lowering blood glucose levels (World Health Organization, 2023). Regular exercise also supports weight management and reduces the risk of cardiovascular complications. Conversely, a sedentary lifestyle increases the risk of prolonged hyperglycaemia, obesity and poor circulation, which can lead to serious complications such as cardiovascular disease and diabetic neuropathy. Diabetic neuropathy occurs as a result of nerve damage caused by consistently elevated blood glucose levels and may present as pain, numbness, or reduced sensation, particularly in the lower limbs. Other behavioural factors, including stress management, sleep quality and medication adherence, also influence diabetes outcomes. Chronic stress and poor sleep can increase blood glucose levels through hormonal changes, while non adherence to prescribed treatment can further compromise disease management (World Health Organization, 2023). Therefore, effective management of type 2 diabetes requires a holistic approach that addresses dietary choices, physical activity and broader lifestyle behaviours to reduce complications and improve quality of life.

Economic And Employment Factors

(International Diabetes Federation, 2025). The financial burden associated with managing long-term conditions such as diabetes can be considerable. The ongoing cost of medications, blood glucose testing supplies.

Regular medical appointments places significant pressure on individuals and their families. In addition, access to healthy foods, which are essential for effective diabetes management, is often more expensive than processed alternatives, further increasing financial strain. Absence from work due to illness, fatigue or frequent medical appointments may also threaten job stability and reduce income, particularly for individuals in insecure or low-paid employment. For caregivers, the impact can be equally challenging. Many caregivers reduce their working hours or leave employment altogether in order to provide consistent support, which can further limit household income. This financial pressure, combined with the emotional demands of caregiving, may lead to increased stress and strain on family relationships. Over time, these economic and social challenges can negatively affect both the individual living with diabetes and their caregivers, highlighting the broader social and financial consequences of long-term disease management. (International Diabetes Federation, 2025).

What is the cause of diabetes and what strategy does the UK government address this problem

Diabetes is a long-term condition that develops when the body is unable to produce sufficient insulin or when insulin is not used effectively, resulting in elevated blood glucose levels (NHS, 2024). Type 1 diabetes is caused by an autoimmune response in which the immune system attacks insulin-producing cells in the pancreas. This form of diabetes is not preventable and is not linked to lifestyle factors. In contrast, type 2 diabetes, which is the most common form in the UK, is strongly associated with insulin resistance and is influenced by a combination of genetic, lifestyle and environmental factors, including obesity, physical inactivity, unhealthy diet and increasing age (NHS, 2024).

To address the growing prevalence of diabetes, particularly type 2 diabetes, the UK government has implemented several public health and healthcare strategies. A key initiative is the NHS Diabetes Prevention Programme, which aims to identify individuals at high risk and provide structured support to encourage healthier eating, weight loss and increased physical activity (NHS, 2024). This programme focuses on preventing or delaying the onset of type 2 diabetes through sustained lifestyle changes.

In addition, the UK government, through the NHS Long Term Plan, has prioritised improving diabetes care by enhancing early diagnosis, reducing health inequalities and improving access to treatment and ongoing support for it. Wider public health policies targeting obesity, such as promoting healthier food choices and reducing sugar consumption, also form part of the government's approach to reducing diabetes risk across the population (NHS, 2024). Together, these strategies aim to reduce the burden of diabetes and improve long-term health outcomes.

Conclusion:

Type 2 diabetes is a complex and lifelong condition that affects individuals physically, emotionally and socially. Its impact extends beyond the person diagnosed, influencing families, caregivers and communities. Various factors including lifestyle habits, mental health, financial status and access to care play a vital role in shaping health outcomes and overall wellbeing. Collaboration between healthcare and social care professionals is effective when it is patient-centered, well coordinated and ensures that both medical and non-medical needs are addressed. By working together through shared care plans, clear communication, and coordinated support, professionals can empower individuals to manage their condition confidently. Additionally, by integrating medical, emotional and social interventions, professionals can address the complex needs of individuals and by addressing social determinants of health, such as housing and income, further improves quality of life. Ultimately, supporting people with type 2 diabetes requires a united and proactive response from services, families and communities to ensure the best possible outcomes and long-term wellbeing.

References:

Chatterjee, S., Davies, M. J., Heller, S., Speight, J., Snoek, F. J. & Khunti, K. (2023) 'Diabetes: a dynamic biopsychosocial perspective', *The Lancet Diabetes & Endocrinology*, 11(6), pp. 439-450. Available at: [https://doi.org/10.1016/S2213-8587\(23\)00102-9](https://doi.org/10.1016/S2213-8587(23)00102-9)

Diabetes UK (2023) *What is diabetes?* Available at: <https://www.diabetes.org.uk/diabetes-the-basics> [Accessed: 24 July 2025].

Diabetes UK (2023) *Facts and statistics about diabetes*. Available at: <https://www.diabet5yes.org.uk/professionals/position-statements-reports/statistics> [Accessed: 6 August 2025].

Diabetes UK (2023) *What is type 2 diabetes?* Available at: <https://www.diabetes.org.uk> [Accessed: 10 August 2025].

International Diabetes Federation (2025) *IDF Diabetes Atlas*. Available at: <https://diabetesatlas.org> [Accessed: 10 August 2025].

NHS (2024) *Diabetes*. Available at: <https://www.nhs.uk/conditions/diabetes/> (Accessed: 18 December 2025).

NHS England (2019) *The NHS Long Term Plan*. Available at: <https://www.longtermplan.nhs.uk/> [Accessed: 6 August 2025].

World Health Organization (2023) *Diabetes*. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes> (Accessed: 18 December 2025).