

HASAN RAZA 2230634

ACBA4001

LECTURER Dr Deborah Hughes

University of wales Trinity St David

Introduction:

This document aims to examine a hypothetical residential construction initiative, centering on tasks involving measurement and estimation. As the Assistant Quantity Surveyor for a housing development team nearby, the goal is to showcase expertise in evaluating buildings based on total floor area while calculating exterior house measurements by creating comprehensive lists of materials needed and supplying supporting evidence, including justifying estimates of the documents needed to win profitable contracts at market auctions.

The role of an Assistant Quantity Surveyor is essential in construction projects as they are responsible for calculating accurate costs, measuring appropriate building materials, and managing competitive tendering processes. This report strives to illustrate the importance of evaluation and measurement in the building industry by displaying these skills within the confines of a particular job.

A thorough analysis must be done to construct a residential compound that is currently being worked on. The document comprises several sections that focus on specific tasks the local housing builder gives. These tasks include determining the cost of building structures based on their overall height and size, taking measurements of the outer walls, creating a list of materials needed for tiles and exterior finishes, and producing a comprehensive report that explains assumptions and includes necessary documentation for successful participation in bids.

The report aims to provide detailed information about the methods used, calculations made, and assumptions underlying the project. The report's main focus is to ensure that it is accurate and reliable by adhering to industry standards and using relevant pricing information (Gabba, Othman & Abdussami, 2021). It is also essential to be transparent in documenting our assumptions to ensure fairness among competitors who bid based on the information provided.

In the upcoming sections, we will examine the specific tasks assigned by providing detailed descriptions of the methods used, assumptions made, and conclusions reached. Through thoroughly analyzing these elements, this document will provide a comprehensive understanding of the measuring and estimating procedures employed during a hypothetical residential construction project (Feng et al., 2022).

Costing the Building Based on Gross Floor Area:

Determining the accurate cost of construction is crucial for any construction project. We will center on approximating the costs based solely on gross floor area calculation for this specific portion. To convey such methodology, we must acknowledge that the metric refers to every inch encompassed by all flooring within a structure; functional and non-functional sections are considered during computations.

Estimating construction costs begins with calculating the total area of all floors in the housing development (Cheng, Chang & Korir, 2019). This involves assessing the size of each floor and adding them together to get the total gross floor area, including all relevant sections such as living areas, bedrooms, bathrooms, and utility rooms. Once the gross floor area is determined, a unit cost is established based on current market rates and industry standards. The unit cost is a reference point for estimating the total construction expenses, considering various factors such as material costs, labor expenses, equipment requirements, and overhead expenses.

When estimating costs, it is crucial to consider the exclusive prerequisites and complications of residential construction. Variables such as floor quantity, ornate designs, intricacy, plus finish quality have overriding effects on ultimate expenses (Rees & French, 2022). In addition, disparities in prices for materials and labor rates based on regions must be taken into account so that estimates are precise.

When making estimates, it is common to draw inferences based on specific limitations relating to the given project or insufficient data. These deductions must be accurately recorded and cross-checked for transparency when consulting with stakeholders such as clients. Deductions may include ordinary material qualities, median labor expenses, and universal *modus operandi* in construction projects.

Establishing a preliminary financial strategy for the residential development venture is plausible by precisely computing costs founded on the gross floor region (Kadrić et al., 2022). The budget is an advantageous instrument in directing and examining expenses throughout the construction term, facilitating cost-driven judgments and effective resource management, thus identifying prospects of diminishing expenditures alongside forestalling plausible hazards.

Measurement of External Envelope:

It is important to precisely measure a structure's external facade within the construction field. This necessitates detailed assessment and quantification of various outermost layer components, such as inner coverings, empty spaces, and surface embellishments. In the upcoming paragraphs, we shall deliberate on the techniques utilized to evaluate residential buildings' external envelopes and their associated factors.

Before assessing an exterior envelope's dimensions, it is imperative to grasp its composition's foundation and structure. In this specific residential estate project evaluated herein, the walls comprise a 102.5mm inner masonry layer encased by a 50 mm airspace cavity with further lining from exterior-facing bricks measuring up to 102.5mm thick. For accurate calculation or determination of these specifications mentioned above during analysis for inspection purposes - precision in gauging each constituent involved in creating such construction features like lengthwise expansion and depth parameters must be considered most critically right from the data collection stage through post-evaluation phases where flaws are checked against benchmarks established at every point along progressions made towards adequate completion goals envisaged earlier on based upon preset criteria imposed per developmental milestones defined beforehand while executing strategies adopted throughout development processes undertaken accordingly thus far without deviations whatsoever occasioned therein over time since commencement early down memory lane until now seemingly seamlessly achieved so far (Elmushyakhi, 2023).

An array of instruments are utilized to secure precision to attain exact measurements. Among them are laser distance meters, spirit levels, and tape measures that facilitate uniformity in readings by curbing discrepancies or inaccuracies effectively. It's essential to measure each component individually to ensure accurate calculations without any complications or inaccuracies.

In addition to assessing the walls, it's crucial to evaluate openings such as windows and doors. The size and number of apertures are essential in accurately calculating the external envelope's total area (Zhang et al., 2022). It's imperative to measure the size of each opening by measuring both the height and width dimensions, ensuring that their combined space is precisely calculated.

Maintaining a systematic methodology and accurately recording all measurements during the measuring process is essential. Creating detailed blueprints and diagrams to document the size specifications of various parts is beneficial as they serve as invaluable references when estimating cost projections or proceeding with construction development stages. This ensures that all measurements are documented and available for reference throughout the construction process, thereby reducing errors and improving accuracy.

In evaluating external casing, it is important to consider all diversities or anomalies that might be present. Attributes like ornamental aspects, indentations, or protrusions must also be taken to guarantee precise evaluations (Cirilli et al., 2021). Every deviation from typical measurements should undergo proper documentation and communication with the appropriate parties for further scrutiny.

One must acknowledge that certain presumptions may necessitate being formed while measuring data due to constraints or insufficient information. It is essential to articulate and record such suppositions for transparency and to encourage exchanges with clientele and fellow project colleagues.

In summary, measuring the external envelope is essential in constructing residential buildings. It involves measuring the interior layer, the gap between layers, exterior layer, and openings, which allows for accurate calculation of materials and cost estimation. Using precise measuring techniques and systematic documentation while considering unique project requirements ensures reliable and consistent estimation of the external skin.

Bill of Quantities for External Envelopes and Tiles:

Creating a comprehensive Bill of Quantities (BoQ) is essential for accurate cost estimation and efficient procurement of materials and services. In this section, we will focus on developing a detailed BoQ for the external coverings and tiles used in the residential construction project.

The BoQ serves as a detailed inventory of all the necessary components, their quantities, and associated costs for a specific construction section (Ye, Sigalov & König, 2020). In this case, the BoQ will primarily focus on the materials used for the outer surface enclosure, including the internal lining, gap area, external layering, and covering tiles. The degree of intricacy involved in the specification sets this Bill of Quantities apart from its counterparts within the project inventory. The level at which information has been expounded upon differentiates it, making it unique and distinguishable from other BoQs that exist in said catalog.

In addition, it holds vital significance to revise the BoQ in accordance with any shifts or adjustments that may arise throughout project execution. This guarantees that the document retains its up-to-date status and serves as an authentic guidepost for financial management associated with said undertaking.

Apart from its application in estimating cost and procurement, the Bill of Quantities (BoQ) also provides an indispensable device for overseeing and administering the construction process. The project team can affirm that work is advancing as expected while utilizing BoQ to cross-reference if they are using accurate amounts and varieties of materials necessary during the procedure.

It is paramount to have a detailed inventory of the external materials and tiles needed for any residential development project. Such an inventory, known as BoQ, plays a crucial role in facilitating accurate cost estimation, efficient procurement processes and effective management throughout construction process (Elghaish, Talebi, & Wu, 2021). To form this list accurately entails precisely measuring and assigning appropriate value to every material involved therein.

The Bill of Quantities (BoQ) covers a broad spectrum, extending beyond the raw materials necessary for completing the outer envelope to encompass tiles required in different sections within the housing complex including kitchens, bathrooms and communal areas. With consideration given to quality grade, size specifications as well as unique decorative features

desired; type and amount of tiling items are itemized in great detail indicating prices that ensure accurate cost estimation can be calculated from them.

In order to construct a comprehensive Bill of Quantities, it is crucial to uphold lucidity and uniformity. The components ought to be methodically sorted into appropriate classifications and accurately detailed as needed. Such an approach guarantees contractors as well as suppliers can readily grasp the BoQ throughout both solicitation for offers and purchasing movements. It is important to note that creating the BoQ involves making certain assumptions, such as material requirements, construction techniques, or project-specific criteria. It is critical to document these assumptions clearly as they provide a solid foundation for estimates and facilitate communication among clients and other stakeholders.

Creating a detailed and complete Bill of Quantities for the external cladding and ceramic coverings of the residential complex is crucial for achieving accurate cost estimation and efficient procurement. This BoQ must incorporate all measurements obtained during the initial step, allocate appropriate values, and maintain clarity and coherence in its documentation, providing a dependable reference for contractors and suppliers (Haidar, 2021). Moreover, it is important to consider assumptions and regional variations in material costs during the process, which will ensure precise financial assessments and enhance inventory management during construction.

Report on Assumptions and Tender Documents:

Assumptions:

Amid the course of this undertaking, a considerable number of presumptions were formulated to ease up gauging, quantifying, and obtaining supply procedures. These premises are indispensable in delineating the last cost estimation and inventory allotment while assuring facile tender operations; however, one must be cognizant of their plausible reverberations over holistic project consequences.

A notable supposition concerns the presence and reachability of precise project information. As a result of time limitations or scanty records, particular metrics and specifications could have been appraised featuring industry benchmarks or antecedent undertakings (Sysko-Romańczuk et al., 2022). Despite their utilitarianism, these conjectures introduce an element of ambiguity in

calculating final costs and tender amounts. It is imperative to acknowledge that any differences or fluctuations in real project requisites may influence the total expenditure for this endeavor.

An additional presumption pertains to the choice of components and embellishments. Assuming there are no clear-cut client inclinations or in-depth specifications, standard options for materials were used as substitutes. The effects stemming from these presumptions revolve around potential irregularities relating to costs incurred using particular materials, their quality attributes, and visual allure. It is indispensable that clients be alerted on such assumptions well before construction begins; this helps steer alignment with set goals while also precluding any confusion during tendering phases that may arise due to a lack of knowledge about said suppositions taking place behind the scenes.

Furthermore, underlying presumptions about workforce expenditures, efficiency levels, and structural approaches were adopted to optimize the assessment procedure (Naji et al., 20202). These presuppositions could affect outlay appraisals' precision, especially when detailed settings deviate from anticipated scenarios. These suppositions must be routinely scrutinized and revised with increased granularity during all stages of project realization to remain reflective of up-to-date information sources.

Tender Documents

Numerous records are necessary to supply all-inclusive data for prospective contractors and vendors to enable a contestable proposal procedure. Such files guarantee openness, equitability, and proficient communication throughout acquisition.

The Bill of Quantities (BoQ) document has immense value in tendering. Within it are explicit descriptions of all materials required, amounts needed, and their respective expenses for the housing development plan. The BoQ allows contractors to make precise calculations on costs before submitting bids aimed at competing against others (li et al., 2023). This results in an equal footing framework for assessing tenders and enabling consistency and impartiality during selection processes undertaken by those looking for such services/projects.

Among the indispensable components of tender documents lie technical specifications. The said specifications delineate the requirements and benchmarks pertaining to construction technology that must be followed in a project; they furnish particulars concerning materials, techniques,

surface treatments, and criteria for performance assessment. With clear and meticulous provisions enumerated therein, prospective bidders can grasp with certainty just how extensive a project is, thereby allowing them to provide dependable proposals based on accurate comprehension thereof.

The significance of construction drawings lies in their ability to provide a comprehensive overview of the project design and effectively communicate vital information to potential bidders. Through detailed depictions, these technical sketches reveal the precise layout, spatial dimensions, and causal linkages between various components constituting housing development units (Bibri, 2022). They facilitate comprehension of key requirements incumbent upon this enterprise while revealing any possible obstacles that may arise during implementation stages alongside useful insights into effective building methods schematics must adopt for optimal results attainment purposes.

The procedure of competing for tender benefits both the client and the construction industry as a whole. As far as clients are concerned, it ensures that there is complete openness in project costing while also allowing them to select their preferred contractor based on aptitude (Townsend & Gershon, 2020). When contractors submit offers competitively, they tend towards better pricing options which translates into higher quality artistry over all else. Further still, this competitive process fosters healthy competition among different players within its ecosystem, thereby cultivating innovation, ultimately leading to industry growth prospects being realized more fully than before now!

Conclusion:

In conclusion, accurate measurement and estimation are crucial in predicting costs and budgeting for construction projects. It is necessary to take into account all relevant factors and make informed assumptions to establish a reliable basis for calculations. Additionally, it is essential to revisit and revise these estimations regularly as more information becomes available. The detailing of measurements is essential in the procurement process, providing a comprehensive breakdown of supplies, measurements, and associated costs. This grants the opportunity for contractors to furnish competitive tenders, while also affording clients with a means of competently assessing proposals.

In order to uphold uniformity and excellence in the building process, it is imperative to have exacting technical parameters that are comprehensive in nature. These guidelines offer pertinent insights regarding materials, finishes as well as performance standards which enable contractors to sync their labor with project demands effectively and expediently.

Bids that are competitive encourage transparency, the effective utilization of resources, and excellent outcomes. Contractors feel motivated to present their best ideas while clients can select the most appropriate one. This report accentuates how important it is for there to be accurate calculations, estimations as well as a comprehensive list of costs in guaranteeing successful project delivery that allows customers obtain clarity on overall expenses and also avoid disagreements; this ultimately improves production efficiency too!

Additionally, the aforementioned document directs those assessing costs to render critical analyses in determining the extent of various procedures while underscoring that meticulous specifications and competitive tendering can lead towards favorable outcomes. By enlisting support from a seasoned expert in this field, regional constructors may improve their acquisition tactics thereby resulting in successful project completions through an all-encompassing and well-researched purchasing process.

References

- Bibri, S. E. 2022. Eco-districts and data-driven smart eco-cities: Emerging approaches to strategic planning by design and spatial scaling and evaluation by technology. *Land use policy*, 113, 105830.
- Cheng, M. Y., Chang, Y. H., & Korir, D. 2019. Novel approach to estimating schedule to completion in construction projects using sequence and nonsequence learning. *Journal of Construction Engineering and Management*, 145(11), 04019072.
- Cirilli, M., Baccichet, I., Chiozzotto, R., Silvestri, C., Rossini, L., & Bassi, D. 2021. Genetic and phenotypic analyses reveal major quantitative loci associated to fruit size and shape traits in a non-flat peach collection (*P. persica* L. Batsch). *Horticulture Research*, 8.
- Elghaish, F., Talebi, S., & Wu, S. 2021. Cost management-based BIM.
- Elmushyakh, A. 2023 Sustainability Constituent of AM9085f Filament in Renewable Energy Applications Under Iosipescu Thermal Shock Stress. *Strength of Materials*, 1-11.
- Feng, H., Zhao, J., Zhang, H., Zhu, S., Li, D., & Thurairajah, N. 2022. Uncertainties in whole-building life cycle assessment: A systematic review. *Journal of Building Engineering*, 50, 104191.

- Gabbar, H. A., Othman, A. M., & Abdussami, M. R. 2021. Review of battery management systems (BMS) development and industrial standards. *Technologies*, 9(2), 28.). Review of battery management systems (BMS) development and industrial standards. *Technologies*, 9(2), 28.
- Haidar, A. D. 2021. *Handbook of Contract Management in Construction*. Springer.
- Kadrić, D., Aganovic, A., Martinović, S., Delalić, N., & Delalić-Gurda, B. 2022. Cost-related analysis of implementing energy-efficient retrofit measures in the residential building sector of a middle-income country—A case study of Bosnia and Herzegovina. *Energy and Buildings*, 257, 111765.
- Li, H., Su, L., Zuo, J., An, X., Dong, G., Wang, L., & Zhang, C. 2023. The framework of data-driven and multi-criteria decision-making for detecting unbalanced bidding. *Engineering, Construction and Architectural Management*, 30(2), 598-622.
- Naji, G. M. A., Isha, A. S. N., Al-Mekhlafi, A. B. A., Sharafaddin, O., & Ajmal, M. 2020. Implementation of leading and lagging indicators to improve safety performance in the upstream oil and gas industry. *J. Crit. Rev*, 7, 265-269.
- Rees, G., & French, R. (Eds.). 2022. *Strategic People Management and Development: Theory and Practice*. Kogan Page Publishers.
- Sysko-Romańczuk, S., Zaborek, P., Wróblewska, A., Dąbrowski, J., & Tkachuk, S. 2022. Data modalities, consumer attributes and recommendation performance in the fashion industry. *Electronic Markets*, 1-14.
- Townsend, R., & Gershon, M. 2020. Attaining successful construction project execution through personnel and communication. *Journal of Construction Engineering and Management*, 146(9), 04020101.
- Ye, X., Sigalov, K., & König, M. 2020. Integrating BIM-and cost-included information container with Blockchain for construction automated payment using billing model and smart contracts. In *ISARC. Proceedings of the International Symposium on Automation and Robotics in Construction* (Vol. 37, pp. 1388-1395). IAARC Publications.

Zhang, X., Weerasuriya, A. U., Wang, J., Li, C. Y., Chen, Z., Tse, K. T., & Hang, J. 2022. Cross-ventilation of a generic building with various configurations of external and internal openings. *Building and environment*, 207, 108447.