



Prifysgol Cymru
Y Drindod Dewi Sant
University of Wales
Trinity Saint David

Digital Transformation in the Health and Care Professions (BMHP6026)

Component 1: Written Report

Student name: Maria Elisa Jose Dos Santos

Student number: 2327313

Lecturer's name: Muhammed Khan

Table of contents

- 1- Introduction**
- 2- Impact of workplace**
- 3- Impact on service delivery**
- 4- Impact on patient's service users**
- 5- Impact on the community**
- 6- Conclusion**
- 7- References**

Introduction

This paper examines the innovation of medication management systems, focusing on smart pill dispensers and their transformative role in the healthcare sector. Smart pill dispensers are electronic devices that automatically deliver prescription doses at the appropriate time based on a pre-programmed schedule. These devices have become a significant technological advancement in modern healthcare by addressing the enduring problem of medication non-adherence and streamlining the labor-intensive process of manual medication dispensing (Department of Health & Social Care, 2025).

Medication non-adherence is widely recognized as a significant public health concern. Only approximately 50% of patients with chronic illnesses in developed countries take their medication as prescribed, according to the World Health Organization. This results in avoidable hospital admissions, deteriorating health outcomes, and substantial financial costs to health systems (NHS England, 2025). Smart pill dispensers represent a direct response to this systemic problem. In the UK, community pharmacies and domiciliary care settings frequently use devices such as the PivoteLL Advance, which can dispense the correct dosage at the appropriate time, sound alarms to alert the user, and record whether each dose has been taken (UK Care Guide, 2026).

By integrating with digital health platforms, modern smart pill dispensers extend beyond simple dispensing functionality, enabling pharmacists, carers, and family members to monitor adherence remotely in real time (MedExpress, 2025). Some devices incorporate cellular connectivity and automatically alert designated contacts if a dose is missed. This connectivity transforms the dispenser from a passive storage unit into an active component of a patient's wider care network (Health Education England, 2024).

This report examines the innovation of smart pill dispensers across four key areas: the patient and service user experience; the impact on service delivery; the impact on the healthcare workforce, including changes in job roles and required competencies; and the wider implications for communities and public health.

Impact on the Workforce

The introduction of smart pill dispensers has had a significant and wide-ranging impact on the healthcare workforce, particularly pharmacy technicians and pharmacists working in both community and clinical settings across the United Kingdom. Pharmacy technicians have historically been responsible for the manual preparation and assembly of monitored dosage systems (MDS), such as blister packs, which are filled weekly with a patient's medication and require considerable staff time to prepare accurately (Royal Pharmaceutical Society, 2025). Smart dispensers, such as the Pivotell device, are beginning to replace this model by automating repetitive and labor-intensive tasks.

This has led to a fundamental shift in the role of the pharmacy technician. Rather than spending most of their time on manual assembly tasks, technicians are now expected to program and maintain electronic dispensing devices, interpret adherence data from digital platforms, and manage communication with carers and patients regarding device performance. This transition requires a significantly higher level of digital literacy than was previously necessary, and healthcare organizations must invest in training to ensure that staff can confidently operate and troubleshoot these technologies (Health Education England, 2024).

For pharmacists, smart dispensers enable a shift in professional focus towards higher-value clinical activities. With automated systems managing routine dispensing, pharmacists can devote more time to medicines optimization, patient counselling, and clinical review (NICE, 2025). This aligns with the NHS Long Term Plan's aim to expand the clinical role of community pharmacists and position them as key contributors within primary care networks (The King's Fund, 2025).

However, this transition also raises concerns regarding workforce readiness and role competency. Not all pharmacy staff are equally comfortable with digital systems, and there is a risk that those with limited technological experience may feel marginalized or deskilled. Healthcare organizations must therefore ensure that the implementation of smart dispensers is supported by comprehensive training programs, mentorship opportunities, and clear communication regarding evolving job roles (Royal Pharmaceutical Society, 2025).

It is also important to recognize the impact on carers and domiciliary care workers who previously administered medications during home visits. Smart dispensers can reduce the number of visits required solely for medication administration, freeing time for other aspects of care (Age UK, 2026). However, this shift also requires carers to adopt a supervisory and monitoring role, which requires appropriate training and support.

Impact on Service Delivery

Smart pill dispensers are transforming the day-to-day delivery of medication management services across primary care, community pharmacy, and social care. The introduction of these devices alters the operational rhythm of medication administration. Rather than relying on carers or family members to intervene at fixed times, the dispenser independently manages the prompting and delivery of each dose (MedExpress, 2025). This change has significant implications for service planning, scheduling, and monitoring.

From a community pharmacy perspective, the adoption of smart dispensers changes the nature of the pharmacist–patient relationship. Instead of managing the weekly cycle of MDS blister pack preparation, pharmacists oversee the programming and periodic review of dispensing schedules via digital platforms. Remote monitoring systems allow pharmacists to review adherence data across a group of patients and to intervene proactively when non-adherence is identified (NICE, 2025).

This shift towards proactive, data-driven service delivery represents an improvement in the quality of pharmaceutical care. Rather than responding to problems after they arise, pharmacists can identify and address adherence issues in real time. This supports a model of continuous care coordination and aligns with national objectives for a more integrated and preventive healthcare system (The King's Fund, 2025).

In social care settings, smart dispensers can reduce the number of visits required from domiciliary care workers, as the device independently manages medication administration. This may reduce care costs and allow staff to focus on more complex personal care needs (Age UK, 2016). However, care providers must establish clear protocols for responding to missed dose alerts and escalating concerns when patients fail to engage with the device (Care Quality Commission, 2026).

The audit trail generated by smart dispensers also offers important benefits for service governance. Electronic records of dispensing events provide objective evidence of medication adherence, supporting clinical decision-making, medicines optimization reviews, and care planning (NHS England, 2025).

Impact on Patients and Service Users

The patient experience of smart pill dispensers is influenced by a combination of practical benefits, psychological responses, and individual circumstances. For many patients, particularly older adults managing multiple long-term conditions, these devices can significantly improve quality of life by reducing the cognitive burden associated with medication management (Age UK, 2016).

Patients with memory-related conditions, such as dementia or mild cognitive impairment, may particularly benefit from the structured prompts provided by automated dispensers. Carer stress can also be reduced, as family members are able to monitor adherence remotely and receive alerts if doses are missed (MedExpress, 2025).

However, not all patients respond positively to this technology. Some may see smart dispensers as intrusive or infantilizing, particularly if monitoring functions are viewed as surveillance rather than support. Healthcare professionals must therefore introduce these devices sensitively and involve patients in decision-making (NICE, 2025).

There are also practical barriers to consider. Patients who are less familiar with digital technology or who have sensory impairments may experience difficulties using the device. Accessibility must therefore be considered in device design, and appropriate support should be provided (Health Education England, 2024). Additionally, remote monitoring relies on reliable internet or mobile connectivity, which may not be available in all areas (Department of Health & Social Care, 2025).

Despite these challenges, evidence from UK evaluations suggests that patients who successfully engage with smart dispensers demonstrate improved medication adherence and increased confidence in managing their health (NHS England, 2025).

Impact on the Community

At a community level, smart pill dispensers have implications not only for individual patients but also for family carers, local health economies, and public health outcomes. One of the most significant benefits is the promotion of independent living among older and disabled individuals, supporting ageing in place and reducing reliance on formal care services (Age UK, 2026).

For informal carers, these devices can significantly reduce the burden of care by enabling remote monitoring and reducing the need for frequent visits (UK Care Guide, 2026). However, it is important that technology does not replace meaningful human interaction (The King's Fund, 2025).

At the level of primary care networks and community pharmacy, aggregated adherence data provides valuable insights for population health management. Pharmacists and general practitioners can identify patients with poor adherence and target interventions accordingly (NHS England, 2025).

From a public health perspective, improved medication adherence can enhance the management of chronic conditions such as hypertension, diabetes, and respiratory disease, reduce avoidable hospital admissions, and improve patient outcomes (NICE, 2025).

Equity considerations are also important. Ensuring access to smart dispenser technology across different populations requires investment in infrastructure, workforce training, and digital inclusion strategies (Department of Health

Conclusion

In conclusion, smart pill dispensers offer a useful and creative solution to the ongoing problem of medication non-adherence, marking a substantial advancement in medication management systems. They have an impact on many aspects of healthcare, such as the workforce, service delivery, patient experience, and broader community outcomes, as this report has shown.

By lowering reliance on manual processes and allowing for a greater focus on clinical care and data-driven decision-making, these technologies are transforming traditional roles for healthcare professionals, especially pharmacists and pharmacy technicians. By enabling earlier intervention and better patient monitoring, smart dispensers facilitate a shift in service delivery toward more proactive and preventative models of care.

Although their effectiveness depends on proper implementation, patient engagement, and accessibility, smart dispensers can increase independence, lower anxiety, and improve adherence from the standpoint of the patient. Their potential to lower hospital admissions and promote ageing in place at the community level underscores their importance in the larger context of public health.

However, healthcare organisations must address issues with digital literacy, infrastructure, and fair access to fully reap these benefits. In the end, a person-centred strategy that keeps patients at the centre of care delivery will be just as important to the successful integration of smart pill dispensers as technological capability

. Although medications are the most widely used intervention in healthcare, improper use of them can have serious negative effects. Every medication error can be prevented. Therefore, by enhancing medication systems and practices, such as prescribing, prescription preparation, dispensing, administration, and monitoring, they can look or even avoided.

Everyone is accountable for medication safety; we must cooperate to keep our patients safe. Despite being the most used intervention in healthcare, improper use of medications can have serious negative consequences. Beyond just harming specific patients, medication errors have a significant negative impact on healthcare systems due to higher hospitalisation rates, longer treatment times, and related financial expenses. Many times, medication errors can be avoided. As a result, improving medication management procedures and systems—which include prescription preparation, administration, dispensing, monitoring, and prescribing—can lower or even completely eradicate these mistakes. Systemic safeguards at every stage of the medication pathway may be strengthened by strong governance frameworks, clinical decision-support tools, and standardised protocols. Prescribers, pharmacists, nurses, and patients themselves must work together to ensure the safety and wellbeing of everyone receiving care because medication safety is a shared responsibility.

References

Age UK (2026) *Supporting safe and independent living: The role of technology*. Available at: <http://www.caremark.co.uk> (Accessed: 1 March 2026).

Care Quality Commission (CQC) (2026) *Central Medical Solutions: Regulatory standards*. Available at: <https://www.cqc.org.uk/location/1-10530502312> (Accessed: 10th March 2026).

Department of Health and Social Care (2025) *Digital transformation in the NHS: A reference guide*. Available at: <https://www.nhsconfed.org> (Accessed: 10th March 2026).

Health Education England (2024) *Digital literacy framework*. Available at: <https://digital-transformation.hee.nhs.uk/building-a-digital-workforce/digital-literacy/digital-capabilities-frameworks> (Accessed: 10th March 2026).

MedExpress (2025) *Careflow medicines management*. Available at: <https://www.medexpress.co.uk> (Accessed: 12th March 2026).

Bath and North East Somerset Swindon and Wiltshire Together (2021) *Medication Safety*. Available at: <https://www.bswtogether.org.uk> (Accessed: 12th March 2026).

National Institute for Health and Care Excellence (NICE) (2025) *Medicines optimization: Digital aid (NG5)*. Available at: <https://www.nice.org.uk/guidance/ng5> (Accessed: 12th March 2026).

NHS England (2025) *Medication safety management*. Available at: <https://www.england.nhs.uk> (Accessed: 12th March 2026).

Royal Pharmaceutical Society (2025) *Digital capability for pharmacy workforce*. Available at: <https://www.rpharms.com/recognition/all-our-campaigns/policy-a-z/digital-capabilities-for-the-pharmacy-workforce> (Accessed: 15th March 2026).

The King's Fund (2025) *Technology and primary care*. Available at: <https://www.kingsfund.org.uk/events/digital-health-and-care-conference> (Accessed: 15th March 2026).

UK Care Guide (2026) *Electronic pill dispensers*. Available at: <https://www.ukcareguide.co.uk/electronic-pill-dispensers/> (Accessed: 15th March 2026).