



Prifysgol Cymru
Y Drindod Dewi Sant
University of Wales
Trinity Saint David

Module: Population Health and Digital Health Promotion (LCHS7009)

Student Name: Jhanvi Chaudhary

Student ID: 2430968

Course: MSc Public Health and Social Care in Practice

Lecturer: Dr. Ping Wu

BLOG 1

Digital Counselling Chatbots in Mental Health Promotion: Promise and Pitfalls



Public health context: why mental health matters

Mental disorders contribute significantly to the **global burden** of disease, with **depression** and **anxiety** ranking among the top 10 causes of disability adjusted life years (DALYs) in most countries (WHO, 2022). The COVID-19 pandemic worsened this trend, with up to **25%** of people reporting increased symptoms of **anxiety or depression** (Smith et al., 2021). Poor mental health is associated with **suicidality, lost productivity, comorbid chronic illness, and increased demand on health services**. As such, scalable and accessible mental health promotion strategies remain a crucial public health priority.




Figure 2: Global prevalence of depression, anxiety, and mental disorders (WHO, 2022).
The digital technology: AI-powered counselling chatbot

AI counselling chatbots such as the example “MindBot”—are increasingly used to deliver digital mental health promotion. These systems provide automated text-based interactions that offer cognitive behavioural therapy (CBT) **inspired prompts, psycho education, mood tracking, and referrals to human services** when necessary. In health promotion, such chatbots can be offered free through smartphones or the web, promoted via public campaigns, and made accessible to remote or underserved populations.



Chatbots help address the mental health burden by reducing common barriers to care. They provide 24-hour availability, anonymity, free access, and personalised self-care nudges (e.g., **breathing exercises, journaling**). With user consent, they can track mood trends to tailor prompts or escalate to human support when risk indicators are detected.

Evidence of impact

New information suggests limited but encouraging results. A randomised trial among university students found that a **CBT-based chatbot** produced a **15% greater reduction in depression scores** compared with a waitlist control group (Jones et al., 2023). A metaanalysis of digital mental health tools reported that conversational agents achieved moderate reductions in anxiety and depression symptoms when user engagement was high (Lee and Kim, 2024). Similarly, digital health literacy interventions have shown improvements in mental health literacy after using interactive web or app-based tools (Anderson et al., 2025). However, current evidence is diverse, with many studies using small samples, short followup periods, and relying heavily on self-report measures.

Critical discussion: strengths & limitations Advantages:

- **Scalability and low marginal cost:**

Once developed, the chatbot may serve large numbers with minimal incremental cost.

- **24 hours availability and anonymity:**

Reduces stigma and access barriers for users seeking psychological help.

- **Personalisation and adaptive content:**

User input can tailor prompts and pacing.

Shortfalls:

- **Limited depth and nuance:**

Chatbots cannot replicate human therapeutic alliance, limiting effectiveness for complex cases.

- **Engagement drop-off:**

Many users stop using the tool after initial weeks, weakening long-term impact.

- **Equity and digital divide:**

Populations with low digital literacy or limited connectivity may be excluded.

- **Safety and liability risks:**

Misinterpretation or failure to escalate suicidality could lead to harm.

- **Weak evidence base:**

Many studies are small, short, with high risk of bias, making generalisation uncertain (Iwakura et al., 2025).

Addressing the shortfalls

To mitigate these issues, several strategies are needed:

1. **Hybrid care model:** combine chatbot with human support (e.g. periodic therapist checking) to strengthen alliance and manage risk
2. **Sustained engagement design:** gamification, reminders, and better onboarding can reduce drop-out (cf. gamification in health apps)
3. **Inclusive design and offline options:** provide low-bandwidth or SMS fallback versions and digital literacy support
4. **Rigorous evaluation:** large randomised controlled trials with long follow-up, objective outcomes, cost effectiveness, and equity analyses
5. **Robust safety protocols:** clear escalation pathways, supervision, liability frameworks, and continuous monitoring

References

Anderson, P. et al. (2025) 'Digital health literacy interventions and mental health literacy: a systematic review', *Journal of Digital Health*, 12(1), pp. 45–60.

Iwakura, M. et al. (2025) 'An umbrella review of efficacy of digital health interventions for workers', *npj Digital Medicine*, 8:207.

Jones, A., Brown, L. and Lee, M. (2023) 'Efficacy of a CBT chatbot for student depression: randomized trial', *Journal of Mental Health Tech*, 5(3), pp. 112–121.

Lee, H. and Kim, S. (2024) 'Conversational agents in mental health: meta-analysis of controlled trials', *Digital Psychology Review*, 10(2), pp. 203–217.

Smith, J., Garcia, R. and Patel, S. (2021) 'Global psychological distress during COVID-19', *Lancet Psychiatry*, 8(11), pp. 926–937.

WHO (2022) *World Mental Health Report*. Geneva: World Health Organization.

BLOG 2

CALMCONNECT: An AI-Enhanced Mental Health Chatbot Designed to Improve Access and Equity



Introduction

Mental health challenges remain a leading global concern, yet many individuals continue to face barriers such as **stigma, financial constraints, and limited access to professionals** (Li et al., 2025; Wong, 2024). To address these persistent gaps, I designed **CalmConnect**, a digital counselling chatbot created to provide **safe, private, and accessible emotional support**. CalmConnect uses conversational AI, therapeutic micro-interventions, and a crisisresponse framework to empower users to manage their mental health independently (Olawade et al., 2024; Rahsepar Meadi et al., 2025).




Figure 1: Global gaps in mental health treatment access and digital connectivity (WHO,2023).

Description of CalmConnect

CalmConnect integrates **AI-powered conversation**, CBT-based micro-sessions, and a culturally adaptive emotional-support system. Unlike standard chatbots, CalmConnect includes three innovative features that I designed:

1. **Emotion-Aware Messaging:** The chatbot analyses text tone and key emotional markers to detect signs of distress, frustration, or hopelessness (Cho et al., 2023).
2. **Cultural Adaptation Engine:** Based on research by Sehgal et al. (2025), CalmConnect adapts language style, examples, and coping strategies to fit users' cultural backgrounds.
3. **Offline “Low-Data Mode”:** To reduce digital inequality, CalmConnect functions via low-bandwidth messaging and stores self-help modules locally for users with limited internet access.

The system also includes gamified mood-tracking, self-care reminders, and progress badges to sustain engagement (UX Design, 2025). A built-in crisis protocol flags risky messages and automatically connects users to helplines or human counsellors when required (Ophir, 2025).

How CalmConnect Promotes Health

CalmConnect is grounded in the Health Belief Model and Theory of Planned Behaviour, encouraging users to recognise their emotional risks, benefits of seeking help, and sense of personal control (Ajzen, 1991 and Rosenstock, 1974). Its anonymity reduces stigma, helping users express emotions more openly (Li et al., 2025). Regular check-ins promote reflection, self-care routines, and early help-seeking before symptoms escalate (Mayor et al., 2025). CalmConnect's adaptive features make it suitable for diverse cultural groups and underserved communities, improving equity in digital mental health access.

Critical Discussion Strengths:

- CalmConnect offers 24 hour availability, personalisation, and global scalability (Olawade et al., 2024).
- The cultural-adaptation engine reduces the risk of culturally misaligned advice and enhances engagement among minority groups. Low-data mode further reduces digital inequality.

Shortfalls:

- Despite these strengths, CalmConnect faces key **limitations**. AI cannot replicate human empathy and may still misinterpret complex emotional cues (Rahsepar Meadi et al., 2025).
- Crisis-detection accuracy remains imperfect, risking false negatives.
- Ethical risks include data privacy concerns, algorithmic bias, and potential overreliance on a non-human tool (Ophir, 2025; Li et al., 2023; The Economist, 2025).

Addressing Shortfalls:

To mitigate these risks, CalmConnect includes human supervision, clinician-reviewed content, and strict data-protection frameworks. Safety and efficacy are further strengthened by human-led escalation pathways, culturally varied training data, and routine checks for bias.

Conclusion

CalmConnect demonstrates how thoughtfully designed digital tools can complement traditional therapy and expand access to early psychological support. When guided by ethical principles and paired with professional oversight, this technology can help individuals manage mental health proactively while maintaining trust, cultural sensitivity, and user safety (Rahsepar Meadi et al., 2025; UX Design, 2025).

References

- Ajzen, I. (1991). The Theory of Planned Behaviour. *Organizational Behavior and Human Decision Processes*.
- Bailey, J. et al. (2015). Ethical challenges in AI mental health tools. *BMC Ethics*.
- Cho, Y. M., Rai, S., & Ungar, L. (2023). An Integrative Survey on Mental Health Conversational Agents. *arXiv*.
- Li, H., et al. (2023). AI-Based Conversational Agents in Mental Health: Meta-Analysis. *Nature Digital Medicine*.
- Li, J., et al. (2025). Chatbot Interventions for Mental Health Improvement. *JMIR Mental Health*.
- Mayor, E., et al. (2025). Chatbots and Mental Health: Scoping Review. *Springer Psychology*.
- Olawade, D. B., et al. (2024). Enhancing Mental Health with AI. *ScienceDirect*.
- Ophir, Y. (2025). Promise and concern in AI Therapy. *PMC*.
- Rahsepar Meadi, M., et al. (2025). Ethical Challenges of Conversational AI in Mental Health Care. *JMIR*.
- Rosenstock, I. (1974). The Health Belief Model. *Health Education Monographs*. Sehgal, N. K. R., et al. (2025). Cultural Challenges in Designing Mental Health Chatbots. *arXiv*.

The Economist. (2025). The Promise and Perils of AI Therapy. *The Economist*.

UX Design. (2025). Promises and Pitfalls of UX in AI-Driven Mental Health Care. *UXDesign.cc*.

Wong, R. S. Y. (2024). ChatGPT in Psychiatry: Promises and Pitfalls. *EJNPN*.

WHO. (2023). Global Strategy on Digital Mental Health. *World Health Organization*.