

Introduction to health and social care

LCHS4003 BIRMINGHAM

TUTOR : Farah Islam

task 1 poster to explain dentist services

task2 essay community mental health services

Michelle Paula Hines (2527682)

Dentist Services


What is a Dentist?

A dentist is a licensed healthcare professional who diagnoses, prevents, and treats diseases and conditions affecting the teeth, gums, mouth, and related structures. Dentists play a vital role in maintaining oral health, preventing disease, and improving patients' overall quality of life through clinical treatment and education (General Dental Council, 2024).



shutterstock.com - 2725398625

Challenge	Description	Impact
 1. Workforce Shortages	Many countries face shortages of dentists and dental professionals, leading to increased waiting times and reduced access to care, particularly in rural and underserved areas.	 Delayed treatment, longer waiting lists, and limited availability of dental services for communities in need.
 2. Rising Costs and Inequality	The increasing cost of dental treatment creates barriers to access, especially for low-income populations, contributing to inequalities in oral health outcomes.	 Worse oral health outcomes, higher disease burden, and greater disparities among socioeconomic groups.



[This Photo](#) by Unknown
Author is licensed under [CC BY-NC-ND](#)

Timeline of Dentistry Development

- **7000 BCE:** Earliest evidence of dental drilling
- **1728:** Pierre Fauchard publishes *The Surgeon Dentist*
- **1840:** First dental school established
- **1950s:** Fluoride introduced widely for prevention
- **2000s-present:** Digital dentistry and implant technology expand services (ADA 2022).


Dentist Services

Common treatments include

examinations, fillings, extractions, root canal treatment, orthodontics and preventive care. Digital imaging and modern technologies are increasingly used (British Dental

Association, 2024).

	19% dentist vacancy rate	
	Recruitment difficulties 85%	



(google images 2026)

Key challenges faced by dentists in the uk
Nhs dentist vacancy rate (19%) Around 19% of NHS general dentist posts in England were vacant in 2024, indicating Significant workforce shortages (Gov.co.uk)

Recruitment difficulties (85%)
Among practice owners with vacancies, 85% reported difficulty recruiting associate dentists, highlighting recruitment and retention major challenges (Gov.co.uk)

Community mental health services developed as a response to the limitations of institutional psychiatric care during the twentieth century, before the 1950s individuals experiencing mental illness were treated in large psychiatric hospitals or asylums, often separated from their families and the community. Concerns regarding poor living conditions, social exclusion, and the limited effectiveness of long-term institutionalisation led to calls for reform (Thorncroft and Tansella, 2013). the introduction of antipsychotic medications such as chlorpromazine, enabled many patients to manage symptoms more and effectively live outside hospital settings (shorter, 1997) consequently, the process pf deinstitutionalisation emerged, promoting the transition from hospital-based care to services delivered within local communities (world health organisation, 2022).

In the United Kingdom, community mental HealthCare was further strengthened by policies such as the national health service and community care act 1990, which encouraged local authorities and healthcare providers within their own communities rather than relying on long term hospital admissions (department of health, 1990) this shift reflected a growing recognition that mental health recovery is influenced not only by medical treatment but also social relationships, housing, employment, and community participation. (Barker, 2009).

Today, community mental health services operate through a range of multidisciplinary programs designed to support individuals with varying levels of need. These include community mental health teams (CMHTs) crisis resolution and home treatment teams, early intervention services, and specialist support for conditions such as psychosis, anxiety, and depression (NHS England, 2019). The services are delivered by professionals including psychiatrists, mental health nurses, psychologists, social workers, and occupational therapists, who work collaboratively to pr0vide person centered care (mental health foundation 2023). A key principle underpinning contemporary practice is the recovery model, which emphasises empowerment, autonomy, and the involvement of service users in decisions regarding their treatment and care (slade, 2009).

Despite these strengths community mental health services face several challenges that require critical evaluation. one major advantage is that individuals can receive support while remaining connected to their families, social networks, education, and employment opportunities. Research has shown that community-based care can improve social functioning and reduce the stigma associated with psychiatric hospitalisation

(Thorncroft and Tansella 2013). Furthermore, early intervention and crisis services can reduce the likelihood of hospital admissions and improve long-term outcomes for service users (NHS England, 2019).

However, many community mental health services experience significant pressure due to increasing demand, staff shortages, and limited funding, The care quality Commission (2023) reported ongoing concerns regarding waiting times and difficulties accessing appropriate support, particularly for individuals with complex mental health needs, additionally, service provision can vary across geographical areas, creating inequalities in access to care. Critics argue that while deinstitutionalisation reduced reliance on psychiatric hospitals, insufficient investment in community resources has sometimes resulted in fragmented care and inadequate support for vulnerable individuals (pilgrim and rogers, 2014). These challenges suggest that although community health services offer substantial benefit, their effectiveness is dependant upon adequate funding, staffing, and coordination between agencies.

The significance of community mental health services in enhancing quality of life is considerable. By supporting individuals in their own environments, those services promote independence, social inclusion, and personal recovery. Service users are often better able to maintain relationships, engage in employment or education, and participate in meaningful community activities (mental health foundation, 2023). access to psychological therapies, medication management, and practical support can improve emotional wellbeing and reduce the impact of mental illness on daily functioning (World health organisation 2022). Furthermore, community-based approaches recognise the importance of holistic care by addressing social determinates of health, including housing, financial stability, and social support networks.

In conclusion, community mental health services originated from the movement away from institutional care and towards more person centered and socially inclusive approaches. Modern services provide support through multidisciplinary and recovery-focused interventions, contributing to improved quality of life to service users. Although challenges such as funding staff shortages and regional inequalities continue to affect service delivery. These issues need to be addressed to offer best possible care for long term recovery of service users.

REFERENCE PAGE

Barker, P. (2009). *Psychiatric and Mental Health Nursing: The Craft of Caring*. 2nd edn. London: Hodder Arnold.

Care Quality Commission (2023) *the state of care 2022/23*. Newcastle upon Tyne: CQC.

Department of Health (1990) *NHS and Community Care Act 1990*. London: HMSO.

Mental Health Foundation (2023) *Community Mental Health Care*. London: Mental Health Foundation.

NHS England (2019) *The NHS Long Term Plan*. London NHS England.

Office For Health Improvement and Disparities (2026) Oral health. Available at:GOV.UK-Oralhealthcollection (Accessdded 1st july 2026)

Pilgrim, D and Rogers, A. (2014) *A Sociology of Mental Illness* 5th edn. Maidenhead: Open University Press.

Shorter,E(2009) *A History of Psychiatry: From the Era of the Asylum to the age of Prozac*. New York: John Wiley & Sons

Thornicroft, Gand Tansella, M.(2013) *The Balanced Care Model For Global Mental Health*. 43 (4),pp 849-863.

World Health Organisation (2022) World Mental Health Report:
Transforming Mental Health for All. Geneva WHO