

ACDB4011 CHEMISTRY QUIZ 3

11

NAME William Yang DATE: Nov 08, 2022

4p 1. (6 points) Indicate whether each of the following statements is true or false:

☒ T ☐ F

Toxic gases are liberated when the oxygen balance for a given explosive substance is large and negative.

☒ ☐

Supercritical fluid is a highly compressed fluid that combines the properties of gases and liquids.

☐ ☒

Dipole-dipole forces are stronger than network covalent bonds

☐ ☒

0.5 mol of nitrogen gas, N_2 , will occupy less space than 0.5 mol of methane gas, CH_4 , at the same temperature and pressure.

☒ ☐

According to Boyle's law, the volume of a gas is directly proportional to the temperature.

☒ ☐


Heavier gas molecules have higher kinetic energy than lighter gases at the same temperature and pressure.

1p 2. (4 points) Explain in terms of intermolecular forces why does ice float in water? Support your answer with a drawing.

~~Due to London Dispersion forces.~~

~~Dipole to dipole forces repel ice from water.~~

Ice has ~~low~~ low density.



3. a) (4 points) ^{Op} How many moles of oxygen gas will react with 0.5 mol of $C_4H_{10}O$ in incomplete combustion to carbon monoxide and water?



6 moles of oxygen

- b) (6 points) ^{4p} Calculate the volume occupied by the moles of oxygen gas calculated in a) at a pressure 220.0 kPa and a temperature of 21.0 deg C.

$$PV = nRT$$

$$V = \frac{nRT}{P}$$

$$V = \frac{6 \times 0.0821 \times 294}{220}$$

$$= 0.658 \text{ L per mol}$$

- c) (6 points) ^{Op} What will be the volume occupied by the moles of oxygen gas calculated in a) if the pressure decreased to 100.0 kPa and temperature increased to 50.0 deg C. DO NOT use the ideal gas equation!

$$P = \frac{220}{100} = 2.2$$

$$T = \frac{294}{323} = 0.910$$

$$V = 0.658 \times 2.2 \times 0.910$$

$$= 1.32 \text{ L per mol}$$

- 2p 4. a) (4 points) ✓ For a high explosive substance HMX ($C_4H_8N_8O_8$, 296.5 g/mol) calculate the oxygen balance.

$$mm \text{ of O} = 16 \times 8$$

$$= 128$$

$$\Rightarrow \frac{128}{296.5} \times 100$$

$$= 0.4317$$

$$\text{oxygen balance} = 43.17\%$$

- b) (4 points) 2p Using Kistiakowsky-Wilson rules determine the decomposition products of HMX.



- c) (2 points) ✓ What is the volume of all gaseous products formed upon decomposition of 1 mol of HMX at STP?

$$\frac{1}{12} = 0.0833 \text{ mol} \rightarrow 0.0833 \text{ L/mol}$$