

Vocal Health in Teaching: A Comprehensive Examination

Rachael Griffith

Module 1 Essay
Voice Study Centre
October, 2024

Table of contents

Introduction.....Pg. 3

Rationale.....Pg. 3

Prevalence of Voice Disorders Among Teachers.....Pg. 5

Contributing Factors to Voice Disorders.....Pg. 6

Gender and Role-Specific Variations.....Pg. 7

Impact of Vocal Health Programs.....Pg. 8

Importance of Training and Support.....Pg. 9

Conclusion.....Pg. 10

Critical Reflection.....Pg. 12

References

Appendix A: Personal Development Plan

Vocal Health in Teaching: A Comprehensive Examination

Introduction

Vocal health is crucial for educators, especially music teachers who rely heavily on their voices (Banks, Cantor-Cutiva, & Hunter, 2022). Teachers often face demanding vocal use in suboptimal environments, leading to voice disorders (Morrow & Connor, 2011). This essay explores the prevalence and contributing factors of vocal issues, as well as potential interventions to improve vocal health. By examining strategies like proper technique, environmental modifications, and self-care practices, we can support educators in maintaining vocal strength and longevity. Key themes include the impact of prolonged vocal use, environmental irritants, emotional stress, and inadequate vocal hygiene. Definitions of *vocal fatigue* and *voice disorders* will be clarified to provide a focused understanding of how these issues affect teachers' well-being and effectiveness (Hunter et al., 2020). The essay will discuss how factors like insufficient hydration, improper warm-up techniques, and lack of professional vocal training contribute to these problems (Santana et al., 2017).

Addressing these factors is essential for supporting educators' vocal health, ensuring their effectiveness in the classroom, and enhancing job satisfaction (Gillivan-Murphy et al., 2006). Creating supportive environments and implementing vocal health initiatives can empower educators to prioritize their vocal well-being, leading to healthier teaching practices and improved student engagement (Porcaro et al., 2021).

Rationale

This topic was chosen in response to both reflective feedback and personal experience, highlighting a significant gap in understanding the vocal health challenges faced by teachers, particularly those in vocally demanding roles such as vocal music educators. Informal discussions with peers and insights gained from my own experiences underscore a pressing need for increased awareness and more effective intervention strategies for voice care. This need is further supported by a comprehensive literature review, which was conducted with well-defined inclusion and exclusion criteria, focusing on empirical studies and practical interventions. Reflective practice models were also employed to ensure a thorough and nuanced approach to the issue (Porcaro et al., 2021). Additionally, casual conversations with educators revealed common struggles, including issues related to vocal strain and insufficient

institutional support for voice health. These firsthand accounts highlight the urgency of addressing these challenges not only for individual well-being but also for the overall effectiveness of teaching practices. By integrating both qualitative and quantitative data, this exploration aims to provide a holistic view of the vocal health landscape in education, ultimately advocating for systemic changes that prioritize the vocal well-being of teachers. Furthermore, promoting collaboration between educational institutions and health professionals can lead to the development of targeted workshops and resources, equipping teachers with the knowledge and tools they need to maintain their vocal health effectively (Gillivan-Murphy et al., 2006). This multifaceted approach not only empowers educators but also contributes to creating healthier classroom environments conducive to learning.

Reflective practice suggests that integrating findings from this review into ongoing professional development can significantly enhance educators' ability to manage their vocal health effectively. By applying these insights, teachers can develop more effective strategies for protecting and improving their vocal well-being. This proactive approach not only addresses the immediate concerns of vocal health but also contributes to a more sustainable and supportive teaching environment (Gautam, Nayak, & Devadas, 2022). The literature review, informed by reflective practices and evaluative models, emphasizes the importance of proactive rather than reactive measures. It identifies effective interventions and practical applications, which are crucial for enhancing teaching performance and overall job satisfaction (Gautam et al., 2022). This approach ensures that educators are better equipped to handle the vocal demands of their profession, fostering both their personal well-being and professional effectiveness. Additionally, creating a culture of vocal awareness among faculty can facilitate peer support systems, where educators share experiences and best practices (Gillivan-Murphy et al., 2006). Implementing regular workshops focused on vocal techniques and health can further solidify these strategies. As educators feel more empowered and knowledgeable about their vocal care, they are likely to experience reduced vocal strain, leading to improved communication with students and enhanced engagement in the classroom. This holistic perspective ultimately strengthens the educational community as a whole. By encouraging ongoing dialogue about vocal health and integrating it into the broader conversation about teacher wellness, schools can prioritize not just academic success but also the well-being of their educators, resulting in a more resilient and effective teaching workforce.

Prevalence of Voice Disorders Among Teachers

The prevalence of voice disorders among teachers is alarmingly high, with studies indicating that up to 80% of educators experience vocal issues annually (Banks, Cantor-Cutiva, & Hunter, 2022). This statistic highlights the severe impact of the profession's vocal demands, with teachers representing about 8% of all individuals seeking medical help for voice-related problems (Bovo et al., 2007). The elevated incidence of these disorders can be attributed to several factors, including the necessity for teachers to project their voices over noisy classrooms, frequent exposure to irritants such as chalk dust, and the emotional stress of managing classroom dynamics (Ohlsson et al., 2016). Additionally, inadequate vocal hygiene practices and insufficient attention to self-care further exacerbate these issues (Munier & Farrell, 2016). Many teachers also report a lack of training in effective vocal techniques, which can leave them unprepared to handle the physical demands of their roles. The consequences of voice disorders extend beyond personal discomfort, affecting teachers' professional performance and job satisfaction, leading to absenteeism and even career changes. This cycle of vocal strain not only impacts individual educators but also the quality of education provided to students, underscoring the urgent need for targeted interventions and resources dedicated to vocal health in educational settings. Establishing comprehensive support systems that include training in vocal techniques, regular health screenings, and accessible wellness resources can empower teachers to prioritize their vocal health. By fostering an environment that values vocal care, educational institutions can not only enhance teachers' well-being but also improve the overall learning experience for their students (Gautam, Nayak, & Devadas, 2022; Gillivan-Murphy et al., 2006).

The literature underscores that teachers often face chronic voice problems due to the demanding nature of their roles, which frequently leads them to neglect vocal health in favor of instructional demands. This neglect, combined with poor classroom acoustics and exposure to environmental irritants, intensifies the risk of developing voice disorders (Ohlsson et al., 2016). Consequently, there is a pressing need for multifaceted strategies to address these issues. Effective interventions should include education on vocal hygiene, improvements in classroom acoustics, and enhanced professional development on vocal health (Kristiansen et al., 2014). Additionally, creating a culture of awareness within educational institutions can encourage teachers to prioritize their vocal care. Regular workshops focusing on proper voice techniques, stress management, and self-care practices can equip educators with the necessary tools to

maintain their vocal health. Furthermore, involving school administrators in these initiatives can facilitate the implementation of necessary changes, such as providing adequate resources for classroom modifications. By implementing these measures, we can mitigate the risks associated with voice disorders, thereby improving teachers' well-being and ensuring a more effective learning environment for their students. Ultimately, fostering an environment that values vocal health can lead to enhanced job satisfaction and reduced turnover rates among educators. Long-term strategies, such as ongoing assessment of vocal health and creating peer support networks, can further strengthen these initiatives. These networks can help teachers share experiences and coping strategies, creating a collaborative approach to addressing vocal challenges and promoting overall wellness within the educational community (Kristiansen et al., 2014).

Contributing Factors to Voice Disorders

Several factors contribute to the high prevalence of voice disorders among teachers, revealing the complexity of this issue. A primary factor is the necessity for teachers to project their voices over ambient classroom noise for extended periods, which places significant strain on their vocal cords (Banks, Cantor-Cutiva, & Hunter, 2022). This vocal strain is further exacerbated by larger class sizes and poor classroom acoustics, as evidenced by Kristiansen et al. (2014), who found strong correlations between noise exposure and increased voice symptoms. Additionally, environmental conditions such as dry air from central heating and air conditioning can lead to considerable vocal discomfort and irritation (Conde, 2004). Research by Lyberg-Åhlander et al. (2015) and Åhlander et al. (2014) supports the idea that both environmental factors and personal perceptions of dryness critically impact vocal health. Moreover, the emotional and psychological stresses inherent in teaching can also contribute to vocal fatigue, as teachers often face the dual pressures of managing classroom dynamics and maintaining effective communication. This multifaceted nature of voice disorders underscores the need for comprehensive training and resources that address not just physical conditions but also the emotional well-being of educators. By recognizing and addressing these diverse factors, schools can better support their teachers and promote a healthier working environment, ultimately benefiting both educators and students alike. Additionally, establishing supportive policies that prioritize vocal health, such as mandatory breaks and access to wellness programs, can further alleviate stressors and enhance teachers' ability to care for their voices (Gautam, Nayak, & Devadas, 2022; Gillivan-Murphy et al., 2006).

Despite these insights, there remain notable gaps in understanding the direct effects of these factors on long-term vocal health. The literature indicates that teachers are often more aware of classroom acoustics and may seek acoustically favorable spaces to mitigate strain (Lyberg-Åhlander et al., 2015). However, there is limited research on the specific impact of environmental modifications and how they influence vocal health. This lack of comprehensive knowledge underscores the need for further investigation into how various factors interact and contribute to chronic vocal issues.

Furthermore, the potential psychological effects of vocal strain—such as anxiety and decreased self-esteem—are often overlooked, despite their significant impact on teaching performance. Further research addressing these gaps can help develop more effective preventative and remedial strategies, ultimately supporting educators in maintaining better vocal health and improving their overall teaching effectiveness. Moreover, collaboration between researchers, educators, and health professionals may facilitate the sharing of best practices, potentially ensuring that vocal health becomes a priority within teacher training and ongoing professional development.

Gender and Role-Specific Variations

Gender differences significantly impact the prevalence and severity of voice disorders among teachers, highlighting important nuances in the challenges faced across different demographics. Female teachers, for example, report higher levels of vocal discomfort compared to their male counterparts (Hunter & Banks, 2017). This disparity can be attributed to physiological differences, hormonal influences, and a greater tendency toward vocal fatigue among women. Furthermore, the National Center for Education Statistics (2023) reveals that a higher percentage of the teaching workforce consists of women, raising questions about how perimenopausal hormonal changes might exacerbate vocal fatigue among female educators.

Additionally, societal expectations often place a greater vocal demand on female teachers, who may feel pressured to adopt a more expressive and engaging vocal style to connect with students (Hunter and Banks, 2017). This expectation can lead to overuse and strain. Moreover, the lack of targeted resources and support for addressing vocal health specifically for female educators compounds the issue. Understanding these gender-specific challenges is crucial for developing effective interventions. Tailored vocal training programs that consider the unique

physiological and social factors affecting female teachers could greatly enhance their vocal health.

Furthermore, research shows that elementary school teachers experience more vocal discomfort than their high school counterparts, likely due to the noisy and demanding environments associated with younger students (Tahamtan et al., 2023). Music teachers, in particular, face even greater vocal challenges due to the sustained vocal output and use of amplification required in their roles (Morrow & Connor, 2011). These findings emphasize the need for gender-specific and role-specific strategies to address the vocal health issues faced by different groups within the teaching profession..

Impact of Vocal Health Programs

Vocal health programs (VHPs) aimed at educating teachers about effective vocal practices have demonstrated promise in raising awareness about the importance of vocal care. However, their direct impact on physiological improvements remains somewhat limited (Nallamuthu et al., 2023). While hydration strategies have been identified as beneficial for improving voice quality, the challenge of achieving and maintaining adequate hydration remains significant for many educators (Santana et al., 2017). Through my own experience and conversations with my peers, we find that we struggle to find time during our busy schedules to drink enough water, often prioritizing our teaching duties over self-care.

Additionally, vocal warm-up exercises and ergonomic adjustments in classroom design have proven effective in reducing vocal strain. Studies by Chang et al. (2018) and Smith et al. (2020) indicate that these interventions can significantly alleviate the physical demands placed on teachers' voices. Moreover, incorporating regular training sessions on vocal health into professional development can further reinforce the importance of these practices. Providing resources such as hydration reminders or easily accessible drinking stations may help foster better hydration habits (Åhlander et al., 2014), something that I plan to use in my Personal Development Plan strategies. Ultimately, a comprehensive approach that combines education, practical strategies, and institutional support is necessary to ensure that vocal health programs lead to meaningful, long-term improvements in teachers' vocal well-being.

Furthermore, collaboration with healthcare professionals, such as speech therapists and vocal coaches, may provide opportunities for tailored support for teachers experiencing vocal challenges. Based on my research, I have come to believe that through establishing

partnerships with local health organizations, schools can offer workshops and screenings to raise awareness about vocal health issues, much like they offer other health screenings and classes in my own district. Ultimately, integrating these systemic changes with individual strategies can lead to a more sustainable approach to vocal care, significantly enhancing teachers' well-being and their ability to perform effectively in the classroom. Creating a culture that prioritizes vocal health not only benefits educators but also positively impacts the overall learning environment for students.

I believe it is essential for ongoing research to delve deeper into refining these holistic strategies and exploring new interventions. This research should focus on creating more effective Vocal Health Programs (VHPs), developing practical hydration solutions, and implementing ergonomic improvements. By doing so, we can better support educators in managing their vocal health, thereby enhancing their teaching effectiveness and overall job satisfaction.

Importance of Training and Support

Training in vocal hygiene is essential for maintaining vocal health, yet many teachers lack adequate instruction in effective speaking voice techniques, leaving them vulnerable to vocal strain and disorders (Porcaro et al., 2021). Research highlights the importance of comprehensive vocal hygiene training, which has been shown to lead to significant improvements in teachers' vocal practices and a notable reduction in vocal strain (Porcaro et al., 2021). Techniques such as the Finnish Resonance Tube Phonation Method and straw phonation exercises have demonstrated their efficacy in enhancing vocal quality, improving overall vocal function, and alleviating symptoms of vocal fatigue (Guzman et al., 2012).

These methods address immediate issues of vocal strain and contribute to long-term vocal health by fostering better vocal habits and endurance (Porcaro et al., 2021). Incorporating such training into teacher professional development programs can be instrumental in equipping educators with the skills needed to protect their voices.

Moreover, creating a culture of vocal health within educational institutions, where teachers are encouraged to prioritize their vocal well-being, is crucial (Velsvik Bele, 2008). By implementing mentorship programs that pair experienced educators with those new to the profession, schools can facilitate knowledge sharing about effective vocal practices. Ultimately, investing in vocal hygiene training not only benefits teachers but also enhances the learning experience for students by ensuring that educators can communicate effectively and sustainably.

Furthermore, schools and educational institutions can benefit from implementing systemic changes, such as improving classroom acoustics and reducing environmental irritants, to complement individual vocal hygiene practices. By combining targeted training with systemic improvements, we can create a more supportive environment for teachers, ultimately enhancing their overall well-being and effectiveness (Munier and Farrell, 2016; Kristiansen et al., 2014).

Conclusion

The literature reveals that teachers face significant and multifaceted vocal health challenges due to the demanding nature of their profession (Banks, Cantor-Cutiva, & Hunter, 2022; Kristiansen et al., 2014). Key issues include the prolonged use of the voice, exposure to environmental irritants, and inadequate vocal hygiene practices. Teachers often need to project their voices over ambient noise, work in acoustically challenging environments, and manage classrooms where irritants are prevalent, all of which contribute to increased vocal strain.

Addressing these issues effectively requires a comprehensive, multifaceted approach. This should include enhanced training in vocal hygiene, targeted interventions to mitigate environmental impacts, and a deeper understanding of the clinical aspects of vocal discomfort (Porcaro et al., 2021; Guzman et al., 2012). Additionally, schools can implement regular assessments of classroom acoustics and air quality, ensuring that teachers are working in environments conducive to vocal health (Conde, 2004; Lyberg-Åhlander et al., 2015).

Moreover, collaboration with speech-language pathologists can provide teachers with personalized strategies tailored to their specific needs and challenges. Creating supportive policies that prioritize vocal health, such as scheduled breaks and vocal warm-up periods, can also make a significant difference. By addressing these interconnected factors holistically, we can cultivate a teaching environment that supports educators' vocal well-being and enhances their overall effectiveness in the classroom.

Integrating vocal health training into teacher education and ongoing professional development programs is crucial. Such training equips educators with practical strategies for prevention and management, essential for maintaining vocal health amidst their demanding roles. Future research should focus on evaluating the effectiveness of interventions such as personal voice amplification devices and adjustments to classroom acoustics. Additionally, exploring cost-effective and specific environmental modifications can help address gaps in current research.

Understanding the impact of these factors on vocal health will be vital in developing effective strategies and shaping Personal Development Plans (PDPs) that promote sustainable teaching practices (see Appendix A). Moreover, incorporating feedback mechanisms in training programs can help educators voice their experiences and challenges related to vocal health. This continuous feedback loop will inform future training and interventions, ensuring they remain relevant and effective. By addressing these multifaceted challenges, I believe we can better support teachers in maintaining their vocal health, ensuring they can continue to deliver high-quality education without compromising their well-being.

Ultimately, prioritizing vocal health not only enhances teachers' personal well-being but also contributes to improved student engagement and learning outcomes, creating a more vibrant and effective educational environment.

Creating a culture of awareness and support within schools is equally important. Schools should consider implementing regular vocal health screenings and providing resources for teachers to manage their vocal strain proactively. These screenings can help identify early signs of vocal issues, allowing for timely interventions and personalized support. Additionally, providing access to workshops led by vocal health experts can empower teachers with practical tools and techniques to maintain their vocal well-being.

Encouraging open dialogue about vocal health challenges can help reduce stigma and promote a more supportive environment. Establishing peer support groups where educators can share experiences and coping strategies can foster a sense of community and shared responsibility. This collaborative atmosphere not only reinforces the importance of vocal care but also encourages teachers to seek help without fear of judgment.

By fostering a proactive approach to vocal health and addressing both individual and systemic factors, we can contribute to a more effective and resilient teaching workforce. This not only benefits educators by improving their job satisfaction and health but also enhances the overall quality of education provided to students. Furthermore, a healthier teaching staff is more likely to engage and inspire their students, ultimately cultivating a positive learning environment that fosters student achievement and well-being. Investing in vocal health is thus an investment in the future of education.

Critical Reflection

Using Kolb's Learning Cycle to reflect on my experience with vocal health as a teacher offers a structured approach to understanding how my assumptions have evolved and how I can further improve. I chose this model as it closely follows the model of critical reflection that I am required to use in my teacher self-evaluations yearly.

Concrete Experience

I entered teaching assuming that my operatic training had already given me the tools I needed to manage my vocal health. However, as I started working in a public school, I realized that teaching presented unique vocal challenges that I had not anticipated. The contrast between my past experience in a high school setting and my current environment highlighted how unprepared I had been to manage my vocal health effectively in the former context. Contrary to the research that suggests elementary school teachers experience more frequent vocal discomfort, I found my vocal strain significantly reduced in this job.

Reflective Observation

Looking back, I noticed several factors that contributed to this surprising outcome. The most significant difference was the environment: the smaller, more sound-resistant room where I now teach minimizes the vocal strain I would typically expect. Beyond the physical space, however, the school-wide focus on holistic well-being has been transformative. With access to ample breaks, encouragement to stay hydrated, and a supportive social environment, I've found my stress levels significantly reduced. This supportive atmosphere, combined with mental health therapy sessions, has made a profound difference in my ability to care for my voice. In fact, addressing stress, something I hadn't initially considered as impactful, has proven to be the most influential factor.

Abstract Conceptualization

These reflections have reshaped my understanding of vocal health beyond the technicalities of voice care learned in operatic training. My initial assumption that hydration, amplification devices, and technical vocal exercises were enough has been challenged. I now recognize that external factors such as stress management and a supportive work environment are equally important in maintaining vocal health. The holistic approach in my current school aligns with research suggesting that reducing stress can significantly improve vocal health, yet my earlier training had not emphasized this connection.

Active Experimentation

Moving forward, I plan to further integrate what I've learned into my daily teaching routine. Hydration remains a key focus, but I now make a more deliberate effort to manage stress, both in and out of the classroom. I will continue to use the personal amplification device and experiment with it more to reduce vocal effort. Additionally, I will prioritize mental health care by consistently attending therapy sessions, as these have clearly contributed to improved vocal well-being. Finally, I will advocate for more supportive work environments wherever I teach in the future, as this has been a crucial element in my current success.

In conclusion, Kolb's cycle has helped me realize that my operatic training was only part of the equation for vocal health in teaching. The holistic environment, with its emphasis on well-being, has been vital to reducing vocal discomfort, and this awareness will shape how I manage my voice in the future.

References

- Banks, R. E., Cantor-Cutiva, L. C., & Hunter, E. J. (2022). Factors Influencing Teachers' Experience of Vocal Fatigue and Classroom Voice Amplification. *Journal of Voice*, 2, 1-2.
- Bovo, R., Galceran, M., Petruccelli, J., & Hatzopoulos, S. (2007). Vocal Problems Among Teachers: Evaluation of a Preventive Voice Program. *Journal of Voice*, 21(6), 705-721.
- Conde, M.R., 2004. Properties of aqueous solutions of lithium and calcium chlorides: formulations for use in air conditioning equipment design. *International Journal of Thermal Sciences*, 43, pp.367-382. Available at: <http://www.elsevier.com/locate/ijts> [Accessed 4 July 2024].
- Durup, N., Shield, B., Dance, S., Sullivan, R., & Gomez-Agustina, L. (2015). How classroom acoustics affect the vocal load of teachers. ScienceDirect, 6th International Building Physics Conference, IBPC 2015. London South Bank University, Borough Road, London SE1 0AA, UK; Sharps Redmore Acoustic Consultants, London Road, Ipswich IP8 3JH, UK.
- Garnier, M., & Henrich, N. (2014). Speaking in noise: How does the Lombard effect improve acoustic contrasts between speech and ambient noise? *Computer Speech & Language*, 28(2), 580-597. Department of Speech and Cognition, GIPSA-Lab (UMR 5216: CNRS, INPG,

University Stendhal, UJF), Grenoble, France. Received 14 October 2012, Revised 26 July 2013, Accepted 29 July 2013, Available online 15 August 2013.

Gautam, D. P., Nayak, D. R., & Devadas, U. (2022). Perception of Primary School Teachers Towards Voice Problems and Vocal Health-Seeking Behaviors: A qualitative study. *Journal of Voice*, 2, 5, 2022.

Gillivan-Murphy, P., Drinnan, M. J., O'Dwyer, T. P., Ridha, H., & Carding, P. N. (2006). The Effectiveness of a Voice Treatment Approach for Teachers With Self-Reported Voice Problems. *Journal of Voice*, 20(3), 427, 2006.

Guzman, M. *et al.* (2012) 'Immediate effects of a vocal exercise sequence with resonance tubes/Efectos acusticos inmediatos de una secuencia de ejercicios vocales con tubos de resonancia', *Revista CEFAC*, 14(3), pp. 471-. Available at: <https://doi.org/10.1590/S1516-18462011005000127>.

Hunter, E. J., Cantor-Cutiva, L. C., van Leer, E., van Mersbergen, M., Nanjundeswaran, C. D., Bottalico, P., Sandage, M. J., & Whitting, S. (2020). Toward a consensus description of vocal effort, vocal load, vocal loading, and vocal fatigue. *Journal of Speech, Language, and Hearing Research*, 63(2), 509-532. doi: 10.1044/2019_JSLHR-19-00057

Hunter, E.J. and Banks, R.E. (2017). Gender Differences in the Reporting of Vocal Fatigue in Teachers as Quantified by the Vocal Fatigue Index. *Annals of Otology, Rhinology & Laryngology*, 126(12), pp.813-818. Available at: <https://doi-org.ezproxy.uwtsd.ac.uk/10.1177/0003489417738788>.

Jonsdottir, V., Laukkanen, A-M., & Vilkmann, E. (2002). Speaking in noise: How does the Lombard effect improve acoustic contrasts between speech and ambient noise? *Folia Phoniatri et Logopaedica*, 54(6), 282-287.

Kristiansen, J., Lund, S. P., Persson, R., Shibuya, H., Nielsen, P. M., & Scholz, M. (2014). A study of classroom acoustics and school teachers' noise exposure, voice load and speaking time during teaching, and the effects on vocal and mental fatigue development. *International Archives of Occupational and Environmental Health*, 87(8), 851–860. <https://doi.org/10.1007/s00420-014-0927-8>

- Laukkanen, A.-M., Ilomäki, I., Leppänen, K., & Vilkman, E. (2008). Acoustic Measures and Self-reports of Vocal Fatigue by Female Teachers. *Journal of Voice*, 22(3), 283-287.
- Lyberg-Åhlander, V., Rydell, R., Löfqvist, A., Pelegrin-García, D., & Brunskog, J. (2015). Teachers' Voice Use in Teaching Environments: A Field Study Using Ambulatory Phonation Monitor. *Energy Procedia*, 78, 3090-3095.
- Mattiske, J. A., Oates, J. M., & Greenwood, K. M. (1998). Vocal problems among teachers: a review of prevalence, causes, prevention, and treatment. *Journal of Voice*, 12(4), 497.
- Morrow, S. L., & Connor, N. P. (2011). Comparison of voice-use profiles between elementary classroom and music teachers. *Journal of Voice*, 25(3), 367-372.
- Morrow, S. L., & Connor, N. P. (2011). Voice amplification as a means of reducing vocal load for elementary music teachers. *Journal of Voice*, 25(4), 441-446.
- Munier, C., & Farrell, R. (2016). Working Conditions and Workplace Barriers to Vocal Health in Primary School Teachers. *International Journal of Health Sciences*, 2(1), 39-52. Available at: <https://www-sciencedirect-com.ezproxy.uwtsd.ac.uk/science/article/pii/S0892199715000466?via%3Dihub> [Accessed 14 June 2024].
- Nallamuthu, A., Boominathan, P., Arunachalam, R., & Mariswamy, P. (2023). Outcomes of Vocal Hygiene Program in Facilitating Vocal Health in Female School Teachers With Voice Problems. *Journal of Voice*, 37(2), 295.e11-295.e22.
- National Center for Education Statistics. (2023). Characteristics of Public School Teachers. Condition of Education. U.S. Department of Education, Institute of Education Sciences. Retrieved [2024], from <https://nces.ed.gov/programs/coe/indicator/clr>.
- Nelson, R., Weinrich, B., Gray, S. D., Tanner, K., et al. (2002). Voice amplification versus vocal hygiene instruction for teachers with voice disorders: A treatment outcomes study. *Journal of Speech, Language, and Hearing Research*, 45(4), 625-638.
- Ohlsson, A. C., Brink, C. W., & Löfqvist, A. (2016). Voice Disorders in Teacher Students—A Prospective Study and a Randomized Controlled Trial. *Journal of Voice*, 30(6), 755.e13.

Porcaro, C. K., Howery, S., Suhandron, A., & Gollery, T. (2021). Impact of vocal hygiene training on teachers' willingness to change vocal behaviors. *Journal of Voice*, 35(3), 499.e1-499.e11.

<https://doi.org/10.1016/j.jvoice.2021.05.010>

Puglisi, G. E., Cantor Cutiva, L. C., Pavese, L., Castellana, A., Bona, M., Fasolis, S., Lorenzatti, V., Carullo, A., Burdorf, A., Bronuzzi, F., & Astolfi, A. (2015). Acoustic comfort in high-school classrooms for students and teachers. *Energy Procedia*, 78, 3096-3101.

doi:10.1016/j.egypro.2015.11.802

Rodrigues, G., Zambon, F., Mathieson, L., Behlau, M., & Gama, A. C. C. (2013). Vocal Tract Discomfort in Teachers: Its Relationship to Self-Reported Voice Disorders. *Journal of Voice*, 27(4), 473-480.

Russell, A., Oates, J. and Greenwood, K.M. (1998) 'Prevalence of voice problems in teachers', *Journal of voice*, 12(4), pp. 467–479. Available at:

[https://doi.org/10.1016/S0892-1997\(98\)80056-8](https://doi.org/10.1016/S0892-1997(98)80056-8).

Tahamtan, M., Kakavandi, A., Scherer, R. C., & Vahedi, M. (2023). Vocal tract discomfort symptoms in elementary and high school teachers. *Journal of Voice*, 37(1), 68-78.

Trinite, B., Barute, D., Blauzde, O., Ivane, M., Paipare, M., Sleze, D., & Valce, I. (2022). Choral conductors vocal loading in rehearsal simulation conditions. *Journal of Voice*. Available online 7 March 2022.

U.S. Department of Education, National Center for Education Statistics, 2017–18. National Teacher and Principal Survey (NTPS), "Public School Teacher Data File."

Velsvik Bele, I. (2008). The Teacher's Voice: Vocal training in teacher education. *Scandinavian Journal of Educational Research*, 52(1), 41–57. <https://doi.org/10.1080/00313830701786594>

Appendix A

R. Griffith Personal Development Plan

What is my overall goal?	What do I want to achieve through this goal?	What specific actions will I take toward this goal?	What resources/ outside help might I need	How will I know when I've achieved success?	When is the desired completion date?
Prevent/ mitigate vocal discomfort	Increase my body awareness in regards to hydration, and food intake	-Utilize a water bottle with time markers on it to measure water intake -Set regular timer reminders to hydrate, especially when doing office work -Utilize Buoy Electrolyte drops to increase hydration levels, keep a diary of results when used or not used -Keep a food journal specifically to track vocal sensations after eating specific foods	Water bottle with time markers Journal Buoy Drops	When I have 60 days of consecutive data entries to examine	Jan 1, 2025
Prevent/ mitigate vocal discomfort	Lower my overall stress and emotional responses to stress	-Set up therapy appointments through my school district -Attend weekly session faithfully -Collect and apply	Therapist who is well versed in teacher specific employment Journal	When I have identified which techniques work best for me, and employ	ongoing

		suggested techniques for stress management -Use a journal to track stress responses, antecedent events that trigger responses, and effectiveness of suggested techniques		them faithfully	
Prevent/mitigate vocal discomfort	Utilize technology to prevent vocal discomfort and /or injury	-Contact my District Tech Department to obtain a personal amplification device -Use said device regularly, especially when feeling vocal fatigue or when doing noisy classroom activities	-Personal amplification device (PAD)	-When I have obtained an utilized the PAD	Jan 1, 2025